This SDS packet was issued with item: 078412675

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078006853



Revision date: 22-Apr-2015

Version: 2.7

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier Material Name: Eradimite

Trade Name:
Synonyms:
Chemical Family:
Registration Number:

Eradimite[™] Ear Mite Treatment for Dogs, Puppies, Cats, Kitties, Rabbits Mixture EPA No. 15297-19-1117

Relevant Identified Uses of the Substance or Mixture and Uses Advised AgainstIntended Use:Veterinary product used as antiparasiticRestrictions on Use:Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.Zoetis Bit100 Campus Drive, P.O. Box 651MercuriuFlorham Park, New Jersey 07932 (USA)1930 ZavRocky Mountain Poison and Drug Center Phone: 1-866-531-8896BelgiumProduct Support/Technical Services Phone: 1-800-366-5288Product Support/Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance:

Clear, colorless solution

Classification of the Substance or Mixture GHS - Classification

Serious Eye Damage/Eye Irritation: Category 2A Specific target organ systemic toxicity (single exposure): Category 3 Acute aquatic toxicity: Category 1 Chronic aquatic toxicity: Category 1 Flammable liquids- Category 3

N Xi

EU Classification:

EU Indication of danger: Irritant

Dangerous for the Environment

EU Symbol:

EU Risk Phrases:

R10 - Flammable. R36 - Irritating to eyes. R67 - Vapors may cause drowsiness and dizziness. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label Elements

	2. HAZARDS IDENTIFICATION
Signal Word:	Warning
Hazard Statements:	H226 - Flammable liquid and vapor
	H319 - Causes serious eye irritation
	H336 - May cause drowsiness and dizziness
	H410 - Very toxic to aquatic life with long lasting effects
Precautionary Statements:	P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking
	P233 - Keep container tightly closed
	P240 - Ground/Bond container and receiving equipment
	P241 - Use explosion-proof electrical/ventilating/lighting/equipment
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge
	P280 - Wear protective gloves/protective clothing/eye protection/face protection
	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
	P264 - Wash hands thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area
	P273 - Avoid release to the environment
	P370 + P378 - In case of fire: Use water spray, dry chemical, alcohol-resistant foam, or C0 for extinction
	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothin Rinse skin with water/shower
	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo
	contact lenses, if present and easy to do. Continue rinsing
	P337 + P313 - If eye irritation persists: Get medical advice/attention
	P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing
	P312 - Call a POISON CENTRE/doctor/physician if you feel unwell
	P391 - Collect spillage
	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
	P235 - Keep cool
	P405 - Store locked up
	P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards Short Term:

Long Term: Australian Hazard Classification (NOHSC):

Note:

Breathing high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination. Continued inhalation may result in unconsciousness and death. Causes eye irritation . Signs and symptoms might include redness, swelling, blurred vision or pain. Prolonged or repeated contact may cause defatting and drying of the skin. Hazardous Substance. Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Isopropyl alcohol	67-63-0	200-661-7	F; R11 Xi; R36 R67	STOT SE 3 (H336) Flam. Liq. 2 (H225) Eye Irrit. 2A (H319)	57
Piperonyl butoxide	51-03-6	200-076-7	N; R50-53	Aq. Acute Tox 1 (H400) Aq. Chronic Tox 1 (H410)	1.5
Pyrethrin	8003-34-7	232-319-8	Xn R20/22	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aq. Acute Tox 1 (H400) Aq. Chronic Tox 1 (H410)	0.15

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Inert Ingredients	Not applicable	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove clothing and wash affected skin with soap and water. If irritation occurs or persists, get medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effe Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Material Name: Eradimite Revision date: 22-Apr-2015

Notes to Physician:

None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Dry chemical, carbon dioxide, water spray or alcohol-resistant foam

Special Hazards Arising from the Substance or Mixture

Hazardous CombustionEmits toxic fumes of carbon monoxide, carbon dioxide, and nitrogen oxides.Products:

Fire / Explosion Hazards: Flammable liquid and vapor. Vapors will form flammable or explosive mixtures with air at room temperature. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Fine particles (such as mists) may fuel fires/explosions.

Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Evacuate area and fight fire from a safe distance. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Flammable liquid. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Use only in a well-ventilated area. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Keep in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame, and other
	sources of ignition. Protect from direct heat and sunlight.
Incompatible Materials:	Strong oxidizers , Bases , Metals , combustible materials , organic materials
Specific end use(s):	No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Isopropyl alcohol

nopyr alconol	
ACGIH Threshold Limit Value (TWA)	200 ppm
ACGIH Threshold Limit Value (STEL)	400 ppm
ACGIH - Biological Exposure Limit:	40 mg/L
Australia STEL	500 ppm
	1230 mg/m ³
Australia TWA	400 ppm
	983 mg/m ³
Austria OEL - MAKs	200 ppm
	500 mg/m ³
Belgium OEL - TWA	200 ppm
Beigium OLL - TWA	500 mg/m ³
	980.0 mg/m ³
Bulgaria OEL - TWA	
Czech Republic OEL - TWA	500 mg/m ³
Denmark OEL - TWA	200 ppm
	490 mg/m ³
Estonia OEL - TWA	150 ppm
	350 mg/m ³
Finland OEL - TWA	200 ppm
	500 mg/m ³
Germany - TRGS 900 - TWAs	200 ppm
	500 mg/m ³
Germany (DFG) - MAK	200 ppm
	500 mg/m ³
Germany - Biological Exposure Limit:	25 mg/L
Greece OEL - TWA	400 ppm
	980 mg/m ³
Hungary OEL - TWA	500 mg/m ³
Ireland OEL - TWAs	200 ppm
Japan - OELs - Ceilings	400 ppm
	980 mg/m ³
Latvia OEL - TWA	350 mg/m ³
Lithuania OEL - TWA	150 ppm
	350 mg/m ³
OSHA - Final PELS - TWAs:	400 ppm
	980 mg/m ³
Poland OEL - TWA	900 mg/m ³
Portugal OEL - TWA	200 ppm
Romania OEL - TWA	81 ppm
	200 mg/m ³
Romania - Biological Exposure Limit:	50 mg/L
	•
Slovakia OEL - TWA	200 ppm 500 mg/m ³
Slovenia OEL - TWA	200 ppm
	500 mg/m ³
Spain OEL - TWA	200 ppm
	500 mg/m ³
Spain - Biological Exposure Limit:	40 mg/L
Sweden OEL - TWAs	150 ppm
	350 mg/m ³

8. EXPOSI	JRE CONTROLS / PERSONAL PROTECTION
Switzerland OEL -TWAs	200 ppm 500 mg/m ³
yrethrin	
ACGIH Threshold Limit Value (TWA) 5 mg/m ³
Australia TWA	5 mg/m ³
Austria OEL - MAKs	1 mg/m ³
Belgium OEL - TWA	1 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Cyprus OEL - TWA	1 mg/m ³
Czech Republic OEL - TWA	1 mg/m ³
Denmark OEL - TWA	1 mg/m ³
Estonia OEL - TWA	1 mg/m ³
Finland OEL - TWA	1 mg/m ³
France OEL - TWA	1 mg/m ³
Germany - TRGS 900 - TWAs	1 mg/m ³
Greece OEL - TWA	1 mg/m ³
Hungary OEL - TWA	1 mg/m ³
Ireland OEL - TWAs	1 mg/m ³
Italy OEL - TWA	1 mg/m ³
Latvia OEL - TWA	1 mg/m ³
Lithuania OEL - TWA	1 mg/m ³
Luxembourg OEL - TWA	1 mg/m ³
Malta OEL - TWA	1 mg/m ³
Netherlands OEL - TWA	1 mg/m ³
OSHA - Final PELS - TWAs:	5 mg/m ³
Poland OEL - TWA	1 mg/m ³
Portugal OEL - TWA	5 mg/m³
Romania OEL - TWA	1 ppm
Slovakia OEL - TWA	1 mg/m ³
Slovenia OEL - TWA	1 mg/m ³
Spain OEL - TWA	1 mg/m ³
Sweden OEL - TWAs	1 mg/m ³
Switzerland OEL -TWAs	5 mg/m ³
xposure Controls	
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.
Eyes: Skin:	Wear safety glasses or goggles if eye contact is possible. Impervious protective clothing is recommended if skin contact with drug product is possible ar for bulk processing operations.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Liquid Characteristic Mixture		Color: Odor Threshold: Molecular Weight:	Clear, colorless No data available. Mixture
Solvent Solubility: Water Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, pH, E No data available Decomposition Temperature (°C):	No data available Soluble No data available. -86 No data available. ndpoint, Value) No data available.			
Evaporation Rate (Gram/s): Vapor Pressure (kPa): Vapor Density (g/ml): Relative Density: Specific Gravity: Viscosity:	No data available 4.4 based on major comp 2.07 No data available 0.889 No data available	ponent		
Flammablity: Autoignition Temperature (So Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liqui Lower Explosive Limits (Liqui Polymerization:	d) (% by Vol.):	No data ava No data ava 29.4 12 2 Will not occi	ilable	

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions Oxidizing Properties: Conditions to Avoid: No data available Stable under normal conditions of use.

None

Exposure to sunlight. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electrostatic discharge). Strong oxidizers, Bases, Metals, combustible materials, organic materials May form toxic materials such as carbon monoxide and carbon dioxide.

Incompatible Materials: Hazardous Decomposition Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation. Routes of exposure: eye contact, skin contact, inhalation

Acute Toxicity: (Species, Route, End Point, Dose)

Isopr	opyl alo			
Rat	Oral	LD50	> 2000	mg/kg

11. TOXICOLOGICAL INFORMATION

MouseOralLD503600 mg/kgRatInhalationLC50-8h16,000 ppmRabbitDermalLD5012800 mg/kgRatInhalationLC5030mg/L

Pyrethrin

Rat Oral LD50 470 mg/kg Rabbit Dermal LD50 2060mg/kg Rat Inhalation LC50 3.4mg/L /4 hr

Piperonyl butoxide

Rat Oral LD50 7960 mg/kg Acute Toxicity Comments:

Inhalation Acute Toxicity

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test. Breathing high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination. Continued inhalation may result in unconsciousness and death.

Irritation / Sensitization: (Study Type, Species, Severity)

Isopropyl alcohol

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Piperonyl butoxide

Skin IrritationRabbitMinimalEye IrritationRabbitSlightIrritation / SensitizationComments:May cause eye irritation.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Isopropyl alcohol

20 Week(s) Rat Inhalation 4000 ppm NOAEL Liver, Central nervous system 104 Week(s) Rat Inhalation 5000 ppm Kidney

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Isopropyl alcohol

Prenatal & Postnatal Development Rat Inhalation 7,000 ppm LOAEL Maternal toxicity, Fetotoxicity, Embryotoxicity 2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day LOAEL Maternal Toxicity, Fetal mortality Prenatal & Postnatal Development NOAEL No effects at maximum dose Rat Oral 1200 mg/kg/day

Pyrethrin

Fertility and Embryonic Development Rat Oral50 mg/kg/day NOEL Embryotoxicity, Not teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Isopropyl alcohol

Bacterial Mutagenicity (Ames)SalmonellaNegativeMammalian Cell MutagenicityHGPRT Chinese Hamster Ovary (CHO) cellsNegativeIn Vitro Sister Chromatid ExchangeNegative

11. TOXICOLOGICAL INFORMATION

Piperonyl butoxide

Bacterial Mutagenicity (Ame	es) Salmonella	Negative	
Chromosome Aberration	Chinese Hamster	Ovary (CHO) cells	Negative
Chromosome Aberration	Rat bone marrow	Negative	

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Piperonyl butoxide

107 Week(s) Mouse Oral, in feed 2000-5000 ppm NOEL Not carcinogenic 107 Week(s) Rat Oral, in feed 10000 ppm NOEL Not carcinogenic

Carcinogen Status:	None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA. See below
Isopropyl alcohol IARC:	Group 3 (Not Classifiable)
Piperonyl butoxide IARC:	Group 3 (Not Classifiable)

12. ECOLOGICAL INFORMATION

Environmental Overview:

Environmental properties of the formulation have not been investigated. The following information is available for the individual ingredients. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Pyrethrin

Daphnia magna (Water Flea) LC50	48 Hours 0.025 mg/L		
Lepomis macrochirus (Bluegill Sunfish)	LC50 96 Hours 0.058 mg/L		
Salmo salar (Atlantic salmon) LC50	96 Hours 0.040 mg/L		
Piperonyl butoxide			
Oncorhynchus mykiss (Rainbow Trout)	LC50 96 Hours 0.0034 mg/L		
Lepomis macrochirus (Bluegill Sunfish)	LC50 96 Hours 0.0042 mg/L		
Persistence and Degradability:	No data available		
Dis assumulation Datastick	No data available		
Bio-accumulative Potential:	No data available		
Mobility in Soil:	No data available		

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Waste of this product may qualify as a RCRA Hazardous Waste. Status should be confirmed by testing for RCRA hazardous characteristics (i.e. corrosivity, toxicity, reactivity, or ignitability). Should not be released into the environment. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good. For US DOT, refer to the applicable RQ below.

UN number:	UN1987
UN proper shipping name:	Alcohols, n.o.s.
Technical Shipping Name:	Isopropanol
Transport hazard class(es):	3
Packing group:	III
Environmental Hazard(s):	Marine Pollutant (Piperonyl butoxide, Pyrethrin)

Marine pollutant requirements apply only to quantities >5 Liters for liquids / >5 Kilograms for solids (per inner package) when shipped as per IMDG or ADR (effective year 2015 or greater) regulations.

DOT

For U.S. DOT, single inner packages containing the hazardous substance in a quantity which is greater than or equal to the hazardous substance Reportable Quantity (see RQ below) are regulated for transport and must be transported according to the shipping information listed above in this section.

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

Pyrethrin

CERCLA/SARA Hazardous Substances and their Reportable Quantities: 1 lb 0.454 kg

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

15. REGULATORY INFORMATION

WHMIS hazard class:

Class B, Division 2

Class D, Division 2, and Subdivision B.

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Isopropyl alcohol CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	1.0 % Not Listed Present Present 200-661-7
Piperonyl butoxide CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	1.0 % Not Listed Present Present 200-076-7
Pyrethrin CERCLA/SARA 313 Emission reporting CERCLA/SARA Hazardous Substances and their Reportable Quantities: California Proposition 65 Australia (AICS): Standard for the Uniform Scheduling for Drugs and Poisons: EU EINECS/ELINCS List	Not Listed 1 lb 0.454 kg Not Listed Present Schedule 2 Schedule 5 232-319-8
Inert Ingredients CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Flammable liquids-Cat.2; H225 - Highly flammable liquid and vapor Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation Specific target organ toxicity, single exposure; Narcotic effects-Cat.3; H336 - May cause drowsiness and dizziness Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

F - Highly flammable N - Dangerous for the environment Xi - Irritant Xn - Harmful R11 - Highly flammable. R36 - Irritating to eyes. R67 - Vapors may cause drowsiness and dizziness. R20/22 - Harmful by inhalation and if swallowed. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Data Sources: The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature. Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information. Prepared by: Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet