

SAFETY DATA SHEETS

This SDS packet was issued with item:

078434954

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078434947 078849808 078905882

MATERIAL SAFETY DATA SHEET

Isolyser®/SMS® SHARPS MANAGEMENT SYSTEM

WCM INC, 6054 Corte Del Cedro, Carlsbad, CA 92011 (866) 436-9264

MEDICAL EMERGENCIES: CHEMTREC ASSISTANCE: (800) 424-9300

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: Isolyser®/SRS®800, Isolyser®/SMS®2400, Isolyser®/SMS®4000 & Isolyser®/SMS®10000

SYNONYM: None

CHEMICAL FAMILY: Solution: Water Based Monomer Solution, Catalysts: Inorganic Salts and Oxide

FORMULA: Proprietary Mixture

CAS NUMBER: None Assigned

DOT SHIPPING NAME: None Assigned

DOT HAZARD CLASS: N/A

UN/NA NUMBER: None Assigned

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING:

Health= 2 Flammability = 1 Reactivity= 2 Protective Equipment= F

SECTION II - HEALTH SAFETY ALERT

WARNING: This product contains chemicals known to the State of California to cause cancer.

CAUTION: Harmful if inhaled, ingested, or absorbed through skin. May cause eye or skin irritation; avoid prolonged contact. Read MSDS before using product. Catalysts are also corrosive.

SECTION III – HEALTH HAZARD INFORMATION

EYE AND SKIN CONTACT: Solution. Direct contact may cause moderate irritation. Material may penetrate skin and cause nausea with prolonged or repeated contact. Catalyst: APS may permanently damage the eye causing blindness, be severely irritating to skin causing potentially permanent damage, and penetrate intact skin causing internal organ damage. ZFS may also cause irritation.

INHALATION: Solution: May produce tissue irritation, headaches, drowsiness, or unconsciousness. Catalyst: ZFS may cause transient irritation of the airways. If ZFS is heated and fumes generated (not consistent with anticipated product use), fever and reversible symptoms resembling an upper respiratory tract infection could occur. APS inhalation may be fatal due to severe respiratory tract inflammation.

INGESTION: May cause gastric irritation. One or more ingredients may be toxic if swallowed Catalyst: ZFS may also produce mouth and throat irritation, nausea, vomiting and systemic illness. Ingestion of APS may be life threatening due to tissue corrosion.

SECTION IV - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Rush with water for 15 minutes. Do not use chemical agents to neutralize. Seek medical aid.

SKIN CONTACT: Rush with water for 15 minutes. Remove and clean contaminated clothing. Seek medical aid.

INHALATION: Remove from exposure. Administer artificial respiration and oxygen if necessary. Seek medical aid.

INGESTION: Call Chemtrec at 1-800-424-9300 and seek medical aid.

SECTION V- FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT & METHOD: Not Applicable AUTO IGNITION TEMP: Not Established

FLAMMABLE LIMITS (o/c VOLUME/AIR) LOWER: No Data UPPER: No Data

EXTINGUISHING MEDIA: Not combustible under expected conditions of use.

Water spray if fire occurs in area.

FIRE-FIGHTING PROCEDURES: Wear self-contained breathing apparatus to fight large fires.

FIRE/EXPLOSION HAZARDS: Emits toxic fumes under fire conditions. Contact with powdered metals causes fire.

SECTION VI- SPILL, LEAK AND DISPOSAL INFORMATION

SPILL OR LEAK PROCEDURES: Solution: absorb with paper, vermiculite, or floor absorbent. Catalyst: Sweep up using broom and dust pan.

WASTE DISPOSAL: All waste disposal must be done in accordance with applicable regulations

SECTION VII - RECOMMENDED OCCUPATIONAL EXPOSURE LIMIT!

HAZARDOUS INGREDIENTS EXPOSURE LIMIT (Product): Solution: None Established. Catalyst: PEL is 5mg/rn3 for total dust.

INGREDIENTS CAS NO. PERCENT EXPOSURE

Solution: N-Methylolacrylamide 924-42-5 < 60 I mg/m3 [manufacturer's]

Sodium Nitrite 7632-00-0 None Established Benzotriazole 95-14-7 None Established

Catalyst: APS, Ammonium persulfate (Red) 7727-54-0100) None Established

ZFS, Zinc formaldehyde 24887-06-7 Total dust sulfoxylate (Yellow) OSHA PEL, ACGIH TLV

*APS and ZFS contain sodium sulfate and Zinc (as component of ZFS) which may be subject to the reporting requirements of Section 313, Title 111 of SARA. Sodium nitrite may be subject to the reporting requirements of Section 313, Title III of SARA.

SECTION VIII - PERSONAL PROTECTION INFORMATION

EYE PROTECTION: Dust-tight and chemical resistant goggles.

SKIN PROTECTION: Chemical resistant gloves.

RESPIRATORY PROTECTION: NIOSH/OSHA air purifying or air-line respirators when dust levels exceed PEL.

VENTILATION: Use in a well-ventilated area.

SECTION IX- PERSONAL HANDLING INSTRUCTION

HANDLING: Avoid contact with liquid, powders, and vapors. Use appropriate personal hygiene.

STORAGE: Keep container and catalyst packs closed and away from other chemicals, heat, spark or open flame. Do not freeze. Catalyst is moisture sensitive and may generate heat when wet.

OTHER: Not for internal use. Do not wear contacts without eye protection.

SECTION X - REACTIVITY DATA

CONDITION CONTRIBUTING TO INSTABILITY: Extreme temperatures, exposure to incompatible materials.

INCOMPATIBILITY: Oxidizing and reducing agents, strong acids or bases, peroxides, chloroformates, bisulfites, ammonia, cyanides, amines, copper, aluminum, and brass. Contact of finely powdered metals with catalyst may cause fire.

HAZARDOUS RXNS/ DECOMPOSITION PRODUCTS: Carbon monoxide, ammonia oxides of nitrogen and sulfur.

CONDITION CONTRIBUTING TO HAZARDOUS POLYMERIZATION: Excessive heat.

SECTION XI - PHYSICAL DATA

SOLUTION: APS ZFS

BOILING POINT: NA

MELTING POINT: NA

VAPOR PRESSURE: NA

VAPOR DENSITY: NA

SOLUBILITY IN WATER: 100% ND

SPECIFIC GRAVITY: 1.0-1.051.980 1.460

VISCOSITY (30 °C): 1.583 cpNANA

% VOLATILE BY VOL.: > 75 NA 0 pH:4.9 - 6.5 NA 4.2

EVAPORATION RATE: Equivalent to Water NA

APPEARANCE/ODOR: Clear liquid with mild odor. White powder/stale odor, White powder/strong odor

SECTION XII - COMMENTS

Isolyser® and SMS® are registered trademarks of WCM, Inc.

NOTICE: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, WCM Inc, makes no warranty with respect

thereto and disclaims all liability from reliance thereon. This product line is manufactured by WCM, Inc.

Isolyser®/SMS®

Safety Data Sheet

SECTION 1 – IDENTIFICATION

Date of Revision: June 1, 2015

Emergency Contact Telephone: CHEMTREC (800) 424-9300

Product Name: SRS 800, SMS 2400, SMS 4000, SMS 10000

Synonym: None

CAS Number: None Assigned

Chemical Family: Solution: Water Based Monomer Solution, Catalysts: Inorganic Salts and Oxide

Manufacturer:

WCM, Inc.
6054 Corte Del Cedro
Carlsbad, CA 92011
(760) 930-9101
info@wastewise.com

EMERGENCY CONTACT INFORMATION:

CHEMTREC: (800) 424-9300

SECTION 2 – HAZARD(S) IDENTIFICATION



Warning:

Harmful if inhaled
Harmful if ingested
Harmful if absorbed through the skin
May cause eye irritation
May cause skin irritation
May cause respiratory irritation
Catalysts are also corrosive.

Precautionary Statement Prevention:

Wear protective gloves/ eye protection/ face protection
Avoid breathing fumes

If contact occurs, flush with water for fifteen minutes. If ingested, contact a physician for medical attention and call CHEMTREC at 1-800-424-9300.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Component:	CAS Number:	(See Section 8 for exposure limits)
N-Methylolacrylamide	924-42-5	
Benzotriazole	95-14-7	
Sodium Nitrite	7632-00-0	
APS (Catalyst A)	7727-54-0100	
ZFS (Catalyst B)	24887-06-7	

SECTION 4 – FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Do not use chemical agents to neutralize. Seek medical aid.

SKIN CONTACT: Flush with water for 15 minutes. Remove and clean contaminated clothing. Seek medical aid.

INHALATION: Remove from exposure. Administer artificial respiration and oxygen if necessary. Seek medical aid.

INGESTION: Call CHEMTREC (800) 424-9300 and seek medical aid.

SECTION 5- FIRE-FIGHTING MEASURES

FLASH POINT & METHOD: Not Applicable

AUTO IGNITION TEMP: Not Established

FLAMMABLE LIMITS (o/c VOLUME/AIR) LOWER: No Data

UPPER: No Data

EXTINGUISHING MEDIA: Not combustible under expected conditions of use. Water spray if fire occurs in area.

FIRE-FIGHTING PROCEDURES: Wear self-contained breathing apparatus to fight large fires.

FIRE/EXPLOSION HAZARDS: Emits toxic fumes under fire conditions. Contact with powdered metals causes fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: *Solution:* absorb with paper, vermiculite, or floor absorbent. *Catalyst:* Sweep up using broom and dust pan.

WASTE DISPOSAL: All waste disposal must be done in accordance with applicable regulations.

SECTION 7- HANDLING AND STORAGE

HANDLING: Avoid contact with liquid, powders, and vapors. Use with adequate ventilation. Handle in accordance with good industrial hygiene, appropriate personal protective equipment and following safe work practices.

STORAGE: Keep container and catalyst packs closed and away from other chemicals, heat, spark or open flame. Do not freeze. Catalyst is moisture sensitive and may generate heat when wet.

OTHER: Do not take internally. Do not wear contacts without eye protection.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines: (Product) *Solution* - None Established. *Catalyst* - PEL is 5 mg/m³ for total dust.

Ingredients CAS NO. Percent Exposure:

Solution:

N-Methylolacrylamide 924-42-5 < 60 I mg/m³ [manufacturer's]

Benzotriazole 95-14-7 None Established

Sodium Nitrite 7632-00-0 None Established

Catalyst:

APS, Ammonium persulfate (A) 7727-54-0100 ACGIH 0.1 mg/m³ (TWA) (per manufacturer)

ZFS, Zinc formaldehyde sulfoxylate (B) 24887-06-7 Total dust OSHA PEL, ACGIH TLV (per manufacturer)

*APS and ZFS contain sodium sulfate and Zinc (as component of ZFS) which may be subject to the reporting requirements of Section 313, Title 111 of SARA. Sodium nitrite may be subject to the reporting requirements of Section 313, Title III of SARA.

Engineering Controls: Use in a well-ventilated area

Respiratory Protection: NIOSH/OSHA air purifying or air-line respirators when dust levels exceed PEL.

Eye Protection: Dust-tight and chemical resistant goggles.
Hand Protection: Chemical resistant gloves.
Skin Protection: Wear appropriate protective clothing to minimize skin exposure.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Solution: APS ZFS
Boiling Point: NA
Melting Point: NA
Vapor Pressure: NA
Vapor Density: NA
Solubility in Water: 100%
Specific Gravity: 1.07 - 1.051 @ 25° C
Viscosity (30 °C): NA
% Volatile by vol.: NA
pH: 4.9 - 6.5
Evaporation Rate: Equivalent to Water NA
Appearance/Odor: Clear liquid with mild odor. White powder/stale odor, White powder/strong odor

SECTION 10 – STABILITY AND REACTIVITY

Condition Contributing to Instability: Extreme temperatures, exposure to incompatible materials.
Incompatibility: Oxidizing and reducing agents, strong acids or bases, peroxides, chloroformates, bisulfites, ammonia, cyanides, amines, copper, aluminum, and brass. Contact of finely powdered metals with catalyst may cause fire.
Hazardous Reactions/ Decomposition Products: Carbon monoxide, ammonia oxides of nitrogen and sulfur.
Condition Contributing to Hazardous Polymerization: Excessive heat.

SECTION 11 – TOXICOLOGICAL INFORMATION

EYE AND SKIN: Solution. Direct contact may cause moderate irritation. Material may penetrate skin and cause nausea with prolonged or repeated contact. Catalyst: APS may permanently damage the eye causing blindness, be severely irritating to skin causing potentially permanent damage, and penetrate intact skin causing internal organ damage. ZFS may also cause irritation.

INHALATION: Solution: May produce tissue irritation, headaches, drowsiness, or unconsciousness. Catalyst: ZFS may cause transient irritation of the airways. If ZFS is heated and fumes generated (not consistent with anticipated product use), fever and reversible symptoms resembling an upper respiratory tract infection could occur. APS inhalation may be fatal due to severe respiratory tract inflammation.

INGESTION: May cause gastric irritation. One or more ingredients may be toxic if swallowed
Catalyst: ZFS may also produce mouth and throat irritation, nausea, vomiting and systemic illness. Ingestion of APS may be life threatening due to tissue corrosion.

SECTION 12 – ECOLOGICAL INFORMATION (non-mandatory)

SECTION 13 – DISPOSAL CONSIDERATIONS (non-mandatory)

SECTION 14 – TRANSPORT INFORMATION (non-mandatory)

SECTION 15 – REGULATORY INFORMATION

US FDA – Class II Medical Device

SECTION 16 – OTHER INFORMATION

CA Prop. 65: This product contains a chemical(s) known to the State of California to cause cancer.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING:

Health= 2 Flammability = 1 Reactivity= 2 Protective Equipment= F

Isolyser and SMS are registered trademarks of WCM, Inc.

Disclaimer: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, WCM Inc, makes no warranty with respect thereto and disclaims all liability from reliance thereon. This product line is manufactured by WCM Inc.

Isolyser®/SMS®

Safety Data Sheet

SECTION 1 – IDENTIFICATION

Date of Revision: June 1, 2015

Emergency Contact Telephone: CHEMTREC (800) 424-9300

Product Name: SRS 800, SMS 2400, SMS 4000, SMS 10000

Synonym: None

CAS Number: None Assigned

Chemical Family: Solution: Water Based Monomer Solution, Catalysts: Inorganic Salts and Oxide

Manufacturer:

WCM, Inc.
6054 Corte Del Cedro
Carlsbad, CA 92011
(760) 930-9101
info@wastewise.com

EMERGENCY CONTACT INFORMATION:

CHEMTREC: (800) 424-9300

SECTION 2 – HAZARD(S) IDENTIFICATION



Warning:

Harmful if inhaled
Harmful if ingested
Harmful if absorbed through the skin
May cause eye irritation
May cause skin irritation
May cause respiratory irritation
Catalysts are also corrosive.

Precautionary Statement Prevention:

Wear protective gloves/ eye protection/ face protection
Avoid breathing fumes

If contact occurs, flush with water for fifteen minutes. If ingested, contact a physician for medical attention and call CHEMTREC at 1-800-424-9300.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Component:	CAS Number:	(See Section 8 for exposure limits)
N-Methylolacrylamide	924-42-5	
Benzotriazole	95-14-7	
Sodium Nitrite	7632-00-0	
APS (Catalyst A)	7727-54-0100	
ZFS (Catalyst B)	24887-06-7	

SECTION 4 – FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Do not use chemical agents to neutralize. Seek medical aid.

SKIN CONTACT: Flush with water for 15 minutes. Remove and clean contaminated clothing. Seek medical aid.

INHALATION: Remove from exposure. Administer artificial respiration and oxygen if necessary. Seek medical aid.

INGESTION: Call CHEMTREC (800) 424-9300 and seek medical aid.

SECTION 5- FIRE-FIGHTING MEASURES

FLASH POINT & METHOD: Not Applicable

AUTO IGNITION TEMP: Not Established

FLAMMABLE LIMITS (o/c VOLUME/AIR) LOWER: No Data

UPPER: No Data

EXTINGUISHING MEDIA: Not combustible under expected conditions of use. Water spray if fire occurs in area.

FIRE-FIGHTING PROCEDURES: Wear self-contained breathing apparatus to fight large fires.

FIRE/EXPLOSION HAZARDS: Emits toxic fumes under fire conditions. Contact with powdered metals causes fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: *Solution:* absorb with paper, vermiculite, or floor absorbent. *Catalyst:* Sweep up using broom and dust pan.

WASTE DISPOSAL: All waste disposal must be done in accordance with applicable regulations.

SECTION 7- HANDLING AND STORAGE

HANDLING: Avoid contact with liquid, powders, and vapors. Use with adequate ventilation. Handle in accordance with good industrial hygiene, appropriate personal protective equipment and following safe work practices.

STORAGE: Keep container and catalyst packs closed and away from other chemicals, heat, spark or open flame. Do not freeze. Catalyst is moisture sensitive and may generate heat when wet.

OTHER: Do not take internally. Do not wear contacts without eye protection.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines: (Product) *Solution* - None Established. *Catalyst* - PEL is 5 mg/m³ for total dust.

Ingredients CAS NO. Percent Exposure:

Solution:

N-Methylolacrylamide 924-42-5 < 60 I mg/m³ [manufacturer's]

Benzotriazole 95-14-7 None Established

Sodium Nitrite 7632-00-0 None Established

Catalyst:

APS, Ammonium persulfate (A) 7727-54-0100 ACGIH 0.1 mg/m³ (TWA) (per manufacturer)

ZFS, Zinc formaldehyde sulfoxylate (B) 24887-06-7 Total dust OSHA PEL, ACGIH TLV (per manufacturer)

*APS and ZFS contain sodium sulfate and Zinc (as component of ZFS) which may be subject to the reporting requirements of Section 313, Title 111 of SARA. Sodium nitrite may be subject to the reporting requirements of Section 313, Title III of SARA.

Engineering Controls: Use in a well-ventilated area

Respiratory Protection: NIOSH/OSHA air purifying or air-line respirators when dust levels exceed PEL.

Eye Protection: Dust-tight and chemical resistant goggles.
Hand Protection: Chemical resistant gloves.
Skin Protection: Wear appropriate protective clothing to minimize skin exposure.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Solution: APS ZFS
Boiling Point: NA
Melting Point: NA
Vapor Pressure: NA
Vapor Density: NA
Solubility in Water: 100%
Specific Gravity: 1.07 - 1.051 @ 25° C
Viscosity (30 °C): NA
% Volatile by vol.: NA
pH: 4.9 - 6.5
Evaporation Rate: Equivalent to Water NA
Appearance/Odor: Clear liquid with mild odor. White powder/stale odor, White powder/strong odor

SECTION 10 – STABILITY AND REACTIVITY

Condition Contributing to Instability: Extreme temperatures, exposure to incompatible materials.
Incompatibility: Oxidizing and reducing agents, strong acids or bases, peroxides, chloroformates, bisulfites, ammonia, cyanides, amines, copper, aluminum, and brass. Contact of finely powdered metals with catalyst may cause fire.
Hazardous Reactions/ Decomposition Products: Carbon monoxide, ammonia oxides of nitrogen and sulfur.
Condition Contributing to Hazardous Polymerization: Excessive heat.

SECTION 11 – TOXICOLOGICAL INFORMATION

EYE AND SKIN: Solution. Direct contact may cause moderate irritation. Material may penetrate skin and cause nausea with prolonged or repeated contact. Catalyst: APS may permanently damage the eye causing blindness, be severely irritating to skin causing potentially permanent damage, and penetrate intact skin causing internal organ damage. ZFS may also cause irritation.

INHALATION: Solution: May produce tissue irritation, headaches, drowsiness, or unconsciousness. Catalyst: ZFS may cause transient irritation of the airways. If ZFS is heated and fumes generated (not consistent with anticipated product use), fever and reversible symptoms resembling an upper respiratory tract infection could occur. APS inhalation may be fatal due to severe respiratory tract inflammation.

INGESTION: May cause gastric irritation. One or more ingredients may be toxic if swallowed
Catalyst: ZFS may also produce mouth and throat irritation, nausea, vomiting and systemic illness. Ingestion of APS may be life threatening due to tissue corrosion.

SECTION 12 – ECOLOGICAL INFORMATION (non-mandatory)

SECTION 13 – DISPOSAL CONSIDERATIONS (non-mandatory)

SECTION 14 – TRANSPORT INFORMATION (non-mandatory)

SECTION 15 – REGULATORY INFORMATION

US FDA – Class II Medical Device

SECTION 16 – OTHER INFORMATION

CA Prop. 65: This product contains a chemical(s) known to the State of California to cause cancer.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING:

Health= 2 Flammability = 1 Reactivity= 2 Protective Equipment= F

Isolyser and SMS are registered trademarks of WCM, Inc.

Disclaimer: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, WCM Inc, makes no warranty with respect thereto and disclaims all liability from reliance thereon. This product line is manufactured by WCM Inc.