SAFETY DATA SHEETS

This SDS packet was issued with item:

078442516

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078776900 078929371

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078500033



Pfizer Ltd

Revision date: 30-Apr-2012

Version: 1.0

Page 1 of 8

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health Pfizer Inc 235 East 42nd Street New York, NY 10017

Poison Control Center Phone: 1-866-531-8896 Technical Services Phone: 1-800-366-5288

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 pfizer-MSDS@pfizer.com Contact E-Mail:

Ramsgate Road Sandwich, Kent **CT13 9NJ United Kingdom** +00 44 (0)1304 616161 Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Material Name: West Nile Virus, Killed Virus

Trade Name:

Compound Number: Chemical Family:

West Nile INNOVATOR

1995.20

Intended Use:

Not determined Veterinary Vaccine

2. HAZARDS IDENTIFICATION

Appearance:

· Pink suspension

Statement of Hazard:

Additional Hazard Information:

Short Term:

Contains formaldehyde: potential cancer hazard

In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

EU Classification

EU Indication of danger:

Not classified

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases, Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous EU EINECS/ELINCS List EU Classification Ingredient **CAS Number**

Material Name: West Nile Virus, Killed Virus

Page 2 of 8 Revision date: 30-Apr-2012 Version: 1.0

Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	<0.1
Thimerosal	54-64-8	200-210-4	N; R50/53 R33 T+; R26/27/28	<0.1
Formaldehyde	50-00-0	200-001-8	C;R34 Carc. Cat.3;R40 R43 T;R23/24/25	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	*
West Nile Virus, killed	Not assigned	Not Listed	Not Listed	*
Saline suspension	MIXTURE	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not Ingestion:

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Remove to fresh air and keep patient at rest. Seek medical attention immediately. Inhalation:

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Symptoms and Effects of Exposure:

Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Material Name: West Nile Virus, Killed Virus

Revision date: 30-Apr-2012 Version: 1.0

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

area thoroughly.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

Page 3 of 8

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

ACGIH Ceiling Threshold Limit:

General Handling:

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Store as directed by product packaging.

0.3 ppm

Storage Conditions:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

	1-1
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
•	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm
• • •	0.37 mg/m ³
Greece OEL - TWA	2 ppm
	2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm
	2.5 mg/m ³
Japan - OELs - Cellings	0.2 ppm
•	0.24 mg/m ³

PZ01818

Latvia OEL - TWA

0.5 mg/m³

Material Name: West Nile Virus, Killed Virus

Page 4 of 8 Version: 1.0 Revision date: 30-Apr-2012

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Lithuania OEL - TWA 0.5 ppm 0.6 mg/m3 0.15 mg/m3 Netherlands OEL - TWA 0.75 ppm **OSHA - Final PELS - TWAs:** 2 ppm **OSHA - Specifically Regulated Chemicals** 0.5 ppm 0.75 ppm 0.5 mg/m3 Poland OEL - TWA 1 ppm Romania OEL - TWA 1.20 mg/m³ Slovakia OEL - TWA 0.3 ppm

0.37 ma/m3 0.5 ppm Slovenia OEL - TWA 0.62 mg/m³

0.5 ppm Sweden OEL - TWAs 0.6 mg/m3

Polymyxin B

Pfizer Occupational Exposure OEB 2 - Sensitizer (control exposure to the range of >100ug/m3 to < 1000ug/m3, provide

Band (OEB): additional precautions to protect from skin contact)

Engineering controls should be used as the primary means to control exposures. General **Engineering Controls:**

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Refer to specific Member State legislation for requirements under Community environmental **Environmental Exposure Controls:**

legislation.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Wear safety glasses or goggles if eye contact is possible. Eyes:

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate Respiratory protection:

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Suspension

Molecular Formula: Mixture

Color:

Pink Mixture

Molecular Weight:

Flash Point (Liquid) (°C):

Polymerization:

Non-flammable Will not occur

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal conditions of use.

Conditions to Avoid:

Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials:

This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Material Name: West Nile Virus, Killed Virus

Revision date: 30-Apr-2012 Version: 1.0

11. TOXICOLOGICAL INFORMATION

General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Page 5 of 8

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Thimerosal

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91 mg/kg Rat Subcutaneous LD50 98 mg/kg

Polymyxin B

Mouse Oral LD50 790 mg/kg Mouse Para-periosteal LD50 3980 ug/kg Rat Subcutaneous LD50 50 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Thimerosal

Eye Irritation Rabbit Mild

Skin Irritation / Sensitization

This product contains formaldehyde and merthiolate which are considered to be skin sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

In Vitro Chromosome Aberration Rodent Positive

In Vitro Sister Chromatid Exchange Rodent Positive

In Vivo Chromosome Aberration Not specified Positive

Material Name: West Nile Virus, Killed Virus

Revision date: 30-Apr-2012 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Polymyxin B

In Vitro Negative In Vivo Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

None of the components present in this material at concentrations equal to or greater than

Page 6 of 8

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC:

Group 1 (Carcinogenic to Humans)

Reasonably Anticipated To Be A Human Carcinogen

OSHA:

Listed

12. ECOLOGICAL INFORMATION

Environmental Overview:

The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Page 7 of 8

Material Name: West Nile Virus, Killed Virus

Revision date: 30-Apr-2012 Version: 1.0

15. REGULATORY INFORMATION

EU Indication of danger:

Not classified

OSHA Label:

Contains formaldehyde: potential cancer hazard

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

Neomycin Free Base

Standard for the Uniform Scheduling

for Drugs and Poisons:

EU EINECS/ELINCS List 215-766-3

Polymyxin B

EU EINECS/ELINCS List 215-768-4

Squalene

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List 203-826-1

Thimerosal

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS): Present

EU EINECS/ELINCS List 200-210-4

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb and their Reportable Quantities: 45.4 kg

CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 100 lb

Substances EPCRA RQs California Proposition 65

Substances EPCRA RQs

OSHA - Specifically Regulated Chemicals

carcinogen initial date 1/1/88 2 ppm

0.5 ppm

0.75 ppm

Schedule 4

Present

Present

Present

Inventory - United States TSCA - Sect. 8(b) Present

Material Name: West Nile Virus, Killed Virus

Revision date: 30-Apr-2012 Version: 1.0

15. REGULATORY INFORMATION

Australia (AICS):

Present

Standard for the Uniform Scheduling

Schedule 2

for Drugs and Poisons:

Schedule 6

EU EINECS/ELINCS List

200-001-8

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R22 - Harmful if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources:

Pfizer proprietary drug development information. Publicly available toxicity information. Safety

Page 8 of 8

data sheets for individual ingredients.

Prepared by:

Product Stewardship Hazard Communication

Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet



Version: 2.0 Revision date: 01-Sep-2013 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: West Nile Virus, Killed Virus

West Nile INNOVATOR **Trade Name:**

Compound Number: 1995.20 **Chemical Family:** Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com **Emergency telephone number:**

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Pink suspension

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

Short Term: In the event of accidental injection, an allergic reaction may occur. If an allergic reaction

occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

> require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 2 of 10

Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	Acute Tox. 4 (H302) Sens. 1 (H317) Resp Sens. 1 (H334)	<0.1
Thimerosal	54-64-8	200-210-4	T+; R26/27/28 R33 N;R50/53	Acute Tox. 2 (H300) STOT RE 2 (H373) Acute Tox. 2 (H330)	<0.1

Ingredient	CAS Number	EU	EU Classification	GHS	%
		EINECS/ELINCS		Classification	
		List			
Saline suspension	MIXTURE	Not Listed	Not Listed	Not Listed	*
West Nile Virus, killed	Not assigned	Not Listed	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 3 of 10

Version: 2.0

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills: situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 4 of 10

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

naldehyde	
ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m^3
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm
	0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm
	2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm
	2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm
Note to the OFF TWA	0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam O EL - TWAs	0.5 mg/m ³
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
Dala LOGI. TWA	0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm
Clavelde OFL TWA	1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m³
Slavenia OEL TWA	-
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³
Sweden OEL - TWAs	0.82 mg/m ²
Sweden OEL - IWAS	0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm
SWILEGIAIN OLL TIWAS	0.5 ppm

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

0.37 mg/m³

Material Name: West Nile Virus, Killed Virus Page 5 of 10 Revision date: 01-Sep-2013 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Polymyxin B

OEB 2 - Sensitizer (control exposure to the range of 100ug/m³ to < 1000ug/m³, provide **Zoetis OEB**

additional precautions to protect from skin contact)

Exposure Controls

Engineering controls should be used as the primary means to control exposures. General **Engineering Controls:**

> room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this

section.

Personal Protective

Equipment:

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Wear safety glasses or goggles if eye contact is possible. Eyes:

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, Respiratory protection:

with appropriate protection factors, should be used to minimize exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color: **Physical State:** Suspension Pink

Odor: No data available. **Odor Threshold:** No data available.

Molecular Formula: Mixture **Molecular Weight:** Mixture

Solvent Solubility: No data available Water Solubility: No data available pH: No data available. No data available **Melting/Freezing Point (°C): Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available Vapor Pressure (kPa): No data available No data available Vapor Density (g/ml): Relative Density: No data available Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): Non-flammable **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

Will not occur Polymerization:

10. STABILITY AND REACTIVITY

Reactivity: No data available

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 6 of 10

Version: 2.0

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes

the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Thimerosal

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91mg/kg Rat Subcutaneous LD50 98mg/kg

Polymyxin B

Mouse Oral LD50 790 mg/kg

Mouse Para-periosteal LD50 3980ug/kg

Rat Subcutaneous LD50 50mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Thimerosal

Eye Irritation Rabbit Mild

Skin Irritation / Sensitization This product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

PZ01818

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 7 of 10

Version: 2.0

•

11. TOXICOLOGICAL INFORMATION

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Polymyxin B

In Vitro Negative In Vivo Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen

OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 8 of 10

Version: 2.0

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
None required

Saline suspension

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

West Nile Virus, killed

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 9 of 10

Version: 2.0

15. REGULATORY INFORMATION

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb
and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

0.75 ppm Present

100 lb

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Present
Schedule 2
Schedule 6
200-001-8

Neomycin Free Base

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

Not Listed

Standard for the Uniform Scheduling

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 215-766-3

Polymyxin B

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed
215-768-4

Squalene

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not

Thimerosal

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

200-210-4

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Material Name: West Nile Virus, Killed Virus

Revision date: 01-Sep-2013

Page 10 of 10

Version: 2.0

·

Acute toxicity, oral-Cat.2; H300 - Fatal if swallowed Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Carcinogenicity-Cat.2; H351 - Suspected of causing cancer

C - Corrosive

Carcinogenic: Category 3

N - Dangerous for the environment

T+ - Very toxic T - Toxic Xn - Harmful

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet