SAFETY DATA SHEETS

This SDS packet was issued with item:

078461753

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078377964 078378204 078378238 078439087 078712997 078713005 078917071 078917075 078926067

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078917077



MATERIAL SAFETY DATA SHEET

PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ventipulmin® Syrup

Product No.: Not applicable **MSDS ID#:** Not Available

GHS Product Identifier: Not applicable

Molecular Formula: Mixture, not applicable Molecular Weight: Mixture, not applicable CAS Number: Mixture, not applicable Chemical Family: Adrenergic amine

Manufacturer:

Boehringer Ingelheim Vetmedica, Inc. 2621 North Belt Hwy St. Joseph, MO 64506-2002 **Transportation Emergency:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Medical Emergency (24HR): (866) 638-2226 Non-Emergency Telephone: (800) 821-7467

Intended Use: For the management of horses affected with airway obstruction, such as chronic obstructive pulmonary disease (COPD).

2 HAZARDS IDENTIFICATION

Emergency Overview

Physical State: Liquid Color: Light yellow Odor: Alcohol like







WARNING! Combustible liquid.

For use in horses only.

Not for human use.

Precautionary Statements:

Prevention:

Keep away from heat/sparks/flames/hot surfaces – No smoking.

Wear protective gloves/eye protection/face protection.

Response:

In case of fire: Use water spray/dry chemical/carbon dioxide/foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/container according to applicable federal and local regulations.

Additional statements:

Keep only in original container.

Keep at a temperature between 15°-30°C.

Keep from freezing.

Avoid contact with eyes, skin and clothing.

Wash thoroughly with soap and water after handling.

If swallowed, seek medical advice immediately and show this container or label.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Spills: Absorb spilled substance with inert material and sweep into appropriate waste containers.

Keep out of reach of children.

Keep away from food, drink, and animal feedstuffs.

Potential Health Effects

Inhalation: Not expected to be an inhalation hazard with prescribed use.

Eye Contact: Not expected to be a hazard to the eye with prescribed use. Exposure to liquid in eye may cause eye irritation.

Skin Contact: Not expected to be a hazard to the skin with prescribed use. May cause skin irritation. May cause skin sensitization by contact.

Ingestion: Ingestion may cause cardiovascular effects such as elevated pulse rate, blood pressure changes and/or ECG changes and other systemic effects.

Chronic Health Effects: Possible hypersensitization (development of abnormal sensitivity).

Target Organ(s): Central nervous system, cardio vascular system.

OSHA Regulatory Status: Hazardous (Exempt)

Environment: No data available

3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	EC No.	CAS- No.	Concentration	Classification	Notes
Polyethylene Glycol	500-038-2	25322-68-3	9.1 %		
400 (PEG 400)					
Ethyl alcohol	200-578-6	64-17-5	5 %	F; R11	
Glycerin	200-289-5	56-81-5	4.5455 %		
Clenbuterol	244-643-7	21898-19-1	0.0023%	T; R25	
hydrochloride					

Components not listed are not hazardous or are below reportable limits.

The full texts for all R-Phrases are displayed in Section 16, if applicable.

4 FIRST AID MEASURES

General: Animals or persons developing anaphylactic (life-threatening) reactions, such as difficulty in breathing or unconsciousness, must receive immediate medical attention.

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Eye Contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Ingestion: Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person

Note to Physician: For animal use only. Not for human use. Treatment for Clenbuterol HCl overdose should be symptomatic and supportive.

5 FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish with water spray, dry chemical, carbon dioxide, foam.

Unsuitable Extinguishing Media: None known

Protective Equipment for Firefighters: Wear self-contained breathing apparatus (SCBA) and full protective gear including helmet with face shield, coat, pants, boots, and gloves.

Special Fire Fighting Procedures: In the event of a fire, do not breathe fumes. Use water spray to cool unopened containers. Move exposed containers from fire area if you can do so without risk.

Unusual Fire & Explosion Hazards: Combustible liquid and vapor.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, hydrogen chloride.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Eliminate all sources of ignition. No smoking. Wear appropriate personal protective equipment (See Section 8).

Spill Cleanup Methods: STEPS TO BE TAKEN IF SIGNIFICANT QUANTITIES OF PRODUCT IS SPILLED: Absorb or cover with dry earth, sand or other non-combustible material. Place spillage in appropriate container for waste disposal. Wash contaminated clothing before use.

Environmental Precautions: Prevent runoff from entering drains, sewers or streams. Dike for later disposal.

7 HANDLING AND STORAGE

Handling: HANDLING SIGNIFICANT QUANTITIES OF PRODUCT: Do not use near fire, sparks, or any other open flame. Avoid contact with eyes, skin or clothing. Use with adequate ventilation. Wash hand thoroughly after handling.

Storage: Keep only in the original container. Store at 15°-30° C (59°-86° F). Store out of direct sunlight. Keep from freezing. Store away from foodstuffs.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

8

Chemical Name	Source	Type	Exposure Limits	Notes
Glycerin Mist	ACGIH	TWA	10 mg/m3	Upper
				respiratory
				irritation
Glycerin Mist,	OSHA	PEL	5 mg/m3	
Respirable fraction				
Glycerin Mist, Total	OSHA	PEL	15 mg/m3	
dust				
Ethyl alcohol	ACGIH	STEL	1000 ppm	Upper
				respiratory
				irritation
Ethyl alcohol	OSHA	PEL	1000 ppm	
Polyethylene Glycol	AIHA	WEELs	10 mg/m3	
(as a particulate)				
Clenbuterol	BIEL*	TWA	$1 \mu g/m^3$	Category:
hydrochloride				3B
Clenbuterol	BIEL*	STEL	$8 \mu g/m^3$	
hydrochloride		(15 minute)		
Clenbuterol	BIEL*	STEL	$4 \mu g/m^3$	
hydrochloride		(1 hour)		

Where lower governmentally imposed exposure limits exist, such limits should take precedence.

Engineering Controls: Not generally required when handling vials or containers. Good ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Respiratory Protection: Not generally required when handling vials or containers. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA standard 63 FR 1152, January 8, 1998. Respirator type: NIOSH approved organic vapor respirator.

Europe: Wear appropriate personal protective equipment according to the Council Directive 89/686/EEC (4) and the appropriate CEN standards.

PERSONAL PROTECTIVE EQUIPMENT: Not generally required when handling containers. If containers are compromised or exposure to the mixture is likely wear:

Eye Protection: Wear safety glasses with side shields (or goggles).

Hand Protection: Wear suitable gloves.

Skin Protection: Wear lab coat, apron or appropriate clothing to prevent skin contact.

Hygiene Measures: Eye bath, washing facilities.

PHYSICAL AND CHEMICAL PROPERTIES

Color: Light yellow Odor: Alcohol like

9

Odor Threshold: 100 ppm; highest known value (Ethyl alcohol)

Physical State: Liquid pH: No data available

Melting Point: May solidify at 17.9°C (64.2°F) based on data for Glycerin **Freezing Point:** May solidify at 17.9°C (64.2°F) based on data for Glycerin **Boiling Point:** 78.5°C (173.3°F); lowest known value (Ethyl alcohol)

Flash Point: > 37.8°C (> 100°F)

Flammability Limit – Upper (%): No data available Flammability Limit – Lower (%): No data available

Evaporation rate: No data available

Vapor Pressure: 43 mm of Hg @ 20°C; highest known value (Ethyl alcohol)

Vapor Density (Air=1): 3.17; highest known value (Glycerin)

Specific Gravity: 1.09 **Solubility:** No data available

Partition Coefficient (n-Octanol/water): No data available

Autoignition Temperature: No data available **Decomposition Temperature:** No data available

10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Excessive heat, freezing.

Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Carbon oxides, nitrogen oxides, hydrogen chloride

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

11 TOXICOLOGICAL INFORMATION

Specified Substances

Acute Toxicity:

Chemical Name	Test Results
Clenbuterol hydrochloride	Oral (rat) LD50: 159 mg/kg
Glycerin	Administration into eye, rabbit; 500 mg/24H; Mild irritant
	Administration onto skin, rabbit; 500 mg/24H; Mild irritant
	Oral (rat) LD50: 12600 mg/kg
Ethyl alcohol	Administration into eye, rabbit; 100 uL; Moderate irritant
	Administration onto skin, rabbit; 20 mg/24H; Moderate irritant
	Oral (rat) LD50: 7000 mg/kg
	Dermal (rabbit) LD50: 20000 mg/kg
	Inhalation (rat) LC50: 5900 mg/m ³ /6H
Polyethylene glycol 400	Administration into the eye, rabbit; 500 mg; mild irritant
	Oral LD50 (rat): > 30 gm/kg
	Dermal LD50 (rabbit): > 20 gm/kg

Chronic Toxicity: Possible hypersensitization (development of abnormal sensitivity).

Listed Carcinogens: Ethanol used in alcoholic beverages is an IARC carcinogen.

12 ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No data available

Mobility in soil: No data available **Other adverse effects:** No data available

Germany WGK: Glycerin ID No: 116; Class 1: slightly water-endangering. Ethyl alcohol ID

No: 96; Class 1: slightly water-endangering.

13 DISPOSAL CONSIDERATIONS

General Information: Dispose of in accordance with local, state, federal, national or international regulations.

Disposal Methods: No specific disposal method required. Do not empty into drains. Dispose of this material and its container in a safe way. Do not contaminate water, food, or feed by disposal.

RCRA Information: Not applicable

14 TRANSPORT INFORMATION

DOT: Not regulated

TDG: Not regulated

ADR/RID: Not regulated

IATA: Not regulated

IMDG: Not regulated

15 REGULATORY INFORMATION

Canadian Controlled Products Regulations: This product has been classified according to the hazard criteria of the Canadian Controlled Products Regulations, Section 33, and the MSDS contains all required information.

WHMIS Classification: B/3, D/2/B, Exempt

Inventory Status

This material is listed on the following inventories: AICS, EINECS, DSL, and NZIoC.

This material is **not** listed on the following inventories: TSCA, IECSC, ENCS, PICCS, and KECI. Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use.

Canada CEPA Schedule 1 - None listed

US Regulations

FEDERAL LAW RESTRICTS THIS DRUG TO USE BY OR ON ORDER OF LICENSED VETERINARIANS.

CERCLA Hazardous Substance List (40 CFR 302.4): None listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None listed.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): None listed.

SARA Title III

Section 302 Extremely Hazardous Substances (40 CFR 355, Appendix A): None listed.

Section	311/312	(40	CFR 370):
		`	

X	Acute	Chronic	X	Fire	Reactive	Pressure
	(Immediate)	(Delayed)				Generating

Section 313 Toxic Release Inventory (40 CFR 372): None listed.

State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): None listed

Massachusetts Right-To-Know List: Glycerin; Ethyl alcohol

Minnesota Hazardous Substances List: Glycerin; Ethyl alcohol; Polyethylene glycol.

New Jersey Right-To-Know List: Glycerin; Ethyl alcohol Pennsylvania Right-To-Know List: Glycerin; Ethyl alcohol Rhode Island Right-To-Know List: Glycerin; Ethyl alcohol

European Regulations

Austria MAK List (Annex I): Ethyl alcohol; Polyethylene glycol

Denmark (Annex 3.6): None listed.

Germany (Dangerous Substances Ordinance 2004, Annex III): Ethyl alcohol

Norway (List of Dangerous Substance): Ethyl alcohol.

Sweden (Annex 3): None listed.

Switzerland (Toxins List 1): Glycerin; Ethyl alcohol; Polyethylene glycol

16 OTHER INFORMATION

Hazard Ratings

	Health Hazard	Fire Hazard	Reactivity Hazard
HMIS	2	2	0

	Health Hazard	Fire Hazard	Reactivity Hazard	Special Hazard
NFPA	2	2	0	N/A

^{* –} Chronic health effect; 0 – Minimal; 1 – Slight; 2 – Moderate; 3 – Serious; 4 – Severe

EU Symbol and R Phrase Definitions:

F – Highly flammable

T – Toxic

R11 – Highly flammable

R25 – Toxic if swallowed

ABBREVIATIONS:

BIV – Boehringer Ingelheim Vetmedica, Inc.

N/A – Not applicable

N/E – Not established

pph – parts per hour

ppm - parts per million

References:

- 1. Ventipulmin® Syrup MSDS and Label.
- 2. Ariel WebInsight Regulatory Database. Regulatory Summary for North America, Western Europe, and Global Inventories Database.
- 3. GHS Manual

Prepared by: Boehringer Ingelheim Vetmedica, Inc.

Issue Date: 4/30/2012

Revision Information: 11/1/2011

Disclaimer: The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. ("BIV") in good faith as accurate as of the date hereof, but without guarantee. This information includes information which has been generated by other parties and provided to BIV, and which BIV has not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. ("BIV") expressly disclaims all liability for reliance thereon. BIV EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIV's control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIV EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIV neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.

© Copyright 2012 Boehringer Ingelheim Vetmedica, Inc. All rights reserved.



SAFETY DATA SHEET

1. Identification

Product identifier Ventipulmin® Syrup

Other means of identification None.

Recommended use For the management of horses affected with airway obstruction, such as chronic obstructive

pulmonary disease (COPD).

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Boehringer Ingelheim Vetmedica, Inc.

Address 2621 North Belt Hwy

St. Joseph, MO 64506-2002

Transportation emergency For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Medical Emergency

(24HR):

(866)638-2226

Non-Emergency calls: (800) 821-7467

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 3

Health hazards Serious eye damage/eye irritation Category 2B

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor. Causes eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye

protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use water fog, foam, dry chemical powder, carbon dioxide (CO2) to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Ventipulmin® Syrup SDS US

925696 Version #: 02 Revision date: 23-June-2018 Issue date: 06-May-2015

Chemical name	CAS number	%	
Polyethylene Glycol 400 (PEG 400)	25322-68-3	9.1	
Ethanol	64-17-5	5	
Glycerin	56-81-5	4.55	
Clenbuterol hydrochloride	21898-19-1	0	

4. First-aid measures

InhalationIf breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Ingestion may cause cardiovascular effects such as elevated pulse rate, blood pressure changes

delayed and/or ECG changes and other systemic effects.

Indication of immediate
medical attention and special
treatment needed

Not for human use. For use in animals only. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General informationTake off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. **media**

Specific hazards arising fromVapors may form explosive mixtures with air. Vapors may travel considerable distance to a source **the chemical**Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

the chemical of ignition and flash back. During fire, gases hazardous to health may be formed.Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire fightingMove containers from fire area if you can do so without risk. **equipment/instructions**

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

6. Accidental release measures

Environmental precautions

Personal precautions, Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. **protective equipment and emergency procedures**

Methods and materials for Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Ventipulmin® Syrup SDS US

925696 Version #: 02 Revision date: 23-June-2018 Issue date: 06-May-2015 2 / 8

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Store away from foodstuffs. Keep from freezing. Store material between 15°C (59°F) and 30°C (86°F).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
Glycerin (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
US. Workplace Environmental Ex	xposure Level (WEEL) Guides		
Components	Туре	Value	Form
Polyethylene Glycol 400 (PEG 400) (CAS 25322-68-3)	TWA	10 mg/m3	Particulate.

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

925696

Liquid. Physical state

Version #: 02 Revision date: 23-June-2018

Ventipulmin® Syrup SDS US

Issue date: 06-May-2015

Form Liquid.
Color Light yellow.
Odor Alcohol.

Odor threshold 100 ppm highest known value (Ethyl alcohol)

pH Not available.

Melting point/freezing point 64.22 °F (17.9 °C) based on data for Glycerin

Initial boiling point and boiling 173.3 °F (78.5 °C) lowest known value (Ethyl alcohol)

range

Flash point

> 100.0 °F (> 37.8 °C)

Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 43 mm Hg highest known value (Ethyl alcohol) (68 °F (20 °C))

Vapor density 3.17 (Air=1) highest known value (Glycerin)

Relative density 1.09

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials. Protect against direct sunlight.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact Causes eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Ingestion may cause cardiovascular effects such as elevated pulse rate, blood pressure changes and/or ECG changes and other systemic effects.

Information on toxicological effects

Ventipulmin® Syrup SDS US

Acute toxicity Not expected to be acutely toxic.

Components **Species Test Results**

Clenbuterol hydrochloride (CAS 21898-19-1)

Acute

Oral

LD50 Mouse 147 mg/kg Rat

159 mg/kg

Ethanol (CAS 64-17-5)

Acute Inhalation

LC50 Rat 20000 ppm, 10 Hours

Oral

LD50 Rat 6.2 g/kg

Glycerin (CAS 56-81-5)

Acute

Oral

LD50 Rat 12600 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Possible hyper sensitization (development of abnormal

sensitivity).

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Ethanol (CAS 64-17-5)

Aquatic

EC50 Water flea (Daphnia obtusa) 10100 - 11200 mg/l, 48 hours Crustacea

Fish LC50 Fathead minnow (Pimephales promelas) 13480 mg/l, 96 hours

Glycerin (CAS 56-81-5)

Version #: 02

Aquatic

925696

Crustacea EC50 Crustacea > 10000 mg/l, 24 Hours

Issue date: 06-May-2015

Persistence and degradability No data is available on the degradability of this product.

Revision date: 23-June-2018

Ventipulmin® Syrup SDS US

5/8

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethanol (CAS 64-17-5) -0.31 Glycerin (CAS 56-81-5) -1.76

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1993

UN proper shipping name

Transport hazard class(es)

Flammable liquids, n.o.s. (Ethanol)

3 Class Subsidiary risk 3 Label(s) Packing group Ш

Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B1, B52, IB3, T4, TP1, TP29

Packaging exceptions 150 203 Packaging non bulk Packaging bulk 242

IATA

UN1993 **UN** number

UN proper shipping name Flammable liquid, n.o.s. (Ethanol)

Transport hazard class(es)

3 Class Subsidiary risk 3 Label(s) Ш **Packing group Environmental hazards** No **ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN1993 **UN number**

UN proper shipping name FLAMMABLE LIQUID, N.O.S. (Ethanol)

Transport hazard class(es)

Class 3 Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant No F-E, <u>S-E</u> **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Ventipulmin® Syrup SDS US

925696 Version #: 02 Revision date: 23-June-2018 Issue date: 06-May-2015 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory information

US federal regulations

One or more components are not listed on TSCA.

Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use. FEDERAL LAW RESTRICTS THIS DRUG TO USE BY OR ON ORDER OF LICENSED

VETERINARIANS.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethanol (CAS 64-17-5)

Low priority

Glycerin (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

US state regulations

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

Glycerin (CAS 56-81-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

Glycerin (CAS 56-81-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

Glycerin (CAS 56-81-5)

US. Rhode Island RTK

Ethanol (CAS 64-17-5)

Glycerin (CAS 56-81-5)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Ventipulmin® Syrup SDS US

Obtained by Global Safety Management, www.globalsafetynet.com (877) 683-7460

925696 Version #: 02 Revision date: 23-June-2018 Issue date: 06-May-2015

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) No New Zealand New Zealand Inventory Yes **Philippines** No

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Yes Taiwan Taiwan Chemical Substance Inventory (TCSI) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

16. Other information, including date of preparation or last revision

06-May-2015 Issue date 23-June-2018 **Revision date**

Version #

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling. HMIS® is a registered trade and service mark of the American Coatings Association (ACA).

The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. ("BIVI") in

Health: 2 **HMIS®** ratings

Flammability: 2 Physical hazard: 0

NFPA ratings



Disclaimer

good faith as accurate as of the date hereof, but without guarantee. This information includes information which has been generated by other parties and provided to BIVI, and which BIVI has not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. ("BIVI") expressly disclaims all liability for reliance thereon. BIVI EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIVI's control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIVI EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIVI neither represents nor warrants that the format, content or product formulas contained in this

document comply with the laws of any other country except the United States of America.

Ventipulmin® Syrup SDS US

925696 Version #: 02 Revision date: 23-June-2018 Issue date: 06-May-2015

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).