This SDS packet was issued with item:

078462993

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078462985 078463019

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078463001

FIRST PRIORITY, INC.

PRODUCT NAME: MINERAL OIL – 95 Viscosity & 150 Viscosity

This Material Safety Data Sheet is being provided to your company, for the purpose of providing current health and safety information to your management and employees who work with this product. Please read the data provided and then provide it to those people at your company who have the responsibility to insure compliance with both FEDERAL and STATE Right to Know regulations, and to those employees that request information on this product.

Page: - 1

Date: March 29, 2004

Federal Regulations: Parts 29 and 42 Code of Federal Regulations.

State of Illinois: Public Act 83-240

SECTION 1 - PRODUCT IDENTIFICATION

Manufacturer: First Priority, Inc.

1585 Todd Farm Drive

Elgin, IL 60123

Telephone Number: 800-650-4899 Emergency Number: Chemtrec

800-424-9300

Chemical Family: Petroleum Hydrocarbons

Formula: N/A

Hazard Classification: Non Hazardous

HMIS Rating System: Health-0/Flammability-1/Reactivity-0

SECTION 2 - HAZARDOUS COMPONENTS

Ingredient	CAS#	PEL/TLV	Percent
Mineral Oil	8042-47-5	5 MG/M3	100

The hazard communication standard requires that such mixtures be assumed to present the same health hazard as do components that constitute as least 1% of the mixture (0.1% for carcinogens) although OSHA has noted that the hazards of individual components may be altered by including them in a mixture. Some of the ingredients of this mixture are a trade secret. NE = not established.

SECTION 3 - PHYSICAL DATA

Boiling Point: 575° to 800° F **Specific Gravity:** (H, O=1 at 39.2 F) AP 0.86

Vapor Pressure:0.1 MM HG at 70° FPercent Volatile:NegligibleVapor Density:NEEvaporation Rate:NE

Solubility in Water: Negligible Appearance & Odor: Colorless and Odorless

PRODUCT NAME: MINERAL OIL – 95 Viscosity & 150 Viscosity

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point (Method): AP 385° F

Estimated Flammable Limits in Air: Lower: N/AP Upper: N/AP

Extinguishing Media: Dry Chemical, CO2 foam, foam and water fog are effective but may cause

frothing. Waterspray - Inert Gas - Halon/N2.

Page: - 2

Date: March 29, 2004

Special Fire Fighting Procedures

For fires involving this material do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiencies. If fire fighters cannot work upwind to the fire, respiratory protective equipment must be worn. Cool tanks and containers exposed to fire with water. Burning liquid will float on water. Notify appropriate authorities if liquid enters sewer/waterways.

Unusual Fire& Explosion Hazards

Slightly combustible. OSHA/NFPA class-IIIB combustible liquid. When heated above its flash point. This material will release flammable vapors which can burn in the open or be explosive in confined spaces if exposed to an ignition source. Mists or sprays may be flammable at temperatures below the normal flash point. Keep away from extreme heat and open flame.

SECTION 5 - HEALTH HAZARD DATA

Effects Of Overexposure

Eyes: No irritation is expected from short-term exposure.

Skin: No significant adverse health effects are expected to occur upon short-term exposure. **Inhalation:** No significant adverse health effects are expected to occur upon short term exposure.

Ingestion: Ingestion will produce a cathartic (laxative) effect and may be irritating to the digestive tract. Aspiration into

lungs will cause lipoid pneumonia.

Emergency First Aid Procedures:

Eye Contact: Flush eyes with clean, low-pressure water for at least 15 minutes, occasionally lifting the eyelids. If pain or

redness persists after flushing, obtain medical attention.

Skin Contact: Remove by wiping. Then wash skin thoroughly with plenty of soap and water. Remove contaminated

clothing and thoroughly clean before reuse. Discard contaminated leather gloves and shoes.

Inhalation: Vaporization is not expected at ambient temperatures. Should inhalation occur, immediately remove

personnel from contaminated area to fresh air. Obtain medical attention if there are signs of breathing

difficulties.

Ingestion: No significant signs or symptoms indicative of any adverse health effects are expected; but do not induce

vomiting since aspiration into the lungs may cause lipoid pneumonia.

SECTION 6 - REACTIVITY DATA

Stability: Stable

Conditions to avoid instability: Extreme heat and open flame.

Incompatibility: Strong acids and oxidizers such as chlorine and oxygen.

Hazardous Decomposition Byproducts: Burning or excessive heating may produce carbon monoxide and other harmful

substances.

Hazardous Polymerization: Not expected to occur.

Obtained by Global Safety Management, Inc. (www.globalsafetynet.com)

PRODUCT NAME: MINERAL OIL – 95 Viscosity & 150 Viscosity

SECTION 7 - SPILL OR LEAK PROCEDURES

Page: - 3

Date: March 29, 2004

Steps To Be Taken In Case Of Large Amount Of Material Is Released Or Spilled:

Contain spill and prevent from entering sewers and other water bodies if possible. Safely stop flow of spill. Spill may create slipping hazards. Evacuate all non-essential personnel from the spill area. In urban areas, clean up as soon as possible. In natural environments, clean up on advice from ecologists. This materiall will float on water. Absorbent materials and pads can be used. Comply with all applicable laws. Spills may need to be reported to the national Response Center (800/424-8802). This material has low probability of toxic impacts. Only limited and localized damage would be expected.

Waste Disposal Methods:

Maximize product recovery for reuse or recycling. Conditions of use may cause this material to become a "hazardous waste" as defined by state or federal laws. Use approved treatment, transporters, and disposal sites in compliance with all applicable laws. If spill is introduced into a waste water treatment system, chemical and biological oxygen demand will likely increase. Spill material is biodegradable if gradually exposed to micro-organisms. Potential treatment and disposal methods include land farming, incineration and land disposal, if permitted.

SECTION 8 - SPECIAL PROTECTION

Respiratory Protection: None is needed under anticipated use conditions with adequate ventilation. If exposure exceeds

the occupational exposure limits, follow OSHA standards or equilvalent and wear proper

NIOSH/NSHA approved respiratory equipment.

Ventilation: Use adequate ventialation to keep oil mists of this material below applicable standard(s). (See

section VI. - "Occupational Exposure Limits")

Protective Gloves: No special skin protection other than good personal hygiene practice is recommended under

anticipated conditions of use.

Eye Protection: Safety glasses should be adequate protection under most conditions of use. Wear goggles and/or

face shield if splashing or spraying is likely, especially if heated above 125° F. Have suitable

evewash water available.

Other Hygienic and

Work Practices: Wash hands with plenty of soap and water before eating, drinking, smoking or use of toilet

facilities. Do not use gasoline, solvents, kerosene, or harsh abrasive skin cleaners. Take a shower

after work if general contact occurs. Remove oil-soaked clothing and launder before reuse.

SECTION 9 - SPECIAL PRECAUTIONS OR COMMENTS

Special precautions to be taken in handling & storing:

Keep containers closed. Store and handle so as to prevent contamination from any source, especially when this material will be used in applications covered by food and drug administration regulations 21 CFR 178.3620 (BA) (2) and 21 CFR 573.680 (b).

General Comments:

This material is a "petroleum distillate". As defined by 16 CFR 1500.15 (B) (3) and 1500.83 (A) (13), which requires special labeling pursuant to the federal hazardous substances act and related statutes and regulations if it is distributed in a manner intended, or packaged in a form suitable for, use in the household or by children.

This product is manufactured to meet food and drug administration requirements for "technical white mineral oil" as defined by 21 CFR 178.362 (B) (1). It is suitable for use as a component of non-food articles intended for use in contact with food, or as a lubricant added to food indirectly as a result of incidental contact with containers or equipment subject to all provisions listed under 21 CFR 178.3620. This product contains about 10 PPM dl-alphatocopherol (vitamin E) as a stablilizer. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the mixtue itself.

Obtained by Global Safety Management, Inc. (www.globalsafetynet.com)

PRODUCT NAME: MINERAL OIL – 95 Viscosity & 150 Viscosity

Page: - 4 Date: March 29, 2004

SECTION 10 - REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1985 (SARA), Titel III

Section 311/312 hazard categories - None know to apply.

Section 313 - No chemicals in this product exceed the de minimums reporting level established by SARA Title III. Section 313 and 40 CFR 372.

Toxic Substances Control Act (TSCA)

All components of this product are listed on the TSCA inventory.

Comprehensive EnvironmentalReponse Compensation and Liability Act (CERCLA)

No chemicals in this product are subject to the reporting requirements of CERCLA.

Initial Date: April 14, 2003

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof. First Priority, Inc. makes no representations as to the completeness or accuracy thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will First Priority, Inc. be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information presented herein. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.



Mineral Oil 95V

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED): Mineral Oil 95V

SYNONYMS: Not Available CAS#: 8042-47-5

<u>1.2 PRODUCT USE:</u> Various Veterinary applications

<u>CHEMICAL SHIPPING NAME/CLASS</u>: Non-Regulated

<u>U.N. NUMBER</u>: N/A

1.3 MANUFACTURER'S NAME: First Priority, Inc.

ADDRESS: 1590 Todd Farm Drive, Elgin, IL 60123-1287

<u>BUSINESS PHONE</u>: 800-650-4899

<u>EMERGENCY PHONE</u>: 800-424-9300 (Chemtrec U.S. – 24 Hrs)

WEB SITE: www.prioritycare.com

DATE OF CURRENT REVISION: July 6, 2015

<u>DATE OF LAST REVISION</u>: New

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear, colorless slightly viscous liquid.

Health Hazards: Repeated or prolonged exposure may cause slight irritation to skin. May cause slight irritation to eyes upon contact.

Flammability Hazards: This product is a non-combustible liquid with a flash point of 335°F (168.33°C)-Closed Cup.

Reactivity Hazards: None known

Environmental Hazards: The Environmental effects of this product have not been investigated.

US DOT SYMBOLS CANADA (WHMIS) SYMBOLS EUROPEAN and (GHS) Hazard Symbols

None

Non-Regulated Complies with WHMIS 2015 Signal Word: Not Applicable

2.1 GHS LABELING AND CLASSIFICATION:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does not meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 232-455-8 This substance is not classified in the Annex VI of Directive 67/548/EEC

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

Mineral Oil

2.2 LABEL ELEMENTS:

GHS Hazard Classification(s):

None Applicable

Hazard Statement(s):

None Applicable

Precautionary Statement(s):

None Applicable



Mineral Oil 95V

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes and ingestion. The symptoms of overexposure are described below. **ACUTE:**

INHALATION: No symptoms of overexposure expected at ambient temperatures. **CONTACT WITH SKIN:** Prolonged or repeated contact may cause slight irritation.

EYE CONTACT: Contact may cause slight eye irritation.

INGESTION: Under normal conditions of intended use, this material is not expected to be an ingestion hazard.

CHRONIC: No data available

TARGET ORGANS: Acute: Eyes, Skin Chronic: N/A

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS#	GHS Hazard Classification	
Mineral Oil	100%	8042-47-5	232-455-8	Not Classified	
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE: This product has been classified in accordance with the hazard criteria of the CFR and the SDS contains all the information required by the CFR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists or blurred vision occurs.

SKIN CONTACT: Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Some individuals may develop skin sensitization from exposure.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with skin and eyes may cause slight irritation.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods below:

Water Spray:YesCarbon Dioxide:YesFoam:YesDry Chemical:YesHalon:YesOther:Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

This product is a non-combustible liquid with a flash point of 335°F (168.33°C)-Closed Cup

Explosion Sensitivity to Mechanical Impact: No Explosion Sensitivity to Static Discharge: No




Mineral Oil 95V

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

ŀ	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM				1	
	HEALTH HAZARD (BLUE)			0		
	FLAMMABILITY HAZARD (RED)				0	
	PHYSICAL HAZARD (YELLOW)			0		
	PROTECTIVE EQUIPMENT					
	EYES	RESPIRATORY	HANDS	Е	BODY	
	G G	See Sect 8		See Sect 8		
	For Routine Industrial Use and Handling Applications					

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 ENVIRONMENTAL PRECAUTIONS:

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

6.3 SPILL AND LEAK RESPONSE:

Stop the flow of material, if this can be done safely. Dike and contain the spill with inert material (sand, earth, fuller's earth, etc.) and if appropriate, transfer the liquid and solid diking material to containers for disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Wash clothing before reuse. Keep spill out of all sewers and open bodies of water. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Use good hygiene practices. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use good hygiene practices.

7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep container closed. Store in a cool, dry location. Avoid exposure to ignition sources and incompatible materials.

7.3 SPECIFIC USES:

See section 1.2 for details.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Mineral Oil	8042-47-5	5 mg/m ³	5 mg/m ³



Mineral Oil 95V

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical splash goggles are recommended to avoid contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Chemical resistant gloves are recommended to prevent contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use as appropriate to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a clear liquid.

ODOR: No odor.

ODOR THRESHOLD: Not Available

pH: Not Available

MELTING/FREEZING POINT: Not Available

BOILING POINT: 250°F (121°C)

FLASH POINT: 335°F (168.33°C)-Closed Cup EVAPORATION RATE (n-BuAc=1): Not Available FLAMMABILITY (SOLID, GAS): Slightly Flammable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): <0.1 k Pa (20°C)

VAPOR DENSITY: Not Available RELATIVE DENSITY: Not Available

DENSITY: Not Available

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.849

WEIGHT PER GALLON: 7.13lbs/gal (3.2kg)

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available **DECOMPOSITION TEMPERATURE:** Not Available

VISCOSITY: Not Available
VOC g/I / Lb/gal: Not Available
9.2 OTHER INFORMATION:
No additional information available

10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.



Mineral Oil 95V

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Incompatible materials.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong acids and oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Decomposition products may include Carbon monoxide as well as other decomposition products.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

No LD₅₀ Data Available

SUSPECTED CANCER AGENT: None of the ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore not are considered to be, or suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be slightly irritating to skin and eyes.

SENSITIZATION TO THE PRODUCT: This product is not a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: Eye contact - may cause irritation.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: Prolonged exposure can be irritating to the skin.

ASPIRATION HAZARD: None

12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No toxicity data available.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No specific data available on this product.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.7 WATER ENDANGERMENT CLASS:

Not water endangering in accordance with EU Guideline 91/155-EWG.

12.8 SPECIFIC AVAILABLE COMPONENT INFORMATION:

No additional data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined



Mineral Oil 95V

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR

172.101) by the U.S. Department of Transportation, as follows:

14.1 PROPER SHIPPING NAME: Not Regulated

14.2 HAZARD CLASS NUMBER and DESCRIPTION:N/A14.3 UN IDENTIFICATION NUMBER:N/A14.4 PACKING GROUP:N/A14.5 DOT LABEL(S) REQUIRED:N/A

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: N/A

RQ QUANTITY: None

14.6 MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTIONS FOR USER:

None

14.8 INTERNATIONAL TRANSPORTION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

<u>INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO)</u>: This product is not considered as dangerous goods.

14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

15.1 UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are not on the Proposition 65 Lists.

15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015.

15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does not meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for full Details.

15.4 AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are listed on the International Chemical Inventory list.



Mineral Oil 95V

15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

16. OTHER INFORMATION

PREPARED BY: Paul Eigbrett – (GHS MSDS Compliance PLUS)

DATE OF PRINTING: July 6, 2015

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. First Priority, Inc assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are no adhered to as stipulated in the data sheet. Furthermore, First Priority, Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

FND OF SDS SHEET