SAFETY DATA SHEETS

This SDS packet was issued with item:

078488207

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078393061

SAFETY DATA SHEET



1. Identification

Product identifier Lutalyse Sterile Solution

Other means of identification

Synonyms LUTALYSE * DINOLYTIC * Lutalyse® * Lutalyse® Injection * Dinoprost tromethamine sterile

solution * Lutalyse/Dinolytic 5 mg/ml Sterile Injectable Solution * Lutalyse 5 * Dinolytic 5

Recommended useVeterinary product used for estrus synchronization

Recommended restrictions Not for human use

Manufacturer/Importer/Supplier/Distributor information

Company Name (US) Zoetis Inc.

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-800-366-5288

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Company Name (EU) Zoetis Belgium S.A.

Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 1B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May damage fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: Lutalyse Sterile Solution
1257 Version #: 03 Revision date: 06-03-2017 Issue date: 12-16-2014

Supplemental information

May cause eye irritation. May cause skin irritation. May be absorbed through the skin and cause systemic effects. Systemic exposure may affect reproductive hormone regulation and thus affect fertility and maintenance of pregnancy. Individuals sensitive to this material or other materials in its chemical class may develop allergic reactions. Women of childbearing age, asthmatics, and persons with bronchial and other respiratory problems should exercise extreme caution when handling this product. Dinoprost tromethamine is readily absorbed through the skin and can cause abortion and/or bronchospasms.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Benzyl Alcohol		100-51-6	<5
Dinoprost Tromethamine		38562-01-5	5 mg/ml
Water		7732-18-5	_

Composition comments

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation

If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Call a physician or poison control center immediately.

Skin contact

In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately. Wash contaminated clothing before reuse.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important

symptoms/effects, acute and

delayed

media

Inhalation may cause difficulty breathing, chest tightness, and respiratory irritation with coughing, wheezing, and sputum generation. Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. May cause skin irritation. May cause redness and pain. Individuals sensitive to this chemical or other materials in its chemical class may develop allergic reactions. May cause reproductive effects. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea. Breathing mist or vapour may worsen asthma symptoms.

Indication of immediate medical attention and special treatment needed

Monitor respiratory, cardiac and reproductive systems. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

For personal protection, see section 8 of the SDS. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Ventilate the contaminated area. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS. Local authorities should be advised if significant spillages cannot be contained.

Material name: Lutalyse Sterile Solution

SDS US

Methods and materials for containment and cleaning up

Wear personal protective equipment. Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid release to the environment. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Women of childbearing age, asthmatics, and persons with bronchial and other respiratory problems should exercise extreme caution when handling this product. Dinoprost tromethamine is readily absorbed through the skin and can cause abortion and/or bronchospasms. Accidental spillage on the skin should be washed off immediately with soap and water. Use this product with adequate ventilation. Do not breathe vapors or spray mist. Do not get in eyes, on skin, on clothing. Avoid prolonged exposure. Avoid accidental injection. When using, do not eat, drink or smoke. Wear personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Use care in handling/storage. Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. @ 15 - 25°C (59 - 77°F). Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Avoid discharge into drains, water courses or onto the ground.

_			
_	n	Δt	10
_	v	σı	. 10

Components	Туре	Value	
Dinoprost Tromethamine (CAS 38562-01-5)	TWA	1 μg/m³	
US. Workplace Environmental E Components	xposure Level (WEEL) Guides Type	Value	
Benzyl Alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
•		10 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

OEL Additional Information: Dinoprost Tromethamine 15 minute STEL (Short-Term Exposure

Limit) = $4 \mu g/m3$.

Control banding approach

Appropriate engineering

controls

Not available.

Ensure adequate ventilation, especially in confined areas. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Impervious gloves. Hand protection

Wear suitable protective clothing. Impervious protective clothing is recommended if skin contact Other

with drug product is possible and for bulk processing operations.

Material name: Lutalyse Sterile Solution

SDS US 3/9

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release. exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Thermal hazards Not applicable.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Clear.

Not available. Odor Odor threshold Not available. 7.8 - 8.2 32 °F (0 °C) Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Not available. Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

Relative density Solubility(ies)

> 100 % Solubility (water)

Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties Specific gravity 0.996 - 1.004

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Material name: Lutalyse Sterile Solution

SDS US

Conditions to avoid Contact with incompatible materials. Keep away from heat, spark, open flames and other sources

of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Nitrogen

oxides (NOx). Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be harmful if inhaled. Breathing mist or vapour may worsen asthma symptoms.

Skin contact Prolonged skin contact may cause temporary irritation. May be absorbed through the skin and

cause systemic effects.

Benzyl Alcohol Species: Guinea Pig

Severity: Moderate

Species: Rabbit Severity: Minimal

Dinoprost Tromethamine Species: Rat

Severity: No effect

Eye contact Direct contact with eyes may cause temporary irritation. Benzyl Alcohol

Species: Rabbit Severity: Severe

Dinoprost Tromethamine Species: Rabbit

Severity: Severe

Ingestion May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational

exposure.

Symptoms related to the physical, chemical and toxicological characteristics Inhalation may cause difficulty breathing, chest tightness, and respiratory irritation with coughing, wheezing, and sputum generation. May cause eye irritation. Exposure may cause temporary irritation, redness, or discomfort. Prolonged skin contact may cause temporary irritation. May cause redness and pain. Individuals sensitive to this material or other materials in its chemical class may develop allergic reactions. Systemic exposure may affect reproductive hormone regulation and thus affect fertility and maintenance of pregnancy. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea. Breathing mist or vapour may worsen asthma symptoms.

Information on toxicological effects

Acute toxicity May be harmful in contact with skin. May be absorbed through the skin and cause systemic

effects. May be harmful if inhaled. May be harmful if swallowed.

Components **Species Test Results**

Benzyl Alcohol (CAS 100-51-6)

Acute

Dermal

LD50 Rabbit 2000 mg/kg

Inhalation

LC50 Rat > 4.178 mg/L

1000 mg/l, 8 Hours

Oral

LD50 1580 mg/kg Mouse

> 1230 mg/kg Rat

Dinoprost Tromethamine (CAS 38562-01-5)

Acute

Intravenous

LD50 Mouse 331 mg/kg

Oral

LD50 Mouse 711 mg/kg

Rat 665 mg/kg

Material name: Lutalyse Sterile Solution

Components Species Test Results

Other

LD50 Rat 101 mg/kg (Para-periosteal)

Chronic

Intraperitoneal

LOAEL Rat 32.8 mg/kg, 6 months (Target organ(s):

Male reproductive system)

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Corrosivity

Dinoprost Tromethamine Species: Rat

Severity: No effect

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Eye Contact

Benzyl Alcohol Species: Rabbit

Severity: Severe

Dinoprost Tromethamine Species: Rabbit

Severity: Severe

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

Dinoprost Tromethamine GPMT

Species: Guinea Pig Severity: Negative

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

Dinoprost Tromethamine Bacterial Mutagenicity (Ames)

Result: Negative Species: Salmonella

Direct DNA Interaction Result: Negative

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity May damage fertility or the unborn child. Repeat-dose studies in animals have shown a potential to

cause adverse effects on testes and developing fetus.

Developmental effects

Dinoprost Tromethamine 0.5 mg/kg/day Embryo / Fetal Development, Teratogenic

Result: LOAEL Species: Rat

Organ: Subcutaneous

1 - 3 mg/kg/day Embryo / Fetal Development, Fetotoxicity

Result: LOAEL Species: Rat

Material name: Lutalyse Sterile Solution

1257 Version #: 03 Revision date: 06-03-2017 Issue date: 12-16-2014

6 / 9

Reproductivity

Dinoprost Tromethamine

1 - 3 mg/kg/day Reproductive & Fertility, Fertility

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. May cause irritation to the

respiratory system.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

Further information

Women of childbearing age, asthmatics, and persons with bronchial and other respiratory problems should exercise extreme caution when handling this product. Dinoprost tromethamine is

readily absorbed through the skin and can cause abortion and/or bronchospasms.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Avoid release to the environment.

Components		Species	Test Results
Benzyl Alcohol (CAS	100-51-6)		
	EC50	Daphnia magna (Water Flea)	230 mg/L, 48 Hours
			66 mg/L, 21 Day(s) Reproduction
		Pseudokirchneriella subcapitata (Green Alga)	500 mg/L, 72 Hours
	LC50	Pimephales promelas (Fathead Minnow)	460 mg/L, 96 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Partition coefficient n-octanol / water (log Kow) Dinoprost Tromethamine

-0.46, Predicted Log D @ pH 7.4

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

None known.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

Material name: Lutalyse Sterile Solution

SDS US

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Material name: Lutalyse Sterile Solution

SDS US

1257 Version #: 03 Revision date: 06-03-2017 Issue date: 12-16-2014

8/9

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 12-16-2014

 Revision date
 06-03-2017

Version # 03

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: Lutalyse Sterile Solution

SDS US 9 / 9