# This SDS packet was issued with item:

078500041

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078829487 078830213 078929365

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078500058



Revision date: 04-Jun-2012

Version: 1.0

Page 1 of 8

## IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health

Pfizer Inc

235 East 42nd Street New York, NY 10017

Poison Control Center Phone: 1-866-531-8896 Technical Services Phone: 1-800-366-5288

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail:

pfizer-MSDS@pfizer.com

Pfizer Ltd

Ramsgate Road

Sandwich, Kent

**CT13 9NJ** 

**United Kingdom** 

+00 44 (0)1304 616161

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS TOXOID

Trade Name: **Chemical Family:**  WEST NILE INNOVATOR + EWT

Intended Use:

Not determined Veterinary Vaccine

## 2. HAZARDS IDENTIFICATION

Appearance:

Pink to Pinkish white suspension

Statement of Hazard:

**Additional Hazard Information:** 

Short Term:

Contains formaldehyde: potential cancer hazard

In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

**EU Classification** 

EU Indication of danger:

Not classified

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 8

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

TOXOID

Revision date: 04-Jun-2012 Version: 1.0

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	<b>EU EINECS/ELINCS List</b>	EU Classification	%
Formaldehyde	50-00-0	200-001-8	C;R34 Carc. Cat.3;R40 R43 T;R23/24/25	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	<0.1
Thimerosal	54-64-8	200-210-4	N; R50/53 R33 T+; R26/27/28	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
EASTERN EQUINE ENCEPHALOMYELITIS	Not Assigned	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	*
Tetanus toxoid	93384-51-1	297-262-3	Not Listed	*
WESTERN EQUINE ENCEPHALOMYELITIS	Not Assigned	Not Listed	Not Listed	*
West Nile Virus, killed	Not assigned	Not Listed	Not Listed	*
Saline suspension	MIXTURE	Not Listed	Not Listed	*

Additional Information:

\* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

**Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek Skin Contact:

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Remove to fresh air and keep patient at rest. Seek medical attention immediately. Inhalation:

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Symptoms and Effects of Exposure:

Identification and/or Section 11 - Toxicological Information.

## 5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

**Hazardous Combustion Products:** Formation of toxic gases is possible during heating or fire.

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 04-Jun-2012 Version: 1.0

Fire Fighting Procedures:

During all fire fighting activities, wear appropriate protective equipment, including self-

Page 3 of 8

contained breathing apparatus.

Fire / Explosion Hazards:

Fine particles (such as dust and mists) may fuel fires/explosions.

### 6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

area thoroughly.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

General Handling:

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust

collectors, HEPA filtration systems or other equivalent controls.

**Storage Conditions:** 

Store as directed by product packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

**ACGIH Ceiling Threshold Limit:** 0.3 ppm ACGIH - Sensitizer Designation Sensitizer

2 ppm Australia STEL 2.5 mg/m<sup>3</sup>

Australia TWA 1 ppm 1.2 mg/m<sup>3</sup>

Austria OEL - MAKs 0.5 ppm 0.6 mg/m3

1.0 mg/m<sup>3</sup> Bulgaria OEL - TWA 0.5 mg/m3 Czech Republic OEL - TWA 0.5 ppm Estonia OEL - TWA

0.6 mg/m<sup>3</sup> Finland OEL - TWA 0.3 ppm

0.37 mg/m<sup>3</sup> France OEL - TWA 0.5 ppm Germany (DFG) - MAK 0.3 ppm

0.37 mg/m<sup>3</sup>

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS

VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 04-Jun-2012 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION Greece OEL - TWA 2 ppm 2.5 mg/m3 0.6 mg/m3 **Hungary OEL - TWA** Ireland OEL - TWAs 2 ppm 2.5 mg/m<sup>3</sup> 0.2 ppm Japan - OELs - Ceilings 0.24 mg/m<sup>3</sup> Latvia OEL - TWA 0.5 mg/m3 Lithuania OEL - TWA 0.5 ppm 0.6 mg/m3 Netherlands OEL - TWA 0.15 mg/m<sup>3</sup> **OSHA - Final PELS - TWAs:** 0.75 ppm 2 ppm OSHA - Specifically Regulated Chemicals 0.5 ppm 0.75 ppm Poland OEL - TWA 0.5 mg/m<sup>3</sup> 1 ppm Romania OEL - TWA 1.20 mg/m<sup>3</sup> 0.3 ppm Slovakia OEL - TWA 0.37 mg/m<sup>3</sup> Slovenia OEL - TWA 0.5 ppm 0.62 mg/m<sup>3</sup> 0.5 ppm Sweden OEL - TWAs

Polymyxin B

Band (OEB):

Pfizer Occupational Exposure OEB 2 - Sensitizer (control exposure to the range of >100ug/m³ to < 1000ug/m³, provide

additional precautions to protect from skin contact)

0.6 mg/m3

**Engineering Controls:** 

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

**Environmental Exposure Controls:** 

Refer to specific Member State legislation for requirements under Community environmental

legislation.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Hands:

Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eyes:

Wear safety glasses or goggles if eye contact is possible.

Skin:

Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection:

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Suspension

Color:

Pink to Pinkish white

Page 4 of 8

Molecular Formula:

Mixture

Molecular Weight:

Mixture

Flash Point (Liquid) (°C):

Non-flammable

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

TOXOID

Revision date: 04-Jun-2012 Version: 1.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Polymerization:

Will not occur

10. STABILITY AND REACTIVITY

**Chemical Stability:** 

Stable under normal conditions of use.

Conditions to Avoid: Incompatible Materials: Fine particles (such as dust and mists) may fuel fires/explosions. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

11. TOXICOLOGICAL INFORMATION

**General Information:** 

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes

Page 5 of 8

the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Oral LD50 800 mg/kg Rat

**Thimerosal** 

LD50 75 mg/kg Oral Mouse Oral LD50 91 mg/kg

LD50 98 mg/kg Rat Subcutaneous

Polymyxin B

Mouse Oral LD50 790 mg/kg

Para-periosteal LD50 3980 ug/kg Mouse

Subcutaneous LD50 50 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Thimerosal

Eye Irritation Rabbit

Skin Irritation / Sensitization

This product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

Inhalation Not Specified 90 Day(s) Dog Lungs

90 Day(s) Rat Inhalation Not Specified

Inhalation Not Specified 90 Day(s) Monkey Lungs

Rat Inhalation 15 ppm LOAEL Respiratory system 9 Day(s)

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

Page 6 of 8

**TOXOID** 

Revision date: 04-Jun-2012

Version: 1.0

### 11. TOXICOLOGICAL INFORMATION

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

In Vitro Chromosome Aberration Rodent Positive

In Vitro Sister Chromatid Exchange Rodent Positive

In Vivo Chromosome Aberration Not specified Positive

Polymyxin B

In Vitro Negative

In Vivo Negative

## Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC:

Group 1 (Carcinogenic to Humans)

NTP:

Reasonably Anticipated To Be A Human Carcinogen

OSHA:

Listed

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** 

The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** 

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 04-Jun-2012

Page 7 of 8

Version: 1.0

Formaldehyde

**RCRA - U Series Wastes** 

Listed

# 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

EU Indication of danger:

Not classified

OSHA Label:

Contains formaldehyde: potential cancer hazard

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

Formaldehyde

**CERCLA/SARA 313 Emission reporting** 0.1 % **CERCLA/SARA Hazardous Substances** 100 lb

and their Reportable Quantities: 45.4 kg 500 lb

CERCLA/SARA - Section 302 Extremely Hazardous **TPQs** 

CERCLA/SARA - Section 302 Extremely Hazardous

Substances EPCRA RQs

California Proposition 65

carcinogen initial date 1/1/88 **OSHA - Specifically Regulated Chemicals** 2 ppm

0.5 ppm 0.75 ppm Inventory - United States TSCA - Sect. 8(b) Present

Australia (AICS): Present

PZ01858

100 lb

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 04-Jun-2012

Page 8 of 8

Version: 1.0

ľ	15.	REGUI	LATORY	INFORMAT	ION
---	-----	-------	--------	----------	-----

Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8

#### Neomycin Free Base

Standard for the Uniform Scheduling Schedule 4 for Drugs and Poisons:

EU EINECS/ELINCS List 215-766-3

Polymyxin B

EU EINECS/ELINCS List 215-768-4

Squalene

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
203-826-1

**Tetanus toxoid** 

Standard for the Uniform Scheduling Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 297-262-3

**Thimerosal** 

Inventory - United States TSCA - Sect. 8(b)

Australia (AiCS):

EU EINECS/ELINCS List

Present
200-210-4

### 16. OTHER INFORMATION

### Text of R phrases mentioned in Section 3

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R22 - Harmful if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources:

Pfizer proprietary drug development information. Publicly available toxicity information. Safety

data sheets for individual ingredients.

Prepared by:

Product Stewardship Hazard Communication
Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet



Revision date: 03-Oct-2013 Version: 3.1 Page 1 of 11

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

**Product Identifier** 

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED

**VIRUS, TETANUS TOXOID** 

WEST NILE INNOVATOR + EWT **Trade Name:** 

**Chemical Family:** Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.

100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

**Belgium** 

**Emergency telephone number:** 

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com **Emergency telephone number:** 

International CHEMTREC (24 hours): +1-703-527-3887

# 2. HAZARDS IDENTIFICATION

Pink to Pinkish white suspension Appearance:

Classification of the Substance or Mixture

**GHS - Classification** Not classified as hazardous

**EU Classification:** 

EU Indication of danger: Not classified

**Label Elements** 

**Hazard Statements:** Not classified in accordance with international standards for workplace safety.

Other Hazards

**Short Term:** In the event of accidental injection, an allergic reaction may occur. If an allergic reaction

occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

**Australian Hazard Classification** 

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

> require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 11

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Thimerosal	54-64-8	200-210-4	T+; R26/27/28 R33 N;R50/53	Acute Tox. 2 (H300) STOT RE 2 (H373) Acute Tox. 2 (H330)	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Resp Sens. 1 (H334)	<0.1
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU	EU Classification	GHS	%
		EINECS/ELINCS		Classification	
		List			
EASTERN EQUINE	Not Assigned	Not Listed	Not Listed	Not Listed	*
ENCEPHALOMYELITIS					
WESTERN EQUINE	Not Assigned	Not Listed	Not Listed	Not Listed	*
ENCEPHALOMYELITIS					
West Nile Virus, killed	Not assigned	Not Listed	Not Listed	Not Listed	*
Tetanus toxoid	93384-51-1	297-262-3	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	Not Listed	*
Saline suspension	MIXTURE	Not Listed	Not Listed	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	Not Listed	*

Additional Information: \* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

**Description of First Aid Measures** 

**Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Page 3 of 11

**Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

**Exposure:** Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

# 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic of

Products:

Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

## Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

**Collecting:** area thoroughly.

Additional Consideration for Non-esse

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS Page 4 of 11

**VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS** 

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store as directed by product packaging.

**Incompatible Materials:** This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Specific end use(s): No data available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

PZ01858

ACGIH Ceiling Threshold Limit: 0.3 ppm
ACGIH - Sensitizer Designation Sensitizer

Australia STEL 2 ppm 2.5 mg/m³

Australia TWA 1 ppm

1.2 mg/m<sup>3</sup>

Austria OEL - MAKs 0.5 ppm 0.6 mg/m³

Bulgaria OEL - TWA

1.0 mg/m³

Czech Pepublic OEL - TWA

Czech Republic OEL - TWA 0.5 mg/m³
Estonia OEL - TWA 0.5 ppm
0.6 mg/m³

Finland OEL - TWA 0.3 ppm

0.37 mg/m<sup>3</sup> **France OEL - TWA**0.5 ppm

Germany (DFG) - MAK 0.3 ppm

0.37 mg/m³ no irritation should occur during mixed exposure

**Greece OEL - TWA** 2 ppm 2.5 mg/m³

Hungary OEL - TWA 0.6 mg/m<sup>3</sup>

**Ireland OEL - TWAs** 2 ppm 2.5 mg/m³

Japan - OELs - Ceilings 0.2 ppm

0.24 mg/m<sup>3</sup>

Latvia OEL - TWA 0.5 mg/m³
Lithuania OEL - TWA 0.5 ppm

0.6 mg/m<sup>3</sup>

 Netherlands OEL - TWA
 0.15 mg/m³

 Vietnam O EL - TWAs
 0.5 mg/m³

 OSHA - Final PELS - TWAs:
 0.75 npm

OSHA - Final PELS - TWAs: 0.75 ppm

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

0.75 ppm

 Poland OEL - TWA
 0.5 mg/m³

 Romania OEL - TWA
 1 ppm

 1.20 mg/m³
 1.20 mg/m³

Slovakia OEL - TWA 0.3 ppm

Slovenia OEL - TWA 0.5 ppm

0.62 mg/m<sup>3</sup>

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Sweden OEL - TWAs 0.3 ppm

0.37 mg/m<sup>3</sup>

Switzerland OEL -TWAs 0.3 ppm 0.37 mg/m<sup>3</sup>

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Polymyxin B

OEB 2 - Sensitizer (control exposure to the range of 100ug/m<sup>3</sup> to < 1000ug/m<sup>3</sup>, provide **Zoetis OEB** 

additional precautions to protect from skin contact)

**Exposure Controls** 

Engineering controls should be used as the primary means to control exposures. General **Engineering Controls:** 

> room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this

Page 5 of 11

section.

**Personal Protective** 

**Equipment:** 

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Wear safety glasses or goggles if eye contact is possible. Eyes:

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

Respiratory protection: Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection,

with appropriate protection factors, should be used to minimize exposure.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Pink to Pinkish white Suspension **Physical State:** Color: Odor: No data available. **Odor Threshold:** No data available.

Molecular Formula: Mixture **Molecular Weight:** Mixture

**Solvent Solubility:** No data available Water Solubility: No data available pH: No data available. **Melting/Freezing Point (°C):** No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

No data available. **Decomposition Temperature (°C):** 

**Evaporation Rate (Gram/s):** No data available Vapor Pressure (kPa): No data available No data available Vapor Density (g/ml): **Relative Density:** No data available Viscosity: No data available

Flammablity:

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS Page 6 of 11

VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

# 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

**Possibility of Hazardous Reactions** 

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

**Hazardous Decomposition** 

**Products:** 

No data available

# 11. TOXICOLOGICAL INFORMATION

### **Information on Toxicological Effects**

**General Information:** 

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

### Acute Toxicity: (Species, Route, End Point, Dose)

### **Formaldehyde**

Rat Oral LD50 800 mg/kg

### **Thimerosal**

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91 mg/kg Rat Subcutaneous LD50 98mg/kg

### Polymyxin B

Mouse Oral LD50 790 mg/kg

Mouse Para-periosteal LD50 3980ug/kg Rat Subcutaneous LD50 50mg/kg

### Irritation / Sensitization: (Study Type, Species, Severity)

### **Formaldehyde**

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

#### Thimerosal

Eye Irritation Rabbit Mild

Skin Irritation / Sensitization This product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

Page 7 of 11

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS

VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

# 11. TOXICOLOGICAL INFORMATION

### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

### Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

## Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

### **Formaldehyde**

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

### Polymyxin B

In Vitro Negative In Vivo Negative

### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### **Formaldehyde**

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

# 12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

**Toxicity:** No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

# 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Page 8 of 11

**Formaldehyde** 

RCRA - U Series Wastes Listed

# 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

Page 9 of 11

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

# 15. REGULATORY INFORMATION

### WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

<b>FASTERN</b>	FOUINE	<b>ENCEPHAL</b>	OMYELITIS
LAGILINI	LWUINL	LINGELIAL	

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

### **WESTERN EQUINE ENCEPHALOMYELITIS**

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

# West Nile Virus, killed

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

### **Tetanus toxoid**

CERCLA/SARA 313 Emission reporting

California Proposition 65

Standard for the Uniform Scheduling

Schedule 4

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 297-262-3

### **Thimerosal**

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

200-210-4

## Polymyxin B

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed
215-768-4

### **Neomycin Free Base**

CERCLA/SARA 313 Emission reportingNot ListedCalifornia Proposition 65Not ListedStandard for the Uniform SchedulingSchedule 4

for Drugs and Poisons:

Page 10 of 11

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

# 15. REGULATORY INFORMATION

215-766-3 **EU EINECS/ELINCS List** 

Saline suspension

**CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Not Listed **EU EINECS/ELINCS List** Not Listed

Squalene

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Present Australia (AICS): **EU EINECS/ELINCS List** 203-826-1

**Formaldehyde** 

0.1 % **CERCLA/SARA 313 Emission reporting CERCLA/SARA Hazardous Substances** 100 lb and their Reportable Quantities: 45.4 kg **CERCLA/SARA - Section 302 Extremely Hazardous** 500 lb **TPQs** 

**CERCLA/SARA - Section 302 Extremely Hazardous** 100 lb

**Substances EPCRA RQs** 

**California Proposition 65** carcinogen initial date 1/1/88 gas

**OSHA - Specifically Regulated Chemicals** 2 ppm

0.5 ppm 0.75 ppm

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 2 for Drugs and Poisons: Schedule 6 **EU EINECS/ELINCS List** 200-001-8

# **16. OTHER INFORMATION**

### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.2; H300 - Fatal if swallowed

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Carcinogenicity-Cat.2; H351 - Suspected of causing cancer

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS Page 11 of 11

**VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS** 

**TOXOID** 

Revision date: 03-Oct-2013 Version: 3.1

C - Corrosive

Carcinogenic: Category 3

N - Dangerous for the environment

T+ - Very toxic T - Toxic Xn - Harmful Xi - Irritant

R22 - Harmful if swallowed.

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect R43 - May cause sensitization by skin contact.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Data Sources:** The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on

Ingredients.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**