

SAFETY DATA SHEETS

This SDS packet was issued with item:

078543740

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078583787

MATERIAL SAFETY DATA SHEET

Contender Hoof Formula

Date of Issuance: November 1, 2008

Chemical Product

Product Name: Contender

Chemical Name: Proprietary

Chemical Family: NA

CAS Number: Blend

Kinetic Technologies LLC

Phone 1-859-259-9160

Product Number:4001-08-00

Ingredients:

Heavy Pine Tar, Lanolin, Iodine, MSM, Sodium Hyaluronate, amino acids, vitamins and minerals.

Hazards Disclosure:

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Directive 88/379EEC on its amendments.

Hazards Identification:

HMIS Rating:

Health -- 1; Flammability --1; Reactivity -- 0

NFPA Rating:

Health -- 1; Flammability -- 1; Reactivity -- 0

Special Hazards --NONE

Potential Health Effects:

Eye: Flush eye with water or standard eye wash solution for 15 minutes. See a physician if irritation should persist.

Skin: Avoid skin contact. Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis) in susceptible individuals. Wash in soap and water.

Inhalation: Irritation vapors may be formed when product is processed at high temperatures. Avoid breathing vapors or mists. Short-term inhalation or vapors may cause dizziness, nausea, and respiratory tract congestion in some individuals. Single exposure is not expected to cause acute toxicity. Remove to fresh air.

Ingestion First Aid: Product is not considered to be toxic in small amounts. Obtain medical treatment if large amounts are swallowed.

Fire Fight Measures:

Flammable Properties:

COC Flash Point: >198.9C (>350.0F)

Auto ignition Temperature > 365.6 c (> 600.1F)

Extinguishing Media:

Use water spray to cool fire exposure containers. Use carbon dioxide, dry chemical or water spray to extinguish fires.

Fire and Explosion Hazards:

Can burn in fire, releasing toxic vapors. No known unusual hazards in fire/explosion situations.

Toxicity Data:

Overexposure: Treat symptomatically irritations that develop.

Protective equipment for fire fighters: Standard

Accidental Release Measures:

Soak up residue with absorbent clay or sand and place in non leaking containers.

Handle and Storage:

Store in sealed containers under normal cool, dry warehouse conditions.

Exposure Controls/Personal Protection:

Eye/Face Protection Requirements: This material does not have established exposure limits. Wear safety glasses. **Skin protection:** For brief contact, normal work attire should be sufficient. **Respiratory**

Protective Requirements: Under normal use conditions, with adequate ventilation, no special handling equipment is required.

Physical and Chemical properties:

Form—viscous liquid

Color —dark

Odor---characteristic

Boiling Point ---N/A

Solubility in Water ---Nil

Bulk Density ---7.8 lbs/gal

Stability and Reactivity:

Conditions to Avoid: Exposure to ammonia, strong oxidizing or reducing agents, heat, spark or open flames. Incompatibilities: Ammonia, strong oxidizing agents, acetylene, acetaldehyde, hydrogen-palladium combination. Hazardous Decomposition by product: Toxic gases and vapors may be released if involved in a fire.

Toxicity Data:

Overexposure: Treat symptomatically irritations that develop.

Transportation Information:

Product Label-----Contender

Dot ship name-----n/a

UN number-----n/a

Dot label-----n/a

Dot placard-----n/a

Bulk class-----n/a

Package class-----n/a

Disposal Considerations:

Waste Disposal: Dispose of in accordance with all local, state/provincial, and national requirements.

Regulatory Information:

Occupational Exposure limits---N/A

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Kinetic Technologies LLC. The data on this sheet relates only to the specific material designated herein. Kinetic assumes no legal responsibility for, nor do we give permission inducement or recommendation to practice any patented invention without a license before using any product, read its label.

Safety Data Sheet

Product: CONTENDER HOOF PASTE

SDS No: 13-R168J

SECTION 1 GENERAL INFORMATION

Kinetic Technologies

961 Beaseley Street Ste 270

Lexington, Ky 40509

Telephone:

859-258-9160

In case of emergency call chemtree:

1-800-424-9300

Outside of U.S.A.:

001-703-527-3887

Date:

6/1/2015

SECTION 2 HAZARD(S) IDENTIFICATION

GHS - Classification

Signal Word:

Warning

Hazard Statement(s)

Precautionary Statement(s)

P312

Call a POISON CENTER if you feel unwell.

P330

Rinse Mouth.

P333 + P313

If skin irritation or rash occurs: Get medical attention.

P337 + P313

If eye irritation persists: Get medical attention

P501

Dispose of contents in container in accordance with local/state/federal/international regulations.

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

CAS#

PERCENTAGE

SPECIFIC CHEMICAL NAME(S) AND CAS NUMBER(S) MAY BE A TRADE SECRET AS ALLOWED BY 29 CFR 1910.1200

SECTION 4 FIRST AID MEASURES

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES IF IRRITATION OCCURS. GET MEDICAL ATTENTION.

SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. IF IRRITATION PERSIST, SEEK MEDICAL ATTENTION.

INGESTION: IMMEDIATELY RINSE MOUTH AND THROAT THOROUGHLY WITH WATER SEEK MEDICAL ATTENTION.

INHALATION: NO EFFECTS EXPECTED UNDER NORMAL USE.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: N/A

EXTINGUISHING METHOD: USE WATER, CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

SPECIAL FIRE FIGHTING PROCEDURES: USE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACESHIELD.

UNUSUAL FIRE FIGHTING PROCEDURES: NONE KNOWN.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Advise water authority if spillage has entered water course or drainage system.

METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material(e.g. sand, silica gel, acid binder, universal binder, sawdust)

SPILL: VENTILATE AREA. PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN MATERIAL

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: CONTENDER HOOF PASTE

SDS No: 13-R168J

BY DIKING THE AREA AROUND THE SPILL. IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY DRUMS. IF THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETHER THE SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVERED WHEN NOT IN USE.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

ROUTES OF EXPOSURE: ☒ EYES ☒ SKIN ☒ INGESTION ☒ INHALATION

SYMPTOMS OR ACUTE HEALTH HAZARDS

EYES: MAY CAUSE EYE IRRITATION.
SKIN: MAY CAUSE IRRITATION.
INGESTION: MAY CAUSE NAUSEA, VOMITING, DIARRHEA.
INHALATION: NO EFFECTS EXPECTED UNDER NORMAL USE.

RESPIRATORY PROTECTION: NONE NORMALLY NEEDED.
VENTILATION: NORMAL ROOM VENTILATION.

PROTECTIVE EQUIPMENT: ☒ GLOVES ☐ FACESHIELD ☒ APRON ☒ GOGGLES ☐ IMPERVIOUS COVERALLS

WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED AND CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTACT. ALL EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REUSE.

EXPOSURE LIMITS

LIMITS

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PH: N/A AS IS
SOLUBILITY: INSOLUBLE
SPECIFIC GRAVITY: .81-.86@140F
APPEARANCE: BLACKISH BROWN PASTE
Bod:
Cod:
Odor:
OdorThreshold:
MeltingPoint:
BoilingPoint:

Evaporation Rate:
Vapor Pressure:
Vapor Density:
Auto Ignition Temperature:
LEL:
UEL:
VOC:
FlashPoint: N/A

SECTION 10 STABILITY AND REACTIVITY

STABILITY: STABLE
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
DECOMPOSITION PRODUCTS: NOT ESTABLISHED
CONDITIONS AND MATERIALS TO AVOID: NONE KNOWN

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:
Chronic Toxicity:
Carcinogenicity:
Target Organ Effects:

This product has not yet been tested. The information is derived from the properties of the individual components.

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: CONTENDER HOOF PASTE

SDS No: 13-R168J

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity:

Persistence Degradability:

Bioaccumulation:

Mobility:

This product has not yet been tested. The information is derived from the properties of the individual components.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal of this product should be made in accordance with federal state and local regulations.

SECTION 14 TRANSPORT INFORMATION

TRANSPORTATION: NOT REGULATED BY D O T

SECTION 15 REGULATORY DATA

TITLE III-SARA: THE FOLLOWING DATA IS BEING SUPPLIED IN COMPLIANCE WITH TITLE III SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) PART 313 AND 40 CFR 372

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS FOUND ON THE SARA LIST IN 40 CFR 372.

CALIFORNIA PROPOSITION 65 CONTAINS NO MATERIALS KNOWN TO BE ON THE CALIFORNIA PROPOSITION 65 LIST.

SECTION 16 OTHER INFORMATION

Large Spill: NA

Fire: NA

DISCLAIMER

THE INFORMATION GIVEN HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH THIS COMPANY OR NOT. THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND SUITABLE FOR THEIR NEEDS.

End of SDS

ND = NOT DETERMINED NA = NOT APPLICABLE