SAFETY DATA SHEETS

This SDS packet was issued with item:

078561607

N/A



Alpha Tech Pet, Inc.

Your Animal Care Specialist 789 Massachusetts Avenue Lexington, Massachusetts 02420

MATERIAL SAFETY DATA SHEET - KennelSol® HC

Section 1: Product & Company Identification

Trade Name: KennelSol HC EPA Reg. No. 62472-2

Product Class: Quaternary Ammonium Compound

Product Use: Disinfectant/Sanitizer **Manufacturer:** Alpha Tech Pet, Inc.

789 Massachusetts Avenue Lexington, MA 02420

Telephone 24 hr. Emergency Assistance: Alpha Tech Pet, Inc. 1-800-222-5537 or 1-978-500-3455

Numbers: Product or Company Information: 1-800-222-5537 (Mon – Fri)

Section 2: Composition/Information on Ingredients

Ingredient	CAS#	Wt. %
Alkyl dimethyl benzyl ammonium chloride (C ₁₂₋₁₆)	68424-85-1	6 – 7
Didecyl dimethyl ammonium chloride	7173-51-5	9.5 – 10.5
Ethanol	64-17-5	2 – 3

Section 3: Hazards Identification

Emergency	
Overview	

Clear, light blue colored liquid with wintergreen fragrance. Direct contact may produce severe eye and skin irritation and/or burns and possible irreversible damage. Solvent vapors or mists of product can produce irritation of the mucous membranes. Ingestion can produce immediate burning pain in the mouth, throat and abdomen; severe swelling of the larynx; skeletal muscle paralysis affecting the ability to breathe; circulatory shock; and/or convulsions.

Potential Health Effects:

Skin: May cause corrosive burns. Brief exposures may cause irritation and defatting of the skin. Exposures

not promptly washed off may lead to toxic effects similar to ingestion. Harmful if absorbed through

the skin.

Eyes: Causes severe irritation and/or burns and may result in permanent injury to eyes including blindness.

Inhalation: Mists and vapors can irritate the throat and respiratory tract. High vapor concentrations may cause

central nervous system effects. Symptoms may include headaches, dizziness, and drowsiness.

Harmful if inhaled.

Ingestion: Ingestion can cause gastrointestinal irritation, swelling of the larynx, difficulty in breathing, circulatory

shock, convulsions and possibly death.

Chronic: Ingestion of ethanol by pregnant women can cause reproductive toxicity to the fetus.

Section 4: First Aid Measures

Eyes: Immediately flush eyes with water for 15-20 minutes, while holding eyelids open. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention at once. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a

Clothing: poison control center or doctor for treatment advice.

Inhalation: If symptoms are experienced, move victim to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water

if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do

not give anything by mouth to an unconscious person.

Note to Probable mucosal damage may contraindicate the use of gastric lavage.

Physician:

Skin or

Section 5: Fire Fighting Measures

Material Safety Data Sheet – KennelSol® HC

None when heated to 105°C - Tag Closed Cup Flash Point: Not determined.

Upper & Lower Flame

Limits

Dry chemical, foam, carbon dioxide, water fog or any other agent suitable for surrounding fire. **Extinguishing Media:**

Irritating and toxic gases or fumes may be released during a fire.

Fire Fighting Firefighters should wear full protective clothing including self-contained breathing

Equipment & apparatus. Cool fire exposed containers with spray.

Instructions:

Hazardous Combustion

Products:

Unusual Fire Explosion Combustion products are toxic.

Hazards

Section 6: Accidental Release Measures

Spill and Leak Procedures

Emergency Action: Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out

of low areas where vapors may accumulate. Eliminate all ignition sources (no smoking, flares,

sparks or flames in immediate area).

Spill Cleanup: Ventilate closed spaces before entering. All equipment used when handling the product must be

grounded. Floor will be slippery. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Large Spills: Dike far ahead of liquid spill for later disposal. Pump into containers for disposal.

Section 7: Handling & Storage

Handling Procedures: Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands before

eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and

water.

Keep the container tightly closed and in a cool, well-ventilated place. Keep from freezing. **Storage Procedures:**

Do not handle or store near an open flame, heat or other sources of ignition. Prevent electrostatic charge buildup by using common bonding and grounding techniques.

Section 8: Exposure Controls/Personal Protection

Provide adequate local exhaust ventilation (explosion proof) to maintain worker exposure **Engineering Controls:**

below exposure limits.

Personal Protective Equipment:

Wear chemical goggles. Use a face shield if splashing is possible. Eyes/Face:

Skin: Use impervious gloves (rubber or neoprene). Wear suitable protective clothing.

If exposure limits are exceeded or if irritation is experienced, a NIOSH/MSNA approved Respiratory:

> respirator or an organic/vapor removing cartridge respirator protection device should be worn. Ventilation and other forms of engineering controls are often the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency

situations.

General: Eye wash fountain and emergency showers are recommended.

The following ingredients have established exposure guidelines:

Ingredient	Exposure Guideline	Guideline Value
Ethanol	ACGIH TLV (2005), OSHA PEL & NIOSH	1000 ppm (TWA)
64-17-5	REL	
	Alberta, British Columbia, Manitoba, New	1000 ppm (TWA)
	Brunswick, Northwest Territories, (Canada)	
	Ontario, Quebec (Canada)	1000 ppm (TWAEV)
	Saskatchewan (Canada)	1000 ppm (TWA), 1250 ppm (STEL)
	Yukon (Canada)	1000 ppm (TWA), 1000 ppm (STEL)
	Mexico	1000 ppm (TWA)
	ACGIH TLV (2005), OSHA PEL & NIOSH REL	1000 ppm (TWA)

Alpha Tech Pet, Inc. Trade Name: KennelSol® HC Page 2 of 4 August 2007

Material Safety Data Sheet - KennelSol® HC

All TWAs are for an 8-hour period and all STELs are for 15 minutes unless specifically noted as being for another time period.

Section 9: Physical & Chemical Properties

Flash Point: None when heated to 105°C – Tag Closed Cup

Specific Gravity: 1.006 (8.35lbs/gal)
Percent Volatiles: Not determined.
Vapor Pressure: Not determined.

VOC Content ~ 20

Vapor Density: Estimated to be heavier than air. Viscosity: 13.61 mm²/s (cSt) @ 22°C

Evaporation Rate: Not determined. **Pour Point:** Not determined.

pH: 7.31

Appearance and Odor: Clear, colorless to straw colored liquid with benzaldehyde (organic) odor.

Section 10: Stability & Reactivity

Chemical Stability: Material is stable.

Conditions to Avoid: Keep away from heat and strong oxidizing agents.

Incompatibilities: Strong oxidizing agents (may result in fire.), reducing agents.

Hazardous Decomposition: Carbon monoxide, carbon dioxide and toxic hydrogen chloride vapors.

Hazardous Polymerization: Will not occur.

Section 11: Toxicological Information

Carcinogenicity No Carcinogenicity data available for this product.

Acute Oral LD50 >1500 mg/kg for male and female rats.
Acute Dermal LD50 >2000 mg/kg for male and female rabbits.

Primary Skin Severe irritant, corrosive.

Primary Eye Severe irritant.

Chemicals Ingredients Listed as Potential or Known Carcinogens

Ingredient	OSHA	NTP	IARC
No ingredients listed in this section	٦.		

Section 12: Ecological Information

Ecotoxicity No data available for this product but it is considered toxic to fish.

Section 13: Disposal Considerations

Disposal Instructions

This substance, when discarded or disposed of, is a characteristic hazardous waste according to Federal regulation (40 CFR 261) and is assigned the EPA Hazardous Waste Number of D001. The discarding or disposal of this material must be done at a properly permitted facility in accordance with the regulations of 40 CFR 262, 263, 264, and 268. Additionally, the discarding or disposal of this material may be further regulated by state, regional, or local regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate.

The transportation, storage, treatment and disposal of this waste material must be conducted in compliance with all applicable Federal, state, and local regulations.

Section 14: Transport Information

DOT Hazard Class 8 Corrosive

DOT Proper Shipping Name Disinfectant Liquid Corrosive, NOS (Quaternary Ammonium Compound), 8, UN1903,

PG III

Section 15: Regulatory Information

TSCA Status

While all ingredients are listed on the TSCA Chemical Inventory, this product is regulated as a pesticide under the Federal

Material Safety Data Sheet – KennelSol® HC

Insecticide, Fungicide and Rodenticide Act (FIFRA) and not subject to the TSCA Inventory rules for FIFRA uses.

Other Chemical Inventories

All components of this product are listed on the following inventories: Canada (DSL), China, and Philippines. One or more ingredients are not listed on the following inventories: Australia, European Union, Japan and Korea.

CERCL/SARA

SARA Title III, Sections 311/312 – This act requires reporting under the Community Right-to-Know provisions due to the inclusion of the following components of this material in one or more of the five hazard categories listed in the 40 CFR 370: **Classification of this product**: Immediate, Fire

SARA Title 313 – This act requires submission of annual reports of releases of the following components of this material if the threshold reporting quantities, as listed in 40 CFR 372, are met or exceeded:

	0.40.11	Maximum	
Chemical Name	CAS No.	Concentration	Comment
No ingredients listed in this section.			

Reportable Quantities/Threshold Planning Quantities: CERCLA requires notification of the National Response Center (Telephone 1-800-424-8802) in the event of a release of quantities of the following hazardous materials contained in this product, if the release is equal to or greater than the Reportable Quantities (RQs). SARA 302/304 requires emergency planning, including agency notification, for possible release of the following components of this material, based upon the Threshold Planning Quantities (TPQs) and/or release of Reportable Quantities.

Chemical Name	Reportable Quantity (RQ)	Threshold Planning Quantity (TPQ)
No ingredients listed in this section.		

State & Provincial Right to Know & Selected Regulatory Lists

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List

Chemical Name	State List
Benzyl Chloride (trace < 100 ppm)	AZ, CA, CAP65C, CT, IL, MA, MN, NJ, PA, RI
Ethanol	AZ, CA, CAP65R (ingestion only), CT, ID, MA, MN, NJ, PA, RI

AZ – Arizona Ambient Air Quality Guidelines
CT – Connecticut Hazardous Air Pollutants
CA – California Director's List of Hazardous Substances

IL – Illinois Toxic Air Contaminant - Carcinogenic
MA – Massachusetts Right to Know List
MN – Minnesota Hazardous Substances List

CA65C – California Prop 65 Carcinogen NJ – New Jersey Right to Know List CA65R – California Prop 65 Reproductive Toxin PA – Pennsylvania Right to Know List

ID – Idaho Non-carcinogen Toxic Air Pollutants RI – Rhode Island Hazardous Substances List

WHMIS Classification: E, D2B. This product has been classified in accordance with hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the Controlled

Products Regulations.

Section 16: Other Information

Current Issue Date: August, 2007
Previous Issue Date: None
Changes from Previous Issue Date: New MSDS

Hazard Ratings	HMIS (II)	NFPA
Health	3	3
Flammability	0	0
Reactivity	0	0
PPE	Χ	

Disclaimer

Disclaimer: Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. The buyer assumes all risks of the use and/or handling.

Alpha Tech Pet, Inc.

Trade Name: KennelSol® HC

Page 4 of 4



SAFETY DATA SHEET

Issue Date 05-May-2015 Revision Date 05-May-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name KENNELSOL HC

Other means of identification

Product Code ATP 5989

Recommended use of the chemical and restrictions on use

Recommended Use Germicidal Detergent & Deodorant.
Uses advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Supplier Alpha Tech Pet, Inc.

119 Russell Street, Suite 21

Littleton, MA 01460

Phone: (800) 222-5537 (Mon - Fri)

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed Causes skin irritation Causes serious eye damage



Appearance Clear Blue Physical state Liquid Odor Wintergreen

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

1.141001% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Didecyl Dimethyl Ammonium Chloride	7173-51-5	7-13	*
Alkyl (C12-16) dimethyl benzyl ammonium chloride	68424-85-1	3-7	*
Ethanol	64-17-5	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is

required.

Eye contact Immediate medical attention is required Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes Keep eye wide open while rinsing Do not rub affected area Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No Information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids.

Aluminum.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³
		(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	TWA. 1900 Hig/III
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear Blue

Odor Wintergreen Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6.0 - 8.0

Melting point/freezing point

Boiling point / boiling range

No Information available
No Information available

Flash point None

Evaporation rate No Information available Flammability (solid, gas) No Information available

Flammability Limits in Air

Upper flammability limit:

Lower flammability limit:

No Information available

No Information available

ATP 5989 KENNELSOL HC

Vapor pressureNo Information availableVapor densityNo Information available

Specific Gravity 0.85 Water solubility Complete

Solubility in other solvents No Information available **Partition coefficient** No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available Kinematic viscosity No Information available No Information available **Viscosity** No Information available **Explosive properties Oxidizing properties** No Information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Irritating to skin.

Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
64-17-5			- ' '

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

ATP 5989 KENNELSOL HC

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
64-17-5		-		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a

known or suspected reproductive toxin.

Target organ effects Blood, Central nervous system, EYES, Liver, Reproductive System, Respiratory system,

Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

1.141001% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

20.41906% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 2: 48 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50 Static 10800: 24 h
		static 13400 - 15100: 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	
		flow-through	
Nonylphenol Ethoxylate	-	5: 96 h Fish mg/L LC50	-
9016-45-9			
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Ethanol	-0.32
64-17-5	

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesPesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray

mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for

guidance.

Contaminated packaging Do not reuse container. Nonrefillable container. Do not reuse or refill this container. Clean

container promptly after emptying. Triple rinse empty container with water. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol 64-17-5	X	X	Х
Sodium Hydroxide 1310-73-2	Х	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number 62472-2

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16. OTHER INFORMATION

NFPAHealth hazards 3Flammability 0Instability 0Physical and Chemical Properties YesHMISHealth hazards 3Flammability 0Physical hazards 0Personal protection X

 Issue Date
 05-May-2015

 Revision Date
 05-May-2015

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 05-May-2015 Revision Date 29-May-2019 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name KENNELSOL HC

Other means of identification

Product Code ATP 5989

Recommended use of the chemical and restrictions on use

Recommended Use Germicidal Detergent & Deodorant.
Uses advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Supplier Alpha Tech Pet, Inc.

25 Porter Road, Suite 210 Littleton, MA 01460

Phone: (800) 222-5537 (Mon - Fri)

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed Causes skin irritation Causes serious eye damage



 Appearance
 Clear Blue
 Physical state
 Liquid
 Odor
 Wintergreen

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Didecyl Dimethyl Ammonium Chloride	7173-51-5	5-10	*
Alkyl (C12-16) dimethyl benzyl ammonium chloride	68424-85-1	3-7	*
Ethanol	64-17-5	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is

required.

Eye contact Immediate medical attention is required Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes Keep eye wide open while rinsing Do not rub affected area Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No Information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Should not be **Environmental precautions**

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Methods for containment

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take Methods for cleaning up

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of **Storage Conditions**

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Incompatible materials

Aluminum.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear Blue
Odor Wintergree

Odor Wintergreen Odor threshold No Information available

Property Values Remarks • Method

pH 6.0 - 8.0

Melting point/freezing pointNo Information availableBoiling point / boiling rangeNo Information available

Flash point None

Evaporation rate No Information available Flammability (solid, gas) No Information available

Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available
No Information available
No Information available

Specific Gravity 0.85 Water solubility Complete

Solubility in other solventsNo Information availablePartition coefficientNo Information availableAutoignition temperatureNo Information available

Decomposition temperature No Information available Kinematic viscosity No Information available **Viscosity** No Information available **Explosive properties** No Information available **Oxidizing properties** No Information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Corrosive to the eyes and may cause severe damage including blindness. Eye contact

Skin Contact Irritating to skin.

May be harmful if swallowed. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Didecyl Dimethyl Ammonium Chloride 7173-51-5	= 84 mg/kg (Rat)	-	-
Alkyl (C12-16) dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat) = 850 mg/kg (Rat) = 240 mg/kg (Rat)	= 2300 mg/kg (Rabbit) = 1420 mg/kg (Rat)	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg (Rat)	-	-
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Alcohol Ethoxylate 68439-46-3	= 1400 mg/kg (Rat) = 1378 mg/kg (Rat)	> 2 g/kg(Rabbit)	-
Citric Acid 77-92-9	= 3 g/kg (Rat) = 3000 mg/kg (Rat	-	-

Information on toxicological effects

No Information available. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityNo Information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
64-17-5		-		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a

known or suspected reproductive toxin.

Target organ effects Blood, Central nervous system, EYES, Liver, Reproductive System, Respiratory system,

Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

13.13% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Alkyl (C12-16) dimethyl benzyl ammonium chloride	-	0.223 - 0.46: 96 h Lepomis macrochirus mg/L LC50 static 0.823	-
68424-85-1		- 1.61: 96 h Oncorhynchus mykiss	
		mg/L LC50 static 2.4: 96 h Oryzias latipes mg/L LC50 semi-static 1.3:	
		96 h Poecilia reticulata mg/L LC50 semi-static	
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia
		Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h	magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
		Pimephales promelas mg/L LC50 flow-through	
Citric Acid	-	1516: 96 h Lepomis macrochirus	120: 72 h Daphnia magna mg/L
77-92-9		mg/L LC50 static	EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Ethanol	-0.32
64-17-5	

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray

mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for

guidance.

Contaminated packaging Do not reuse container. Nonrefillable container. Do not reuse or refill this container. Clean

container promptly after emptying. Triple rinse empty container with water. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Does not comply
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	X	X	X
64-17-5			

U.S. EPA Label Information

EPA Pesticide Registration Number 62472-2

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

 Issue Date
 05-May-2015

 Revision Date
 29-May-2019

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet