SAFETY DATA SHEETS

This SDS packet was issued with item: 078567953

N/A



MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Common Name:	OMEPRAZOLE
Chemical Name:	5-Methoxy-2-[[(4-methoxy-3,5-dimethyl-2- pyridinyl)methyl]sulfinyl]-1H-benzimidazole
Synonym(s): Trade Name:	Prilosec, Losec
Manufacturer's Name: 500016, INDIA and Address	Dr. Reddy's Laboratories Limited, 7-1-27, Ameerpet, Hyderabad
Emergency Telephone:	+91 40 23731946, +91 40 291279485
Date MSDS Prepared:	24.02.04
MSDS Prepared by:	Dr. Reddy's Laboratories Limited, R&D
Phone Number:	+91 40 279485
SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS	
Active Ingredient(s):	
CAS #:	73590-58-6
MF: EC NO:	C ₁₇ H ₁₉ N ₃ O ₃ S Not available

Page 1 of 6

SECTION 3 - HAZARDS IDENTIFICATION

LABEL PRECAUTIONARY STATEMENTS

TOXIC

TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

POSSIBLE RISK OF IRREVERSIBLE EFFECTS.

Effected on respiratory tract, eyes and Skin

TARGET ORGAN(S):

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE

IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

SECTION 4 - FIRST AID MEASURES

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION.

IF BREATHING IS DIFFICULT, GIVE OXYGEN.

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.

CALL A PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.

Page 2 of 6

DR.REDDY'S

Tr.Reddy's

SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7 - HANDLING AND STORAGE

REFER TO SECTION 8.

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. USE ONLY IN A CHEMICAL FUME HOOD. SAFETY SHOWER AND EYE BATH. DO NOT BREATHE DUST. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. POSSIBLE TERATOGEN. TOXIC. POSSIBLE SENSITIZER. KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR WHITE POWDER

PHYSICAL PROPERTIES MELTING POINT: ~156°C

Page 3 of 6

SECTION 10 - STABILITY AND REACTIVITY

INCOMPATIBILITIES STRONG OXIDIZING AGENTS HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

TOXIC FUMES OF: CARBON MONOXIDE, CARBON DIOXIDE

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. MAY CAUSE IRRITATION. PROLONGED OR REPEATED EXPOSURE MAY CAUSE ALLERGIC REACTIONS IN CERTAIN SENSITIVE INDIVIDUALS.

CHRONIC EFFECTS

OVEREXPOSURE MAY CAUSE REPRODUCTIVE DISORDER(S) BASED ON TESTS WITH LABORATORY ANIMALS.

TARGET ORGAN(S):

ADDITIONAL INFORMATION

CLINICAL TRIALS HAVE SHOWN THE FOLLOWING POSSIBLE ADVERSE REACTIONS: GASTROINTESTINAL DISTURBANCES INCLUDING NAUSEA, VOMITING, CRAMPS, DIARRHEA, CONSTIPATION, BLOATING, CENTRAL NERVOUS SYSTEM EFFECTS WHICH INCLUDE DIZZINESS, HEADACHE, DEPRESSION, INSOMNIA, ASEPTIC MENINGITIS, SOMNOLENCE, DERMATOLOGICAL EFFECTS OF MACULOPAPULAR AND VESICULOBULLOUS ERUPTIONS, URTICARIA, ALOPECIA, ERYTHEMA MULTIFORME, STEVENS-JOHNSON SYNDROME, HEMATOLOGIC EFFECTS OF NEUTROPENIA, APLASTIC AND HEMOLYTIC ANEMIA, THROMBOCYTOPENIA, DECREASES IN HEMOGLOBIN AND HEMATOCRIT.

RTECS #: MU6640000

HYDRATROPIC ACID, P-ISOBUTYL-

TOXICITY DATA

ORL-MAN LDLO:171 MG/KG ORL-CHD LDLO:469 MG/KG ORL-RAT LD50:636 MG/KG IPR-RAT LD50:626 MG/KG SCU-RAT LD50:740 MG/KG BMJOAE 281,1458,80 AEMED3 15,1308,86 ARZNAD 34,280,84 ARZNAD 27,1006,77 OYYAA2 24,415,82

Page 4 of 6

DR.REDDY'S



REC-RAT LD50:530 MG/KG	OYYAA2 24,415,82
ORL-MUS LD50:740 MG/KG	PCJOAU 14,119,80
IPR-MUS LD50:320 MG/KG	TXAPA9 15,310,69
SCU-MUS LD50:395 MG/KG	OYYAA2 24,415,82
REC-MUS LD50:620 MG/KG	OYYAA2 24,415,82
ORL-GPG LD50:495 MG/KG	ATSUDG 7,365,84
ORL-HAM LD50:1690 MG/KG	ATSUDG 7,365,84
ORL-MAM LD50:1 GM/KG	APPHAX 42,545,85
TARGET ORGAN DATA	
SENSE ORGANS AND SPECIAL SENS	ES (DIPLOPIA)
SENSE ORGANS AND SPECIAL SENS	
BEHAVIORAL (GENERAL ANESTHETI	
BEHAVIORAL (ALTERED SLEEP TIME	
BEHAVIORAL (CONVULSIONS OR EF	
BEHAVIORAL (CHANGE IN MOTOR A	
BEHAVIORAL (HEADACHE)	· · · · · · · · · · · · · · · · · · ·
BEHAVIORAL (ANALGESIA)	
VASCULAR (BP LOWERING NOT CHA	RACTERIZED IN AUTONOMIC SECTION)
LUNGS, THORAX OR RESPIRATION (
LUNGS, THORAX OR RESPIRATION	
GASTROINTESTINAL (ULCERATION	OR BLEEDING FROM STOMACH)
GASTROINTESTINAL (HYPERMOTILI	TY, DIARRHEA)
LIVER (HEPATITIS: HEPATOCELLUL	
KIDNEY, URETER, BLADDER (CHANG	GES IN TUBULES)
BLOOD (THROMBOCYTOPENIA)	
	STEMIC EXPOSURE: DERMATITIS, OTHER)
IMMUNOLOGICAL INCLUDING ALLER	
MATERNAL EFFECTS (MENSTRUAL C	
MATERNAL EFFECTS (PARTURITION	
EFFECTS ON FERTILITY (PRE-IMPLA	
EFFECTS ON FERTILITY (LITTER SIZ	•
EFFECTS ON EMBRYO OR FETUS (FE	
EFFECTS ON EMBRYO OR FETUS (FE	
EFFECTS ON NEWBORN (LIVE BIRT)	
EFFECTS ON NEWBORN (VIABILITY	
EFFECTS ON NEWBORN (WEANING	
EFFECTS ON NEWBORN (GROWTH S	
	LIC (CHANGES IN: METABOLIC ACIDOSIS)
•	I INFLAMMATION OR MEDIATION OF INFLAMMATION)
	IC EFFECTS OF CHEMICAL SUBSTANCES
	. SEE ACTUAL ENTRY IN RTECS FOR
COMPLETE INFORMATION.	

Page 5 of 6



SECTION 12 - ECOLOGICAL INFORMATION

DATA NOT AVAILABLE

SECTION 13 - DISPOSAL CONSIDERATIONS

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14 - TRANSPORT INFORMATION

CONTACT THE MANUFACTURER FOR TRANSPORTATION INFORMATION

SECTION 15 - REGULATORY INFORMATION

EUROPEAN INFORMATION

TOXIC R 23/24/25 TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. R 40 POSSIBLE RISK OF IRREVERSIBLE EFFECTS. S 45 IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). S 36/37/39 WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. REVIEWS, STANDARDS, AND REGULATIONS OEL=MAK NOES 1983: HZD X4905; NIS 1; TNF 82; NOS 1; TNE 2249; TFE 1246 EPA TSCA SECTION 8(B) CHEMICAL INVENTORY

SECTION 16 - OTHER INFORMATION

The information provided in this Material Safety Data Sheet (MSDS) has been compiled from our experience and the data presented in various technical publications. It is the users responsibility to determine the suitability of this information for the adoption of safety precautions as may be necessary. We reserve the right to revise the MSDS from time to time as new information becomes available. It is recommended that the user contact the company to make sure the MSDS in use is the latest one issued.

Page 6 of 6