### **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

078582654

N/A

# MATERIAL SAFETY DATA SHEET EQUI-SPOT SPOT-ON FLY CONTROL FOR

**HORSES** 

### 1. Product and Company Identification

Product Code: 270-279 E

Product Name: EQUI-SPOT SPOT-ON FLY CONTROL FOR HORSES

**Manufacturer Information** 

Company Name: Distributed by:

Farnam Companies, Inc. 301 West Osborn Road

Phoenix, AZ

Emergency Contact: Animal or human exposure (800)234-2269

Alternate Emergency Contact: CHEMTREC (Emergency spills) (800)424-9300

Information: Farnam Companies (800)234-2269

**Synonyms** 

FARNAM TICK HALT! SPOT-ON FOR DOGS

### **Additional Identity Information**

3002606 (3) 10ML

100502597 12X (3) 10ML 100506084 6 X (3) 10ML

### 2. Composition/Information on Ingredients

Hazardous Components (Chemical Name) CAS # Concentration 0

OSHA PEL ACGIH TLV

1. Permethrin 52645-53-1 45.0 % No data. No data.

### 3. Hazards Identification

#### **Emergency Overview**

### KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes

### **Potential Health Effects (Acute and Chronic)**

None known

LD 50 / LC 50

See notes, Section 9

#### Signs and Symptoms Of Exposure

May produce skin sensations (feelings of numbing and tingling) in certain individuals. Moderate eye irritant (tearing and blurred vision). May cause drying and irritation of skin. These sensations normally subside and disappear within a few hours. If ingested, the product may cause diarrhea, salivation, bloody nose, increased urination, decreased activity, tremors and intermittent convulsions. Excessive inhalation causes coughing, headache, dizziness, nausea, as well as nose, throat, and respiratory tract irritation.

### **Medical Conditions Generally Aggravated By Exposure**

None known

### 4. First Aid Measures

### **Emergency and First Aid Procedures**

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

## MATERIAL SAFETY DATA SHEET EQUI-SPOT SPOT-ON FLY CONTROL FOR

**HORSES** 

Revision: 10/12/2011 Supercedes Revision: 03/25/2011

Page: 2

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

#### **Note to Physician**

Contains petroleum distillate — vomiting may cause aspiration pneumonia.

### 5. Fire Fighting Measures

Flash Pt: 130.00 F Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: N.A.

### **Fire Fighting Instructions**

Fight fire from upwind. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent and full protective gear. Do not use water. Handle as an oil fire, class B fire procedures. Remove unignited product from fire area if possible. Dike fire control waters to prevent their entry into sewers or other water courses.

### **Flammable Properties and Hazards**

Combustible Liquid. Keep away from heat, sparks, and open flame. Guard against spontaneous combustion or improperly discarded oily rags. Overheated containers are an explosion hazard. Vapors which form inside empty containers may also present an explosion hazard during a fire. Equipment used to fight pesticide fires may require decontamination before reuse.

#### **Hazardous Combustion Products**

No data available.

### **Extinguishing Media**

Foam, carbon dioxide, dry chemical, or halogenated agents.

### **Unsuitable Extinguishing Media**

No data available.

### 6. Accidental Release Measures

### Steps To Be Taken In Case Material Is Released Or Spilled

Small Spills: Absorb with inert absorbent. Wash contaminated area with detergent and water solution. Discard in trash.

Large Spills (Bulk product only): Wear OSHA approved clean protective clothing, rubber gloves, and goggles. If vapor concentration becomes high, use self contained air mask (NIOSH approved). No smoking. Eliminate any source of ignition. Minimize inhalation. Recover free liquid by adding absorbent (earth, sawdust, kitty litter, etc.) to spill area. Shovel waste into a metal drum. Avoid contact with skin. Keep product out of sewers and water courses by diking or impounding. Advise authorities if product has entered or may enter sewers, watercourses or extensive land areas. CAUTION: SLIPPERY ON FLOOR. Following clean up of spilled liquid, wash contaminated area with detergent and water solution. Collect wash water in containers for disposal.

### 7. Handling and Storage

### **Hazard Label Information:**

Keep from freezing.

### **Precautions To Be Taken in Handling**

No data available.

### **Precautions To Be Taken in Storing**

COMBUSTIBLE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES

#### **Other Precautions**

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

### MATERIAL SAFETY DATA SHEET EQUI-SPOT SPOT-ON FLY CONTROL FOR

**HORSES** 

Page: 3 Revision: 10/12/2011 Supercedes Revision: 03/25/2011

### 8. Exposure Controls/Personal Protection

### **Protective Equipment Summary - Hazard Label Information:**

None needed with normal use.

### **Respiratory Equipment (Specify Type)**

For fires, use self-contained breathing apparatus only. For moderate vapor or liquid mist exposure, use half mask or full face piece respirators which have NIOSH/MSHA approval for pesticides.

### **Eye Protection**

Where potential for splashing exists, or contact with spray or mist is likely, protective goggles and face shield should be worn. A source of clean water for flushing should be nearby (i.e., emergency eye wash and shower stations).

### **Protective Gloves**

Neoprene gloves for extended exposure, as in manufacturing or other large quantity work.

### **Other Protective Clothing**

Long sleeved coveralls or uniform, cap, rubber boots, rubber or plastic apron may be needed during formulation, packaging, or other handling of large amounts or product.

### **Engineering Controls (Ventilation etc.)**

Local exhaust should be sufficient. If user operations generate fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Work/Hygienic/Maintenance Practices

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

9. Physical and Chemical Properties	
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid
Melting Point:	N.A.
<b>Boiling Point:</b>	N.A.
Autoignition Pt:	N.A.
Flash Pt:	130.00 F Method Used: Closed Cup
Specific Gravity (Water = 1):	0.984
Vapor Pressure (vs. Air or mm Hg):	N.A.
Vapor Density (vs. Air = 1):	N.A.
<b>Evaporation Rate:</b>	N.A.
Solubility in Water:	Negligible
Percent Volatile:	N.A.
Appearance and Odor	

Dark amber solution with citrus scent.

### 10. Stability and Reactivity Stability: Unstable [ ] Stable [X]

### **Conditions To Avoid - Instability**

Do not store near heat or open flame. Avoid excessive heat. Avoid polymerization catalyst, such as aluminum chloride or acidic clays.

#### **Incompatibility - Materials To Avoid**

Avoid contamination with high concentrations of alkali at elevated temperatures. Avoid strong oxidizing agents and acidic agents.

# MATERIAL SAFETY DATA SHEET EQUI-SPOT SPOT-ON FLY CONTROL FOR

**HORSES** 

OR Printed: 10/12/2011 Revision: 10/12/2011 Supercedes Revision: 03/25/2011

Page: 4

### **Hazardous Decomposition Or Byproducts**

Burning can produce carbon monoxide and/or carbon dioxide. Chlorine and hydrogen chloride may be formed. Smoke can be acrid and fume irritating.

Hazardous Polymerization: Will occur [ ] Will not occur [ X ]

### **Conditions To Avoid - Hazardous Polymerization**

Product will not undergo polymerization.

### 11. Toxicological Information

See Section 16

#### **Chronic Toxicological Effects**

No data available

Hazardous Components (Chemical Name)CAS #NTPIARCACGIHOSHA1. Permethrin52645-53-1n.a.n.a.n.a.n.a.n.a.Carcinogenicity:NTP? NoIARC Monographs? NoOSHA Regulated? No

### 12. Ecological Information

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

### 13. Disposal Considerations

#### **Waste Disposal Method**

Dispose of all pesticide waste according to local, State, and Federal regulations. Do not reuse empty container. Wrap empty container and put in trash. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### 14. Transport Information

**LAND TRANSPORT (US DOT)** 

**DOT Proper Shipping Name** Not applicable via highway or rail within the U.S.A.

Consumer Commodity ORM-D-AIR if flown within the U.S.A.

**AIR TRANSPORT (ICAO/IATA)** 

ICAO/IATA Shipping Name ORM-D Consumer Commodity

**Additional Transport Information** 

International Air Description: Consumer Commodity Class 9, ID 8000

### 15. Regulatory Information

No data available.

### 16. Other Information

The following information is offered as an aid only. This data is accurate for a similar product which has the additional active ingredient Pyriproxifen:

Acute Oral LD 50 = 2,614 mg/kg male rats

Acute Oral LD 50 = 1,660 mg/kg female rats

Acute Dermal LD 50 > 5,050 mg/kg rabbits

Primary Skin Irritation = 0.0

Not a dermal irritant or sensitizer.

Inhalation LC 50 >> 2.87 mg/liter (4-HRS)

Moderate eye irritant

#### **Company Policy or Disclaimer**

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.