SAFETY DATA SHEETS

This SDS packet was issued with item: 078657248

N/A

HomeoPet Pro®

Storm Stress

For Dogs 80 lbs and up

Manufacturer Safety Data Sheet

Ingredients

Aconite Napellus 10x & 200c (Monkshood)

Avena Sativa 7x & 2c (Common Oat)

Belladonna 30c (Deadly Nightshade)

Borax 6c & 30c (Borate of Sodium)

Calcarea Phosphorica 30c & 200c (Calcium Phosphate)

Gelsemium 6c, 30c & 200c (Yellow Jasmine)

Lycopodium 6c & 30c (Club Moss)

Natrum Carbonicum 30c & 200c (Carbonate of Soda)

Natrum Muriaticum 30c (Sodium Chloride)

Passaflora 7x & 2c (Passion Flower)

Phosphorus 6c, 30c, 200c & 1M (Mineral Phosphorus)

Rhododendron 6c (Rhododendron Chrysanthum)

Scutellaria Lateriflora 7x & 2c (Blue Skullcap)

Silica Terra 30c & 200c (Pure Flint)

Stramonium 30c (Jimson Weed) Signs are worse at night, so a night storm is even more frightening. Fear from sudden noises or storms.

Anti-neurotic for calming the nervous system and is useful for palpatations and nervous exhaustion.

Useful for normally quiet individuals. Very sensitive to the flash of lightning causing terror with dilated pupils, even aggression.

Fear of gunshots, any sudden noise or loud noise. Drooling is often a symptom. Super alert animals, like rabbits, with trembling whiskers as it sniffs the air for predators.

Fear of thunder, and will shake, tremble and bolt during a storm.

Used for anticipatory anxiety with trembling and the animal becomes paralyzed with fear. Diarrhea or involuntary urination may occur when under extreme stress.

Fear of wind and sound storms. Anticipatory anxiety.

A sensitivity to any electrical changes. Start reacting before the storm starts. Alert and sensitive individual as in Borax.

Sound sensitivity. Often averse to company, not making eye contact. Can be sad looking. Prone to self-mutilate, causing a lick granuloma.

Calming, anti-convulsant. Quiets the entire nervous system. Anxiolytic like Avena, Valeriana & Skullcap.

Super-sensitive to all external impressions, particularly thunder and lightning storms, with a fear of the dark. Friendly, yet vetphobic, anticipating any intervention.

Very much affected by windy, or wet stormy weather. Helpful for stiffness from arthritis that is aggravated by the storm.

Restlessness or unease from nervous fear or excitement.

Strongly affected by changes of weather, noise and light as in storms, hurricanes, tornados, thunder, lightning and fireworks.

Terror with wide-eyed look, that can lead to aggression. Has a strong fear of the dark, re-homing or abandonment.

Staphysagria 6c & 30c (Stavesacre)	Animal is afraid of its own shadow. Supersensitive to every impression, including touch and noise. Can alleviate resultant physical symptoms such as skin eruptions that are sensitive to the touch.
Valeriana 7x & 2c (Valerian Root)	Hysteria with over-sensitivity, more so when alone in the dark.

INDICATIONS: Anxiety or anxiety induced conditions: fear of thunder, fireworks, wind and loud noises, gunshots, hurricanes, tornados, and kennel phobias where noise phobia is the causative factor.

FORMS: Liquid PACKAGE SIZE: 15 ml bottle

DOSE: One dose (10 drops) every 15 minutes up to 4 doses if needed. In acute cases, the doses can be given every 5 minutes up to 6 doses until response is seen. Dosing may be repeated as recommended above for multiple storms or stressful situations throughout the day.

PREVENTION WHILE OWNER IS AWAY: 15 drops of product may be put in water bowl for each dog who is home alone during storm season or similar events. Discontinue treatment as condition improves.

ADMINISTRATION: Optimally, the liquid preparation should be dropped directly on to the mucous membrane of the mouth including lips; ideally in dogs by pulling out the labial pouch. Where an animal finds this distressful or an owner is unable to comply, the medication can be put in the food, water or milk, or added to a sprayer and misted into the air or put onto bedding. Where animals are sensitive to the odor of the alcohol preservative, a 10-20 minute period should be allowed for dilution and evaporation before the liquid or food is presented to the patient. Occasionally, animals will shake their heads as a response to the alcohol preservative; in these cases presenting it in food, water, milk or aerosol works.

ADVERSE EFFECTS AND CONTRAINDICATIONS: None known, other than reversible effect of overdose. Overdose will result in a return of symptoms after the symptoms have initially reduced. Where a return of symptoms occurs due to overdose of the medication, ceasing the medication will alleviate the effect. Patients who are hypersensitive to homeopathic preparations will show response to a single dose, which may not need to be repeated for some time as this can present as sudden deep sleep from relaxation. For this reason therapy should always start with a single dose the previous day and should a major response be seen, therapy should not be recommenced until symptoms relapse, and then only a single dose given for maximum effect. Although there no evidence that there are any safety issues, extra care should be always be taken when dealing with pregnant animals. Should a suspected adverse reaction be seen or advice needed, please contact HomeoPet, LLC (contact information at bottom of sheet).

DRUG INTERACTIONS: None known. For animal use only. Keep out of reach of children.

PHARMACEUTICAL PRECAUTIONS: Store at room temperature, out of direct sunlight, and away from strong odors.

USER SAFETY: No adverse effects have been recorded. There have been reports to the company of beneficial rather than adverse effects. As homeopathics are active in humans, care is advised when handling product, although a long history of homeopathics used in humans shows a very high safety margin.

ENVIRONMENTAL IMPACT: To date none found.

Authorization#, NDC#: 61571-0560-04 HOMEOPET, LLC PO BOX 147 WESTHAMPTON BEACH, NY 11978 TOLL FREE TEL: 800 555 4461, TEL: 631 288 6883 TOLL FREE FAX: 800 434 0449, FAX: 631 288 6711 E-MAIL: info@homeopet.com WEBSITE: www.homeopet.com and www.homeopetpro.com