This SDS packet was issued with item:

078695517

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078403627 078404098

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912879



Revision date: 14-Jan-2014

Version: 3.0

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid

Trade Name:	ScourGuard 4KC
Chemical Family:	Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance:	Liquid solution in multiple-dose vials	
Classification of the Substance or M	ixture	
GHS - Classification	Not classified as hazardous	

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Hazard Statements: Not Classified Not classified in accordance with international standards for workplace safety.

Other Hazards Short Term:

Australian Hazard Classification (NOHSC):

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

May cause eye, skin and respiratory tract irritation In the event of accidental injection, an

for humans when ingested but have hemolytic effects when injected intravenously.

allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Saponins have little toxicity

Non-Hazardous Substance. Non-Dangerous Goods.

Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Quil-A saponin	66594-14-7	Not Listed	Not Listed	Not Listed	*
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Gentamicin	1403-66-3	215-765-8	Not Listed	Not Listed	##

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Bovine coronavirus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Bovine rotavirus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 3 of 10

Version: 3.0

Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effect Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	ts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
ndication of the Immediate Medical A Notes to Physician:	Attention and Special Treatment Needed None
	5. FIRE-FIGHTING MEASURES
Extinguishing Media:	Extinguish fires with CO2, extinguishing powder, foam, or water.
Special Hazards Arising from the Sub Hazardous Combustion Products:	bstance or Mixture Formation of toxic gases is possible during heating or fire.
Fire / Explosion Hazards:	Fine particles (such as dust and mists) may fuel fires/explosions.
Advice for Fire-Fighters During all fire fighting activities, w collect water used to fight fire.	vear appropriate protective equipment, including self-contained breathing apparatus. Dike and
6.	ACCIDENTAL RELEASE MEASURES
Personal Precautions, Protective Equ Personnel involved in clean-up sl	uipment and Emergency Procedures hould wear appropriate personal protective equipment (see Section 8). Minimize exposure.
Environmental Precautions Place waste in an appropriately la	abeled, sealed container for disposal. Care should be taken to avoid environmental release.
Methods and Material for Containme Measures for Cleaning / Collecting:	nt and Cleaning Up Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spi area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.
	7. HANDLING AND STORAGE
	situations immediately. Clean up operations should only be undertaken by trained perso

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Store as directed by product packaging.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy
	metals.

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 4 of 10

Version: 3.0

Specific end use(s):

No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
Deduced OFL THA	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA Estonia OEL - TWA	0.5 mg/m ³ 0.5 ppm
Estonia OEL - I WA	0.5 ppm 0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm
	0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm
	2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm
	2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm
	0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
Poland OEL - TWA	0.75 ppm 0.5 mg/m ³
Romania OEL - TWA	1 ppm
	1.20 mg/m^3
Slovakia OEL - TWA	0.3 ppm
	0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm
	0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm
	0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm
	0.37 mg/m ³

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 5 of 10

Version: 3.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Gentamicin

Bulgaria OEL - TWA

0.1 mg/m³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Gentamicin Zoetis OEB	OEB 2 (control exposure to the range of 100 ug/m^3 to < 1000 ug/m^3)
Exposure Controls	
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection:	In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Liquid solution in multiple-dos No data available. Mixture	e vials Color: Odor Threshold: Molecular Weight:	No data available. No data available. Mixture
Solvent Solubility: Water Solubility: Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, pH, E No data available Decomposition Temperature (°C):	No data available No data available Soluble: Water (based on com 7.0 +/- 1.5 No data available >100 Endpoint, Value) No data available.	iponents)	
Evaporation Rate (Gram/s): Vapor Pressure (kPa): Vapor Density (g/ml): Relative Density: Specific Gravity: Viscosity:	No data available Expected to be negligible No data available No data available 1.0 +/-0.2 No data available		
Flammablity: Autoignition Temperature (So Flammability (Solids):		data available data available	

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 6 of 10

Version: 3.0

Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: Non-flammable No data available No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions	No data available Stable under normal conditions of use.
Oxidizing Properties:	No data available
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Quil-A saponin Rat IV LD50 670 ug/kg

Gentamicin

Rat Oral LD50 6600 mg/kg Rat Subcutaneous LD50 710mg/kg Mouse IM LD50 167 mg/kg Rat IM LD50 463 mg/kg

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg Rat Subcutaneous LD50 98mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Gentamicin Eye Irritation Rabbit Non-irritating

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 7 of 10

Version: 3.0

11. TOXICOLOGICAL INFORMATION

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe Skin Irritation Rabbit Moderate Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

Dog 90 Day(s) Inhalation Not Specified Lungs 90 Day(s) Inhalation Not Specified Rat Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs 9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Gentamicin

Embryo / Fetal Development Rat Intramuscular 75 mg/kg/day LOAEL Developmental toxicity

Formaldehyde

Embryo / Fetal DevelopmentMouseOral 185 mg/kg/dayNot teratogenic, Maternal toxicityEmbryo / Fetal DevelopmentRatInhalation 40 ppmNot Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames)BacteriaPositiveIn Vitro Chromosome AberrationRodentPositiveIn Vitro Sister Chromatid ExchangeRodentPositiveIn Vivo Chromosome AberrationNot specifiedPositive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

No known carcinogens are present at greater than 0.1%

Formaldehyde IARC: NTP: OSHA:

Group 1 (Carcinogenic to Humans) Known Human Carcinogen Listed

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 8 of 10

Version: 3.0

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of m-cresol and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: None required Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 9 of 10

Version: 3.0

15. REGULATORY INFORMATION

Bovine coronavirus CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Bovine rotavirus CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Clostridium perfringens type C CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Quil-A saponin CERCLA/SARA 313 Emission reporting California Proposition 65 Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Not Listed
Formaldehyde CERCLA/SARA 313 Emission reporting CERCLA/SARA Hazardous Substances and their Reportable Quantities: CERCLA/SARA - Section 302 Extremely Hazardous	0.1 % 100 lb 45.4 kg 500 lb
TPQs CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs California Proposition 65	100 lb carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals Inventory - United States TSCA - Sect. 8(b)	2 ppm 0.5 ppm 0.75 ppm Present
Australia (AICS): Standard for the Uniform Scheduling for Drugs and Poisons: EU EINECS/ELINCS List	Present Schedule 2 Schedule 6 200-001-8
Merthiolate (as mercury) CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Present 200-210-4
Gentamicin CERCLA/SARA 313 Emission reporting	Not Listed

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli Bacterin-Toxoid Revision date: 14-Jan-2014 Page 10 of 10

Version: 3.0

15. REGULATORY INFORMATION

California Proposition 65 Australia (AICS): Standard for the Uniform Scheduling for Drugs and Poisons: EU EINECS/ELINCS List Not Listed Present Schedule 4

215-765-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed

- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer

H331 - Toxic if inhaled

- H330 Fatal if inhaled
- H310 Fatal in contact with skin
- H300 Fatal if swallowed
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R33 - Danger of cumulative effects.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources:The data contained in this MSDS may have been gathered from confidential internal sources,
raw material suppliers, or from the published literature.Reasons for Revision:Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.
Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on
Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and
Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 15 -
Regulatory Information.

 Prepared by:
 Toxicology and Hazard Communication

 Zoetis Global Risk Management
 Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet