This SDS packet was issued with item: 078695533

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912898 078912918



Revision date: 24-Feb-2015

Version: 5.5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Doramectin Injectable Solution 10 mg/ml

Trade Name: Chemical Family: DECTOMAX® Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterin Restrictions on Use: Not for

Veterinary product used as Antiparasitic (veterinary); endectocide Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.Zoetis Bit100 Campus Drive, P.O. Box 651MercuriuFlorham Park, New Jersey 07932 (USA)1930 ZavRocky Mountain Poison and Drug Center Phone: 1-866-531-8896BelgiumProduct Support/Technical Services Phone: 1-800-366-5288Product Support/Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Colorless to pale yellow solution Classification of the Substance or Mixture GHS - Classification

> Reproductive Toxicity: Category 2 Reproductive Toxicity: Effects on or via lactation Acute aquatic toxicity: Category 1 Chronic aquatic toxicity: Category 1

EU Classification:

EU Indication of danger: N - Dangerous for the environment

Ν

EU Symbol: EU Risk Phrases:

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label Elements

Signal Word:	Warning
Hazard Statements:	H361 - Suspected of damaging fertility or the unborn child
	H362 - May cause harm to breast-fed children
	H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P201 - Obtain special instructions before use

- P202 Do not handle until all safety precautions have been read and understood
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P263 Avoid contact during pregnancy/while nursing
- P270 Do not eat, drink or smoke when using this product
- P264 Wash hands thoroughly after handling
- P273 Avoid release to the environment
- P308 + P313 IF exposed or concerned: Get medical attention/advice
- P391 Collect spillage
- P405 Store locked up
- P501 Dispose of contents/container in accordance with all local and national regulations



Other Hazards Short Term:

Long Term: Australian Hazard Classification (NOHSC):

Note:

May be harmful if swallowed. May cause nervous system effects . May cause eye and skin irritation .

May cause effects on nervous system Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Doramectin	117704-25-3	Not Listed	Xn;R22 N;R50/53 Repr.Cat.3;R63 R64	Acute Tox. 4 (H302) Repr. 2 (H361) Lact (H362) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	1

Material Name: Doramectin Injectable Solution 10 mg/ml Revision date: 24-Feb-2015 Page 3 of 11 Version: 5.5

3. COMPOSITION/INFORMATION ON INGREDIENTS							
PHENOL	108-95-2	203-632-7	T; R23/24/25 C; R34 Xn; R48/20/21/22 Muta. Cat. 3; R68	Acute Tox. Cat 3 (H301) Acute Tox. Cat. 3	<0.5		

Ingredient	CAS Number	EU EU Classificatio		GHS Classification	%
Sesame oil	8008-74-0	List 232-370-6	Not Listed	Not Listed	*
Ethyl oleate	111-62-6	203-889-5	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effect Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
Indication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None

5. FIRE-FIGHTING MEASURES

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Material Name: Doramectin Injectable Solution 10 mg/ml Revision date: 24-Feb-2015 Page 4 of 11 Version: 5.5

Special Hazards Arising from the Substance or Mixture

Hazardous CombustionFormation of toxic gases is possible during heating or fire.Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid contact with skin, eyes and clothing .

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Contain the source of the spill if it is safe to do so. Absorb spills with non-combustible absorbent material and transfer into a labeled container for disposal. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use only in a well-ventilated area. Minimize generating airborne mists and vapors. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid accidental injection. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Storage Temperature: Specific end use(s): Store as directed by product packaging. < 30 °C Antiparasitic (veterinary); endectocide

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Doramectin

Zoetis OEL TWA 8-hr

200µg/m³

PHENOL

ACGIH Threshold Limit Value (TWA) ACGIH - Biological Exposure Limit: = 5 ppm TWA 250 mg/g creatinine

8. EXPO	SURE CONTRO	OLS / PERSONAL PROTECTION	
ACGIH - Skin Absorption De	signation	Skin - potential significant contribution to overall exposure by the	
		cutaneous route	
Australia TWA		= 1 ppm TWA	
		$= 4 \text{ mg/m}^3 \text{ TWA}$	
Austria OEL - MAKs		2 ppm 8 mg/m³	
Rolaium OEL TWA		2 ppm	
Belgium OEL - TWA		2 ppm 8 mg/m ³	
Bulgaria OEL - TWA		8 mg/m ³	
		2 ppm	
Bulgaria - Biological Exposu	ure Limit:	200 mg/L	
Cyprus OEL - TWA		8 mg/m ³	
		2 ppm	
Czech Republic OEL - TWA		7.5 mg/m ³	
Denmark OEL - TWA		1 ppm	
		4 mg/m ³	
OSHA - Final PELS - TWAs:		$= 19 \text{ mg/m}^3 \text{ TWA}$	
		= 5 ppm TWA	
OSHA - Final PELs - Skin No	OSHA - Final PELs - Skin Notations: prevent or reduce skin absorption		
Exposure Controls			
Engineering Controls:	room ventilation is ac	should be used as the primary means to control exposures. General dequate unless the process generates dust, mist or fumes. Keep airborne below the exposure limits listed above in this section.	
Personal Protective		ational standards and regulations in the selection and use of personal	
Equipment:	protective equipment		
Hands:	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.		
Eyes:	Wear safety glasses or goggles if eye contact is possible.		
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and		
	for bulk processing o		
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.		
	If the applicable Occurrespirator with a prot	upational Exposure Limit (OEL) is exceeded, wear an appropriate	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Liquid No data available. Mixture	Color: Odor Threshold: Molecular Weight:	Colorless to pale-yellow No data available. Mixture
Solvent Solubility: Water Solubility: Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, pH, E Doramectin	Highly soluble: Polar organic solvents No data available Insoluble: Water No data available. No data available No data available ndpoint, Value)		
Measured Log P 4.4 Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s): Vapor Pressure (kPa):	No data available No data available		

Page 6 of 11 Version: 5.5

Vapor Density (g/ml):	
Relative Density:	
Viscosity:	

No data available No data available No data available

No data available

Flammablity:

Autoignition Temperature (Solid) (°C): Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: No data available Will not occur

10. STABILITY AND REACTIVITY

Stable under normal conditions of use.

Reactivity: Chemical Stability: Possibility of Hazardous Reactions Oxidizing Properties: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:

No data available Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic vapors.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation. Routes of exposure: skin contact, eye contact

Acute Toxicity: (Species, Route, End Point, Dose)

Doramectin

Rat (M) Oral LD50 1000-2000 mg/kg Rat (F) Oral LD50 500-1000mg/kg

PHENOL

Rat Oral LD50 317 mg/kg Rat Dermal LD50 535mg/kg Rabbit Dermal LD50 630mg/kg Mouse Oral LD50 270mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Doramectin

Eye Irritation Rabbit Non-irritating Skin Irritation Rabbit Non-irritating

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Doramectin

3 Month(s) Rat Oral 2 mg/kg/day NOEL Liver 3 Month(s) Dog Oral 0.1 mg/kg/day NOEL Central Nervous System,

Material Name: Doramectin Injectable Solution 10 mg/ml Revision date: 24-Feb-2015

	11. TOXICOLOGICAL INFORMATION				
Chronic Effects/Carcinogenicity	No carcinogenic data available. However, the carcinogenic potential of a structurally related avermectin, abamectin, has been investigated in rodents. No evidence of carcinogenicity was seen in these studies.				
Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))					

Doramectin

Embryo / Fetal Development	Rat	Oral >	>6 mg/kg/day	NOEL	Not teratogenic
Embryo / Fetal Development	Mouse	Oral	3 mg/kg/day	NOEL	Fetotoxicity, Not Teratogenic
Embryo / Fetal Development	Rabbit	Oral	0.75 mg/kg/d	lay NO	EL Maternal Toxicity, Teratogenic

PHENOL

1000 ppm 2 Generation Reproductive Toxicity Rat Oral NOAEL No effects at maximum dose Embryo / Fetal Development Fetotoxicity, Not Teratogenic Rat Oral 120 mg/kg LOAEL Fertility and Embryonic Development Rat Oral 53 mg/kg LOAEL Maternal Toxicity, Fetotoxicity, Not Teratogenic No effects at maximum dose Embryo / Fetal Development Rat Intraperitoneal 200 mg/kg NOAEL

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Doramectin

Bacterial Mutagenicity (Ames)	Salmonella	Negative
Mammalian Cell Mutagenicity	Mouse Lympho	oma Negative
Unscheduled DNA Synthesis	Rat Hepatocyte	Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

PHENOL

103 Week(s) Rat Oral 5,000 ppm NOAEL Not carcinogenic 103 Week(s) Mouse Oral 5,000 ppm NOAEL Not carcinogenic

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

PHENOL IARC:

Group 3

Produ	ct Level	Toxicity	Data
Acute	Toxicity	Estimate	• (ATE),
Oral			

>5000 mg/kg

Page 8 of 11 Version: 5.5

12. ECOLOGICAL INFORMATION

Environmental Overview:

Releases to the environment should be avoided. As with other members of the avermectin family, doramectin is highly toxic to fish and certain aquatic organisms. However, once in contact with soil, it is tightly bound and does not readily desorb. It is unlikely to reach groundwater and is also biodegradable by soil microflora.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Doramectin

Daphnia magna (Water Flea)	TAD	EC50	48 Hour	s	0.00010	mg/L
Lepomis macrochirus (Bluegill	Sunfish)	TAD	LC50	96	Hours	0.011 mg/L
Oncorhynchus mykiss (Rainbo	w Trout)	TAD	LC50	96	Hours	0.0051 mg/L

PHENOL

Selenastrum capricornutum (Green Alga)EC5096 Hours150 mg/LPimephales promelas (Fathead Minnow)LC5096 Hours24 mg/LOncorhynchus mykiss (Rainbow Trout)LC5096 Hours8.9 mg/LLepomis macrochirus (Bluegill Sunfish)LC5096 Hours23.88 mg/LDaphnia magna (Water Flea)LC5048 Hours13 mg/L

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Doramectin Aspergillus niger (Fungus) TAD Clostridium perfingens (Bacterium	MIC) TAD	600 mg/ MIC 40	
Persistence and Degradability:	No	data availa	able
Bio-accumulative Potential:			
Doramectin Measured Log P 4.4			

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:	Should not be released into the environment. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.
PHENOL	

Waste Number U188

14. TRANSPORT INFORMATION

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

UN number:	UN 3082
UN proper shipping name:	Environmentally hazardous substances, liquid, n.o.s. (Doramectin)
Transport hazard class(es):	9
Packing group:	III
Environmental Hazard(s):	Marine Pollutant

Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

DOT / ANTT: Not regulated for transportation

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

PHENOL

CERCLA/SARA Hazardous Substances and their Reportable Quantities:

= 1000 lb final RQ = 454 kg final RQ

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Class D, Division 2, Subdivision A This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.



Doramectin CERCLA/SARA 313 Emission reporting California Proposition 65 Standard for the Uniform Scheduling for Drugs and Poisons:

Not Listed Not Listed Schedule 5 Schedule 6 Schedule 7

Material Name: Doramectin Injectable Solution 10 mg/ml Revision date: 24-Feb-2015

Page 10 of 11 Version: 5.5

15. REGULATO	DRY INFORMATION
EU EINECS/ELINCS List	Not Listed
esame oil	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-370-6
thyl oleate	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	203-889-5
HENOL	
CERCLA/SARA 313 Emission reporting	= 1.0% de minimis concentration
CERCLA/SARA Hazardous Substances	= 1000 lb final RQ
and their Reportable Quantities:	= 454 kg final RQ
CERCLA/SARA - Section 302 Extremely Hazardous	= 10000 lb upper threshold TPQ
TPQs	= 500 lb lower threshold TPQ
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	= 1000 lb EPCRA RQ
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 4
	Schedule 5
	Schedule 6
EU EINECS/ELINCS List	203-632-7

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Reproductive toxicity-Cat.2; H361 - Suspected of damaging fertility or the unborn child Reproductive toxicity, effects on or via lactation; H362 - May cause harm to breast-fed children Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects Acute toxicity, dermal-Cat.3; H311 - Toxic in contact with skin Germ cell mutagenicity-Cat.2; H341 - Suspected of causing genetic defects Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

T - Toxic C - Corrosive Xn - Harmful Toxic to Reproduction: Category 3 Mutagenic: Category 3 N - Dangerous for the environment R22 - Harmful if swallowed. R68 - Possible risks of irreversible effects. R63 - Possible risk of harm to the unborn child. R64 - May cause harm to breastfed babies. R34 - Causes burns. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R48/20/21/22 - Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The data contained in this MSDS may have been gathered from confidential internal sources, **Data Sources:** raw material suppliers, or from the published literature. **Reasons for Revision:** Updated Section 2 - Hazard Identification. Updated Section 6 - Accidental Release Measures. Updated Section 11 - Toxicology Information. Updated Section 14 - Transport Information. Prepared by: Toxicology and Hazard Communication

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Zoetis Global Risk Management

End of Safety Data Sheet