SAFETY DATA SHEETS

This SDS packet was issued with item: 078703980

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078703972



1060 Holland Dr., Suite A Boca Raton, FL 33487 Nationwide: (877) 722-6339 Local: (561) 288-9028 Fax: (561) 288-3929 http://www.claritydiagnostics.com

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Urocheck 120 Urine Analyzer Synonyms: DTG-UAM CAS Number: N/A Manufacturer: Clarity Diagnostics, LLC Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339 **Recommended use**: Along with a urine test strip, the Clarity urine analyzer (CLIA Waived) is intended to read Clarity urinalysis reagent strips.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols	
Hazard Statements	Precautionary Statements
Non Flammable	Store at room temperature

Section 3: Composition/Information on Ingredients

Component	CAS Number	Weight
N/A	N/A	N/A

See Section 8 For Exposure Limits

Section 4: First-Aid Measures

Skin: None.

Eye: None

Inhalation: None

Ingestion: None

Medical Information: None

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: None

Fire Fighting Procedures: Use CO₂, Foam, or Water.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: There is no current leakage potential under normal use.

Section 7: Handling and Storage

Handling: Handle as directed in the package insert.

Storage: Keep in a cool place (20°C-25.6°F). Do not expose to direct light.

Section 8: Exposure Controls/Personal Protection

Exposure Limits: None.

Engineering Controls: None.

Personal Protective Equipment (PPE): None.

Ventilation: Normal

Section 9: Physical and Chemical Properties

Flashpoint: N.A Auto ignition Temperature:N.A. Boiling Point: N.A Melting Point:<0.1

Obtained by Global Safety Management,

Vapor Pressure:<0.1

Vapor Density (Air=1): % Solubility in Water: N.A.

Pour Point: Not Available **Molecular Formula:**N.A. **Odor/Appearance:**None Known

Lower Flammability Limit: N.A Upper Flammability Limit: N.A Specific Gravity: = N.A. (Water=1) % Volatile: N.A. Evaporation Rate (Water=1): N.A. Viscosity:Not Available. Octanol/Water Partition Coefficient: Not Available pH: Not Available Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects: None

Eye Contact: N/A.

Skin Contact: N/A.

Inhalation: N/A

Ingestion: N/A.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

No ecological information available		
Section	Section 13: Disposal Considerations* (non-mandatory)	
Appropriate Meth of Disposal European Commu (EC) Consideration	practices. Observe all Federal, State and Local law requirements. Inity Use appropriate waste codes based on ingredients.	
Sectio	Section 14: Transport Information* (non-mandatory)	
Transport Precautions Additional Information	Consult applicable regulation when transporting this product Follow the instructed guidelines listed in package for proper transportation.	
Sectior	15: Regulatory Information* (non-mandatory)	
¥ ¥	cordance with EC Directives	
Hazard Symbols	N.A	
Safety Phrases	Keep out of the reach of children	
Risk PhrasesAdditional Information	None Consult country codes for specific requirements	
	Section 16: Other Information	
contained herein in good f This document is intended contained in this kit by a p	ther precautions needed. Clarity Diagnostics provides the information aith but makes no representation as to its comprehensiveness or accuracy. I only as a guide to the appropriate precautionary handling of the materials properly trained person using this product. Clarity Diagnostics shall not be a resulting from handling or use.	

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).



1060 Holland Dr., Suite A Boca Raton, FL 33487 Nationwide: (877) 722-6339 Local: (561) 288-9028 Fax: (561) 288-3929 http://www.claritydiagnostics.com

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Urocheck 120C Urine Analyzer Synonyms: CLA-120C CAS Number: N/A Manufacturer: Clarity Diagnostics, LLC Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339

Recommended use: Along with a urine test strip, the Clarity urine analyzer (CLIA Waived) is intended to read Clarity urinalysis reagent strips.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols	
Hazard Statements	Precautionary Statements
Non Flammable	Store at room temperature

Section 3: Composition/Information on Ingredients

Component	CAS Number	Weight
N/A	N/A	N/A

See Section 8 For Exposure Limits

Section 4: First-Aid Measures

Skin: None.

Eye: None

Inhalation: None

Ingestion:None.

Medical Information: None

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: None known

Fire Fighting Procedures: Use CO₂, Foam, or Water.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: There is no current leakage potential under normal use.

Section 7: Handling and Storage

Handling: Handle as directed in the package insert.

Storage: Keep in a cool place (20°C-25.6°F). Do not expose to direct light.

Section 8: Exposure Controls/Personal Protection

Exposure Limits: None.

Engineering Controls: None.

Personal Protective Equipment (PPE): None.

Ventilation: Normal

Section 9: Physical and Chemical Properties

Flashpoint: N.A Auto ignition Temperature:N.A. Boiling Point: N.A Melting Point:<0.1

Vapor Pressure:<0.1

Vapor Density (Air=1): % Solubility in Water:N.A.

Pour Point: Not Available **Molecular Formula:**N.A. **Odor/Appearance:**None Known

Lower Flammability Limit:N.A. Upper Flammability Limit:N.A Specific Gravity:= N.A. (Water=1) % Volatile: N.A. Evaporation Rate (Water=1): N.A. Viscosity:Not Available. Octanol/Water Partition Coefficient:Not Available pH:Not Available Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects:

Eye Contact: N/A.

Skin Contact: N/A.

Inhalation: N/A

Ingestion: N/A.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

No ecological information available		
Section	Section 13: Disposal Considerations* (non-mandatory)	
Appropriate Meth of Disposal European Commu (EC) Consideratio	practices. Observe all Federal, State and Local law requirements.nityUse appropriate waste codes based on ingredients.	
Section	Section 14: Transport Information* (non-mandatory)	
Transport Precautions Additional Information	Consult applicable regulation when transporting this product Follow the instructed guidelines listed in package for proper transportation.	
Section 15: Regulatory Information* (non-mandatory)		
	ordance with EC Directives	
Hazard Symbols	N.A	
Safety Phrases	Keep out of the reach of children	
Risk Phrases	None	
Additional Information	Consult country codes for specificrequirements	
Section 16: Other Information		
contained herein in good fa This document is intended contained in this kit by a p	her precautions needed. Clarity Diagnostics provides the information aith but makes no representation as to its comprehensiveness or accuracy. only as a guide to the appropriate precautionary handling of the materials roperly trained person using this product. Clarity Diagnostics shall not be resulting from handling or use.	

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).