### **SAFETY DATA SHEETS**

### This SDS packet was issued with item:

078714948

N/A

### MATERIAL SAFETY DATA SHEET

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION SU-PER PSYLLIUM POWDER

PRODUCT CODE: SFEPSYLPOWD5, SFEPSYL20 PRODUCT NAME: SU-PER Psyllium Powder

**MANUFACTURER** 

NAME AND TELEPHONE DATES:

ADDRESS: NUMBERS:

24 hour

Gateway Products, Inc. emergency (800)421-2828 Date Created:

number (800)421-2828 10/24/05

301 S. Main Street Business 8am-5pm, M-F, Revision:

hours Mountain Time 06/11/08

Holly, CO 81047 Marketing (719)537-6351 Printed:

# SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS SU-PER PSYLLIUM POWDER

**HAZARDOUS** 

COMPONENTS (CAS # OSHA PEL ACGIH OTHER TLV LIMITS PERCENTAGE

NAME)

1. FOOD GRADE NA 100.0 %

# SECTION 3. HAZARDS IDENTIFICATION SU-PER PSYLLIUM POWDER

**Emergency Overview** 

No data available.

Route(s) of Entry: Inhalation? Yes, Skin? Yes, Eyes? Yes, Ingestion? Yes

**Potential Health Effects (Acute and Chronic)** 

No data available.

Carcinogenicity: NTP? No , IARC Monographs? No , OSHA Regulated? No

**Carcinogenicity/Other Information** 

No data available.

Signs and Symptoms Of Exposure

May cause mechanical eye irritation unless rinsed immediately with water. Single prolonged skin exposure (hours) causes no effect. Repeated prolonged exposures may or may not cause skin irritation. Prolonged or repeated exposure may result in respiratory sensitization in some individuals. Amounts which may be swallowed as a result

of industrial handling are not likely to cause injury.

### Medical Conditions Generally Aggravated By Exposure

No data available.

### SECTION 4. FIRST AID MEASURES SU-PER PSYLLIUM POWDER

### **Emergency and First Aid Procedures**

EYE CONTACT: Flush eye with water for 15 minutes. Get medical attention if irritation persists.

### Note to Physician

No data available

# SECTION 5. FIRE FIGHTING MEASURES SU-PER PSYLLIUM POWDER

Flash Pt: N.A. Method Used: No data.

**Explosive Limits:** LEL: No data. UEL: No data. **Auto ignition Pt:** N.A. **Extinguishing Media** Foam, carbon dioxide, and dry chemical

#### **Fire Fighting Instructions**

Avoid dispersion of dust in air to reduce potential explosion hazard. Containers can build up pressure if exposed to heat (fire). Cool fire exposed containers with water.

### Flammable Properties and Hazards

### **Hazardous Combustion Products**

No data available.

# SECTION 6. ACCIDENTAL RELEASE MEASURES SU-PER PSYLLIUM POWDER

### Steps To Be Taken In Case Material Is Released Or Spilled

Vacuum or sweep up material and place in disposal container. The very fine particles can cause a fire or explosion, eliminate all ignition sources. (Steam or air blowing are not to be used for clean up purposes.)

### SECTION 7. HANDLING AND STORAGE SU-PER PSYLLIUM POWDER

High temperatures.

Mechanical shock. Store in cool, dry area

### **Precautions To Be Taken in Handling**

Avoid breathing dust. Do not use near fire, sparks or flame. Store away from heat, sparks & flames. Store upright in cool, dry place.

### **Precautions To Be Taken in Storing**

No data available.

### **Other Precautions**

Exposure to concentrations of visible dust require the use of an air purifying respirator approved by NIOSH/MSHA for dusts. Respiratory protection is required for cleanup or maintenance operations where visible dust levels may be encountered.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION SU-PER PSYLLIUM POWDER

### Respiratory Equipment (Specify Type)

#### **Eve Protection**

Safety glasses

#### **Protective Gloves**

Not needed

### **Other Protective Clothing**

Protective clothing not needed for normal operation.

### **Engineering Controls (Ventilation etc.)**

Good general ventilation should be sufficient to control airborne levels.

### Work/Hygienic/Maintenance Practices

Wash hands before eating, smoking, or using restroom.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES SU-PER PSYLLIUM POWDER

Physical States: [] Gas, [] Liquid, [X] Solid

**Boiling Point:** N.A. **Melting Point:** N.A.

**Specific Gravity (Water = 1):** N.A.

**Density:** No data.

Vapor Pressure (vs. Air or mm Hg): N.A.

Vapor Density (vs. Air = 1): N.A.

**Evaporation Rate (vs Butyl Acetate=1):** N.A.

**Solubility in Water:** N.A. **Percent Volatile:** N.A.

Saturated Vapor Concentration: No data.

**Viscosity:** No data.

**pH:** No data.

**APPEARANCE AND ODOR**: Tan powder with distinct odor.

# SECTION 10. STABILITY AND REACTIVITY SU-PER PSYLLIUM POWDER

**Stability:** Unstable [ ] Stable [ X ] **Conditions To Avoid - Instability** 

None known

**Incompatibility - Materials To Avoid** 

None known

**Hazardous Decomposition Or Byproducts** 

No data available.

Hazardous Polymerization: Will occur [ ] Will not occur [ X ]

Conditions To Avoid - Hazardous Polymerization

Product will not undergo polymerization.

# SECTION 11. TOXICOLOGICAL INFORMATION SU-PER PSYLLIUM POWDER

No Data Available

# SECTION 12. ECOLOGICAL INFORMATION SU-PER PSYLLIUM POWDER

No Data Available

# SECTION 13. DISPOSAL CONSIDERATIONS SU-PER PSYLLIUM POWDER

### **Waste Disposal Method**

Dispose of according to local, State, and Federal regulations.

# SECTION 14. TRANSPORT INFORMATION SU-PER PSYLLIUM POWDER

**DOT Proper Shipping Name** 

No data available.

**Additional Transport Information** 

No data available.

# SECTION 15. REGULATORY INFORMATION SU-PER PSYLLIUM POWDER

No data available.

### SECTION 16. OTHER INFORMATION SU-PER PSYLLIUM POWDER

Other Hazard Ratings:

Health: 3 Flammability: 3 Reactivity: 0 Special Hazard: N/A

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.

