

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078771348

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078388765 078388781

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**


078388799 078388807 078388815 078388831 078398970 078704188 078704196 078704204 078706907 078706923  
078706931

## SAFETY DATA SHEET

**Section 1: Product and Company Identification**

**Product Name:** All Weather® Twist-Stik® Livestock Markers  
**Product Code:** 61040, 61061, 61062, 61065, 61066, 61072, 61076, 61086, 61087  
**Product Use:** Crayon for livestock marking.  
**Manufacturer:** LA-CO Industries, Inc.  
 1201 Pratt Boulevard  
 Elk Grove Village, IL.  
 60007-5746  
 E-mail Contact: customer\_service@laco.com  
**Phone Number:** (847) 956-7600  
**Fax:** (847) 956-9885  
**24-hour Emergency:** CHEMTREC: (800) 424-9300

**Section 2: Hazards Identification**

Protective Clothing	NFPA Rating (USA)	EC Classification	WHMIS (Canada)	Transport
Not Required for Normal Use		Not Classified as Dangerous	Not Controlled	Not regulated as a dangerous good

**Emergency Overview:** Exposure to hazardous or dangerous substances is not expected when handling this product for its intended use.

**Appearance, Color and Odor:** Cylindrical crayon in a plastic tube, color specified on label, mild odor of mineral oil.

USA: This product is not a hazardous material as defined by 29 CFR1910.1200, OSHA Hazard Communication Evaluation. This product meets the definition of an "article".

Canada: This is not a controlled product under WHMIS. This product meets the definition of a "manufactured article" and is not subject to the regulations of the Hazardous Products Act.

European Communities (EC): This product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Potential Health Effects**

**ACUTE (short term): see Section 8 for exposure controls**

**Relevant Route(s) of Exposure:** Skin contact.

**Inhalation:** Exposure to hazardous substances by inhalation is not expected with normal use of the marker. High temperatures may generate vapors which may cause irritation to the nose, throat and upper respiratory tract.

**Ingestion:** Not an expected route of occupational exposure. Acute oral toxicity of the component substances is low.

**Skin:** Normal use of marker will not result in harmful effects.

**Eye:** Not an expected route of occupational exposure.

**CHRONIC (long term): see Section 11 for additional toxicological data**

Long-term health effects are not expected with normal use of the marker.

**Medical Conditions Aggravated by Exposure:** Not available

**Interactions With Other Chemicals:** Not available

**Potential Environmental Effects:** Not available

## SAFETY DATA SHEET

### Section 3: Composition / Information on Ingredients

**Hazardous Ingredients:**

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Wt.%</u>	<u>EINECS / ELINCS</u>	<u>Symbol</u>	<u>Risk Phrases</u>
White mineral oil (petroleum)	8042-47-5	30 - 60	232-455-8	None	None
Parrafin wax	8002-74-2	15 - 40	232-315-6	None	None
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	10 - 30	265-155-0	Not applicable contains <3% DMSO extract by IP 346.	

### Section 4: First Aid Measures

<b>Inhalation:</b>	If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.
<b>Eye Contact:</b>	No effects expected. If irritation occurs, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.
<b>Skin Contact:</b>	No health effects expected. If irritation does occur, flush with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.
<b>Ingestion:</b>	If irritation or discomfort occurs, obtain medical advice immediately.

### Section 5: Fire Fighting Measures

<b>Flammable Properties:</b>	Product will burn if involved in a fire.
<b>Suitable extinguishing Media:</b>	For small fires, use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. For large fires, use carbon dioxide, dry chemical powder, alcohol-resistant foam or polymer foam. Firefighting foams are the extinguishing agent of choice for most flammable liquid fires. Use water spray to cool fire-exposed containers.
<b>Unsuitable extinguishing Media:</b>	Not available
<b>Explosion Data:</b>	
<b>Sensitivity to Mechanical Impact:</b>	Not applicable
<b>Sensitivity to Static Discharge:</b>	Not applicable
<b>Specific Hazards arising from the Chemical:</b>	Combustion may produce toxic and irritating fumes and gases.
<b>Protective Equipment and precautions for firefighters:</b>	Self-contained breathing apparatus and protective clothing should be worn. Remove all unprotected personnel.
<b>NFPA</b>	
<b>Health:</b>	0
<b>Flammability:</b>	1
<b>Instability:</b>	0

### Section 6: Accidental Release Measures

<b>Personal Precautions:</b>	No special requirements.
<b>Environmental Precautions:</b>	Prevent the product from entering sewers or waterways.
<b>Methods for Containment:</b>	No special methods required.
<b>Methods for Clean-up:</b>	Collect spilled markers for re-use. Dispose of any contaminated, unusable product as described in Section 13 of this Safety Data Sheet.



## SAFETY DATA SHEET

**Section 7: Handling and Storage**

**Handling:** Avoid contact with skin and eyes. Do not use near sources of extreme heat. Keep out of reach of children.  
**Storage:** Store out of direct sunlight and away from extreme heat and flames. Keep markers closed when not in use.

**Section 8: Exposure Controls/Personal Protection**

**Exposure Guidelines**

Measurable airborne concentrations of the component substances, listed in Section 3, are not expected when the markers are used for their intended purpose. Consult local authorities for acceptable exposure limits.

<u>Ingredient</u>	<u>ACGIH TLV</u> <u>(8-hr. TWA)</u> mg/m <sup>3</sup>	<u>U.S. OSHA PEL</u> <u>(8-hr. TWA)</u> mg/m <sup>3</sup>	<u>Ontario (Canada)</u> <u>TWAEV</u> mg/m <sup>3</sup>	<u>UK OEL</u> <u>(8-hr. TWA)</u> mg/m <sup>3</sup>
Parrafin wax	2 (fume)	2 (fume)	2 (fume)	2 (fume) 6 (fume) STEL

STEL = Short Term Exposure Limit

**Exposure Controls**

**Engineering Controls:** Not required for normal conditions of use.  
 If product is overheated, provide adequate ventilation to keep fume concentrations below the exposure limits listed above.

**Personal Protection:**

**Eye/Face Protection:** Not required for normal use.

**Skin Protection:** Not required for normal use.

**Respiratory Protection:** Not required for normal use

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements, European Standard EN529 or Canadian Standards Association (CSA) Standard Z94.4-2002 must be followed whenever workplace conditions warrant a respirator's use.

**General Hygiene Measures:** Do not ingest. Avoid contact with skin and eyes. Keep out of reach of children. Wash hands after handling.

**Section 9: Physical and Chemical Properties**

<b>Physical State:</b> Solid	<b>Flash Point &amp; method:</b> 204°C (400°F)
<b>Appearance, Color and Odor:</b> Crayon in a cylindrical, plastic twist-up holder; various colors; odor of mineral oil.	<b>Autoignition Temperature:</b> Not available
<b>Odor Threshold:</b> Not available	<b>Flammability Limits in Air:</b> Not available
<b>pH:</b> Not applicable	<b>Vapor Pressure:</b> Not applicable
<b>Specific Gravity:</b> >1	<b>Vapor Density:</b> Not applicable
<b>Partition coefficient:</b> Not available	<b>Evaporation Rate:</b> Not applicable
<b>Solubility:</b> Insoluble in water. Soluble in organic solvents.	<b>Boiling Point/Range:</b> Not available
<b>Viscosity:</b> Not applicable	<b>Melting Point:</b> Not available
<b>Decomposition Temperature:</b> Not available	<b>VOC Content:</b> 0% w/w

## SAFETY DATA SHEET

### Section 10: Stability and Reactivity

<b>Chemical Stability:</b>	Stable at normal room temperature.
<b>Conditions to Avoid:</b>	Avoid extreme heat and open flames.
<b>Incompatible Materials:</b>	Incompatible with strong oxidizing agents.
<b>Hazardous Decomposition Products:</b>	Carbon monoxide and carbon dioxide.
<b>Possibility of Hazardous Reactions:</b>	Hazardous polymerization will not occur.

### Section 11: Toxicological Information

#### Acute Toxicity Data

Acute toxicology data are not available for the markers. Toxicology data for the primary component substances are listed below.

<u>Component substance</u>	<u>LD<sub>50</sub> Oral</u> (mg/kg)	<u>LD<sub>50</sub> Dermal</u> (mg/kg)	<u>LC<sub>50</sub> Inhalation</u> (4 hrs.)
White mineral oil (petroleum)	>5 000 (rat)	Not available	Not applicable
Parrafin wax	>3 750 (rat)	>3 600 (rabbit)	Not applicable
Distillates (petroleum), hydrotreated heavy naphthenic	>5 000 (rat)	>2 000 (rabbit)	Not available

#### Chronic Toxicity Data

##### **Carcinogenicity:**

Distillates (petroleum), hydrotreated heavy naphthenic, has less than 3% DMSO extract as measured by IP 346. This product is not required to be labeled according to the European Directive 67/548/EEC. Normal use of this product will not result in exposure to any component that is considered a human carcinogen by IARC (International Agency for Research on Cancer), ACGIH (American Conference of Governmental Industrial Hygienists, OSHA or NTP (National Toxicology Program).

Several colors of marker contain Titanium dioxide bound in the solid composite. IARC has listed exposure to powdered Titanium dioxide in Group 2B, based on limited evidence of human carcinogenicity from long-term inhalation exposure to high concentrations of pigmentary (powdered) or ultra-fine titanium dioxide. Inhalation exposures of titanium dioxide are relevant for this solid, composite product.

<b>Irritation:</b>	Normal use of marker will not result in harmful effects.
<b>Corrosivity:</b>	Not available
<b>Sensitization:</b>	Not applicable with normal use of the marker.
<b>Neurological Effects:</b>	Not applicable with normal use of the marker.
<b>Genetic Effects:</b>	Not available
<b>Reproductive Effects:</b>	Not applicable with normal use of the marker.
<b>Developmental Effects:</b>	Not applicable with normal use of the marker.
<b>Target Organ Effects:</b>	Not applicable

### Section 12: Ecological Information

<b>Ecotoxicity:</b>	Not available
<b>Persistence/Degradability:</b>	Not available
<b>Bioaccumulation/Accumulation:</b>	Not available
<b>Mobility:</b>	Not available

## SAFETY DATA SHEET

### Section 13: Disposal Considerations

**Waste Disposal Method:** Do NOT dump into any sewers, on the ground or into any body of water. Store material for disposal as indicated in Section 7 Handling and Storage. The conditions of use, storage and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, LA-CO Industries, Inc. does not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

**USA:** Dispose of in accordance with local, state and federal laws and regulations.

**Canada:** Dispose of in accordance with local, provincial and federal laws and regulations.

**EC:** Waste must be disposed of in accordance with relevant EC Directives and national, regional and local environmental control regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

### Section 14: Transport Information:

**U.S. Hazardous Materials Regulation (DOT 49CFR):** Not regulated as a dangerous good for transport

**Canadian Transportation of Dangerous Goods (TDG):** Not regulated

**ADR/RID:** Not regulated

**IMDG:** Not regulated

**Marine Pollutants:** Not applicable

**ICAO/IATA:** Not regulated

### Section 15: Regulatory Information

**USA**

**TSCA Status:** All ingredients in the product are listed on the TSCA inventory.

**SARA Title III**

Sec. 302/304: None

Sec. 311/312: Not applicable

Sec. 313: Not applicable

CERCLA RQ: Not applicable

**State Right-to-Know Lists :** State right to know lists: Paraffin wax, Titanium dioxide, Carbon black: Massachusetts, New Jersey, Pennsylvania.

**Canada**

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

**WHMIS Classification:** Not controlled  
(for workplace exposures)

**New Substance Notification Regulations:** All ingredients in the product are listed, as required, on Canada's Domestic Substances List (DSL).

**NPRI Substances:** White mineral oil (8042-47-5) is a NPRI reportable substance, Part 5 substance.

**EC Classification for the Substance/Preparation**

**Symbol:** This product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**European Inventories:** White mineral oil (CAS 8042-47-5), Paraffin wax (CAS 8002-74-4) are listed in the Inventory of Cosmetic Ingredients Directive (INCI).

## SAFETY DATA SHEET

### Section 16: Other Information

**Preparation Information:**

**Revision Date:** September 14, 2011

**Manufacturer Disclaimer:** The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, LA-CO Industries, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will LA-CO Industries, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

**Prepared by:** LEHDER Environmental Services Limited (519) 336-4101  
www.lehder.com

**Disclaimer:** While LEHDER Environmental Services Limited believes that the data set forth herein is accurate, as of the date hereof, LEHDER makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation and verification.

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

LA-CO Industries, Inc.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)  
Date of issue: 06/03/2015  
Revision date: 10/29/2015  
Supersedes: 10/01/2015  
Version: 2.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER  
Synonyms : ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER Yellow, Fluorescent Pink, Fluorescent Green, Red, Green, Blue, Orange, Black, Purple

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Marking.

### 1.3. Details of the supplier of the safety data sheet

LA-CO Industries, Inc.  
1201 Pratt Boulevard  
Elk Grove Village, IL. 60007-5746  
Phone: (847) 956-7600  
Fax: (847) 956-9885  
E-mail: customer\_service@laco.com



### 1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification in accordance with the Globally Harmonized Standard

Not classified

### 2.2. Label elements

#### GHS-US labelling

No labelling applicable

### 2.3. Other hazards

### 2.4. Unknown acute toxicity (GHS US)

0.06 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
0.24 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
0.24 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	% (w/w)	GHS-US classification
barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate]	(CAS No) 1103-38-4	4.75 Red	Acute Tox. 4 (Inhalation:dust,mist), H332 Aquatic Chronic 3, H412
Carbon black	(CAS No) 1333-86-4	4.5 Black	Carc. 2, H351

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.



# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

- First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
- Reactivity : No dangerous reactions known.

### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing and gloves.
- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Do not discharge into drains or the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain and collect as any solid.
- Methods for cleaning up : Recover the product mechanically.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid breathing fume, vapours.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from ignition sources. Keep container closed when not in use. Protect from sunlight.
- Incompatible products : Strong oxidizers.

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### 7.3. Specific end use(s)

Marking.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER		
ACGIH	Not applicable	
OSHA	Not applicable	
barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)		
ACGIH	Not applicable	
OSHA	Not applicable	
Carbon black (1333-86-4)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Bronchitis
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Fibres de carbone et de graphite; Poussière totale) 5 mg/m <sup>3</sup> (Fibres de carbone et de graphite; Poussière respirable) 3.5 mg/m <sup>3</sup>

### 8.2. Exposure controls

Appropriate engineering controls	: Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear suitable gloves. Use rubber gloves.
Eye protection	: None under normal use.
Skin and body protection	: Wear suitable protective clothing. Long sleeved protective clothing.
Respiratory protection	: Where excessive vapour may result, wear approved mask. Use air-purifying respirator equipped with particulate filtering cartridges.
Other information	: Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: A solid crayon-like marker.
Colour	: Variable.
Odour	: Oily.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 204 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: > 1
Solubility	: insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : No data available

### 9.2. Other information

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat. Direct sunlight.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes. Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)	
LD50 oral rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	4.13 mg/l/4h
ATE CLP (vapours)	4.130 mg/l/4h
ATE CLP (dust,mist)	4.130 mg/l/4h

Carbon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg
LC50 inhalation rat (mg/l)	> 4.6 mg/m <sup>3</sup> 4 h

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified.

Germ cell mutagenicity : Not classified.

Carcinogenicity : Not classified.

Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans, Inhalation of dust
National Toxicology Program (NTP) Status	Not listed in carcinogenicity class

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### Potential adverse human health effects and symptoms

Likely routes of exposure : Skin and eye contact

## SECTION 12: Ecological information

### 12.1 Toxicity

barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)	
LC50 fish 1	50 mg/l 48 h
EC50 Daphnia 1	> 3.8 mg/l 48 h

### 12.2. Persistence and degradability

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)

Persistence and degradability : Not readily biodegradable. Product persists.

### Carbon black (1333-86-4)

Persistence and degradability : Not readily biodegradable.

#### 12.3. Bioaccumulative potential

### barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)

BCF fish 1 : 1.7 - 1.8 mg/l .3 mg/l conc. in enviro/dose

Log Pow : -0.67 - 1.07

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with DOT and TDG

Not considered a dangerous good for transport regulations

Proper Shipping Name (ADR) : Not applicable

Transport hazard class(es) (ADR) :

#### Transport by sea

Transport hazard class(es) (IMDG) :

#### Air transport

Transport hazard class(es) (IATA) :

## SECTION 15: Regulatory information

#### 15.1. US Federal regulations

### barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Carbon black (1333-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

### barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### Carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### EU-Regulations

### barium bis[2-[(2-hydroxynaphthyl)azo]naphthalenesulphonate] (1103-38-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Carbon black (1333-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

##### National regulations

### ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

All components are listed on the EEC inventory European Inventory of Existing Commercial Chemical Substances (EINECS).

All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

All ingredients are listed in the Toxic Substances Control Act (TSCA).

#### 15.3. US State regulations

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

State or local regulations	The carbon black in this product is bound and is not respirable. California Prop. 65 warnings are not required.
----------------------------	---

### Carbon black (1333-86-4)


U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	

### Carbon black (1333-86-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

## SECTION 16: Other information

Indication of changes	: SECTION 15.
Data sources	: OSHA 29CFR 1910.1200 Hazard Communication Standard. European Chemicals Agency (ECHA) Registered Substances list. Accessed at <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. TSCA Chemical Substance Inventory. Accessed at <a href="http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html">http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html</a> .
Abbreviations and acronyms	: ACGIH (American Conference of Government Industrial Hygienists). ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). LD50: Lethal Dose for 50% of the test population. OSHA: Occupational Safety & Health Administration. STEL: Short Term Exposure Limits. TSCA: Toxic Substances Control Act. TWA: Time Weight Average.
Other information	: None.
NFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



### Full text of H-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
H332	Harmful if inhaled
H351	Suspected of causing cancer
H412	Harmful to aquatic life with long lasting effects

SDS Prepared by: The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43016

# ALL-WEATHER® TWIST-STIK® PAINTSTIK® LIVESTOCK MARKER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

---

T 614-923-7472

[www.redstonegrp.com](http://www.redstonegrp.com)

LACO NA GHS SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)  
Date of issue: 11/04/2015

**LA-CO Industries, Inc.**

Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Marking.

### 1.3. Details of the supplier of the safety data sheet

LA-CO Industries, Inc.  
1201 Pratt Boulevard  
Elk Grove Village, IL. 60007-5746  
Phone: (847) 956-7600  
Fax: (847) 956-9885  
E-mail: customer\_service@laco.com



### 1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification in accordance with the Globally Harmonized Standard**

Not classified

### 2.2. Label elements

#### GHS-US labelling

No labelling applicable

### 2.3. Other hazards

### 2.4. Unknown acute toxicity (GHS US)

35.72 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
36.72 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
36.25 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	% (w/w)	GHS-US classification
Silicon dioxide (cristobalite)	(CAS No) 14808-60-7	0 – 0.89 HC Fluorescent Pink, HC Orange 0 – 0.98 Orange 0 – 0.91 Fluorescent Pink 0 – 0.99 Green 0 – 0.99 Blue, HC Blue	Carc. 1A, H350
Carbon black	(CAS No) 1333-86-4	1.7 Black	Carc. 2, H351

Full text of H-statements: see section 16

# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: None known.
-------------------	---------------

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No particular fire or explosion hazard.
Reactivity	: No dangerous reactions known.

#### 5.3. Advice for firefighters

Firefighting instructions	: Use extinguishing media appropriate for surrounding fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid contact with skin and eyes.
------------------	-------------------------------------

##### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable gloves.
Emergency procedures	: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment	: Wear suitable gloves.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Contain and collect as any solid.
Methods for cleaning up	: Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

#### 6.4. Reference to other sections

Section 7: safe handling.



# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.  
Incompatible products : Strong acids. Strong oxidizers.  
Prohibitions on mixed storage : Incompatible materials.  
Storage area : Store in dry, cool, well-ventilated area.

#### 7.3. Specific end use(s)

Marking.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange**

ACGIH	Not applicable	
OSHA	Not applicable	

#### Carbon black (1333-86-4)

ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Bronchitis
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Fibres de carbone et de graphite; Poussière totale) 5 mg/m <sup>3</sup> (Fibres de carbone et de graphite; Poussière respirable) 3.5 mg/m <sup>3</sup>

#### Silicon dioxide (cristobalite) (14808-60-7)

ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	(respirable dust)
OSHA	OSHA PEL (TWA) (ppm)	250 mppcf
OSHA	Remark (OSHA)	(3) See Table Z-3.
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
Canada (Quebec)	Notations and remarks	(la poussière respirable), (C2)

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Hand protection : Use rubber gloves.  
Eye protection : None under normal use.  
Respiratory protection : None under normal use.  
Other information : Do not eat, drink or smoke when using this product.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

Appearance	: A solid crayon-like marker.
Colour	: Variable.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat.

### 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity** : Not classified

Carbon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg
LC50 inhalation rat (mg/l)	> 4.6 mg/m <sup>3</sup> 4 h

**Skin corrosion/irritation** : Not classified

# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

<b>Serious eye damage/irritation</b>	: Not classified.
<b>Respiratory or skin sensitisation</b>	: Not classified.
<b>Germ cell mutagenicity</b>	: Not classified
<b>Carcinogenicity</b>	: Not classified.

<b>Carbon black (1333-86-4)</b>	
IARC group	2B - Possibly carcinogenic to humans, Inhalation of dust
National Toxicology Program (NTP) Status	Not listed in carcinogenicity class

<b>Silicon dioxide (cristobalite) (14808-60-7)</b>	
IARC group	1 - Carcinogenic to humans, Inhalation of dust

<b>Reproductive toxicity</b>	: Not classified.
<b>Specific target organ toxicity (single exposure)</b>	: Not classified
<b>Specific target organ toxicity (repeated exposure)</b>	: Not classified
<b>Aspiration hazard</b>	: Not classified
<b>Potential adverse human health effects and symptoms</b>	
Likely routes of exposure	: Inhalation;Skin and eye contact

## SECTION 12: Ecological information

### 12.1 Toxicity

No additional information available

### 12.2. Persistence and degradability

<b>Carbon black (1333-86-4)</b>	
Persistence and degradability	Not readily biodegradable.

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with DOT and TDG

Not considered a dangerous good for transport regulations

Proper Shipping Name (ADR)	: Not applicable
Transport hazard class(es) (ADR)	:

### Transport by sea

Transport hazard class(es) (IMDG)	:
-----------------------------------	---

### Air transport

Transport hazard class(es) (IATA)	:
-----------------------------------	---

# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

### SECTION 15: Regulatory information

#### 15.1. US Federal regulation

##### Carbon black (1333-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### Carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### EU-Regulations

##### Carbon black (1333-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

##### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

##### National regulations

**ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange**

All components are listed on the EEC inventory European Inventory of Existing Commercial Chemical Substances (EINECS).

All ingredients are listed in the Toxic Substances Control Act (TSCA).

All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

#### 15.3. US State regulations

**ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange**

State or local regulations

California Prop. 65 warnings are not required.  
The carbon black in this product is bound and is not respirable.

##### Carbon black (1333-86-4)

U.S. - California - Proposition 65 - Carcinogens List

U.S. - California - Proposition 65 - Developmental Toxicity

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

Non-significant risk level (NSRL)

Yes

No

No

No

##### Carbon black (1333-86-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

##### Silicon dioxide (cristobalite) (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Indication of changes : Original Document.


# ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
according to Canadian Hazardous Products Regulations (HPR)

Data sources	: ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <a href="http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database">http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database</a> . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <a href="http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html">http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html</a> .
Abbreviations and acronyms	: ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). LD50: Lethal Dose for 50% of the test population. OSHA: Occupational Safety & Health Administration. PBT: Persistent, Bioaccumulative, Toxic. TWA: Time Weight Average. TSCA: Toxic Substances Control Act.
Other information	: None.

NFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



### Full text of H-statements:

Carc. 1A	Carcinogenicity, Category 1A
Carc. 2	Carcinogenicity, Category 2
H350	May cause cancer
H351	Suspected of causing cancer

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43016  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

### LACO NA GHS SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*