SAFETY DATA SHEETS

This SDS packet was issued with item: 078823818

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078340298 078340348 078343199 078343249 078823768 078910904 078910905 078910914 078910915

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078823669 078823719



Page 1/7

Material Safety Data Sheet ISO/DIS 11014 / 29 CFR 1910.1200 / ANSI Z400.1

Printing date 07/31/2000

Reviewed on 07/31/2000

1 Identification of substance				
• Product details				
• Trade name: FRONTLINE® PLUS FOR CATS				
• Manufacturer/Supplier: Merial Limited 2100 Ronson Road Iselin, NJ 08830-3077 1-888-MERIAL 1 (1-888-637-4251), Option 5				
 Information department: MSDS Coordinator Emergency information: Spill Information: CHEMTREC® 1-800-424-9300 CHEMTREC® International 1+703-527-3887 Reverse charges. Health Information: 1-888-637-4251, Option 5 				
2 Composition/Data on components				
 Chemical characterization Description: Mixture of the substances listed below. 				
Components:	%w/v			
W/V Diluent, Viscosity Modifier/Spreading Agent, and Solvation Aids 58-73 %				
65733-16-6 (S)-Methoprene	10-15 %			
120068-37-3 Fipronil Technical Xn; R 20/21-36				
64-17-5 ethanol F; R 11 • Additional information: R 20: Harmful if in contact with skin R 21: Harmful by inhalation R 36: Irritating to eyes R 11: Highly flammable				
ADDITIONAL EXPOSURE STANDARDS: Ethanol: OSHA PEL: 1000ppm (1880mg/m3); ACGIH TLV-TWA: 1000ppm (1880 mg/m3) OSHA REGULATORY STATUS: HazardousFlammable				
3 Hazards identification				
• Hazard description:				
Xn Harmful N Dangerous for the environment F Highly flammable				
 Information pertaining to particular dangers for man and envi R 10 Flammable. 	ronment:			

Printing date 07/31/2000

Trade name: FRONTLINE® PLUS FOR CATS R 22 Harmful if swallowed. R 51 Toxic to aquatic organisms. R 57 Toxic to bees. • Classification system: The classification was made according to the latest editions of international substances lists, and from company and regulatory data. • NFPA ratings (scale 0 - 4) Health = 1Fire = 2Reactivity = 0• HMIS-ratings (scale 0 - 4) HEALTH 1 2 FIRE **REACTIVITY** 0 • Additional information: POTENTIAL HEALTH EFFECTS: EYE: Not expected to produce significant eye irritation. SKIN: This product may produce mild skin irritation on prolonged contact. INHALATION: No effects expected from incidental inhalation of fumes or vapors from this product. INGESTION: This product is harmful if swallowed and may result in nervous system and respiratory depression, metabolic acidosis, and kidney injury. CHRONIC EFFECTS: No chronic effects are known. SIGNS AND SYMPTOMS OF EXPOSURE: Symptoms of ingestion of this product may include difficulty breathing, fatigue, lethargy and thirst. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known. POTENTIAL ENVIRONMENTAL EFFECTS: This formulation, due to the presence of Fipronil, is toxic to aquatic organisms, upland game birds and bees. Fipronil degrades slowly in the environment. Other ingredients of this product are not expected to present environmental hazards. Handle and dispose of product in accordance with Sections 6, 7, and 13. 4 First aid measures • General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Do not leave affected persons unattended. Involve doctor immediately. · After inhalation: Seek immediate medical advice. • After skin contact: Immediately wash with water and soap and rinse thoroughly. • After eye contact: Rinse opened eye for a minimum of 15 minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Immediately call a doctor. Induce vomiting, if person is conscious. Seek medical help.

Material Safety Data Sheet ISO/DIS 11014 / 29 CFR 1910.1200 / ANSI Z400.1

Printing date 07/31/2000

Reviewed on 07/31/2000

Trade name: FRONTLINE® PLUS FOR CATS

 Information for doctor: If ingested, administer medicinal absorbent charcoal. In case of respiratory difficulty, administer oxygenotherapy. Check victim's state of consciousness, breathing and pulse and administer CPR if indicated. There is no specific antidote to the active ingredients of this product, use symptomatic treatment. 5 Fire fighting measures • Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam. Water mist · Protective equipment: Fire fighters should wear self-contained breathing apparatus and full protective equipment. 6 Accidental release measures • Person-related safety precautions: Keep people at a distance and stay upwind. Keep away from ignition sources • Measures for environmental protection: Inform respective authorities in case of seepage into water source or sewage system. In case of seepage into the ground inform responsible authorities. Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section XIII. 7 Handling and storage • Handling: Information for safe handling: Keep containers tightly sealed. Store in a cool, dry place. Handle with care. Avoid jolting, friction and impact. Use only in well ventilated areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. • Storage: • Requirements to be met by storerooms and receptacles: Provide ventilation for containers. Store only in the original container. • Further information about storage conditions: • Recommended storage temperature: < 30°C (86°F) 8 Exposure controls and personal protection Components with limit values that require monitoring at the workplace: 64-17-5 ethanol ACGIH TLV: 1000 ppm NIOSH REL: 1900 mg/m³, 1000 ppm OSHA PEL: 1900 mg/m³, 1000 ppm MAK (Germany): 1900 mg/m³, 1000 ppm

Material Safety Data Sheet ISO/DIS 11014 / 29 CFR 1910.1200 / ANSI Z400.1

Printing date 07/31/2000 Reviewed on 07/31/2000 Trade name: FRONTLINE® PLUS FOR CATS Personal protective equipment: · General protective and hygienic measures: Avoid contact with the eyes and skin. Keep away from foodstuffs and beverages. Wash hands before and after handling. Do not eat, drink, smoke or sniff. Do not store food near product. • Protection of hands: Rubber or other impervious gloves • Eye protection: Safety glasses · Body protection: Light weight protective clothing 9 Physical and chemical properties • Form: Slightly viscous liquid • Color: Light amber colored • Odor: No odor Value/Range Unit Method • Change in condition Undetermined. Melting point/Melting range: 78 ° C CALCULATED Boiling point/Boiling range: 36 ° C MEASURED • Flash point: 190.0 ° C CALCULATED • Ignition temperature: • Auto igniting: Product is not self-igniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: 1.2 Vol % CALCULATED • Lower: 15.0 Vol % CALCULATED • Upper: • Specific gravity: 1.020 g/cm³ MEASURED • Solubility in / Miscibility with Forms a milky white precipitate • Water: • pH-value: 5.5 MEASURED at 25 ° C 10.29 mm2/s MEASURED • Viscosity: 10 Stability and reactivity • Thermal decomposition / conditions to be avoided: Avoid exposure to heat, sparks or flame • Dangerous reactions No dangerous reactions known. • Dangerous products of decomposition: None known, other than typical oxides of carbon -USA- Printing date 07/31/2000

Trade name: FRONTLINE® PLUS FOR CATS
11 <u>Toxicological information</u>
 Acute toxicity: LD/LC50 values that are relevant for classification:
FRONTLINE® PLUS FOR CATS Oral: LD50: 750 mg/kg (rat)
Dermal: LD50: >5000 mg/kg (rat) • Primary irritant effect:
• on the skin:
This product may produce mild skin irritation on prolonged contact. • on the eye: No irritating effect known. • Sensitization: No sensitizing effects known.
• Subacute to chronic toxicity:
There are no data on the reproductive effects of this mixture. One component of this product produced slight adverse reproductive effects at 2.5% in drinking water. For Fipronil, the No Effect Level(NOEL) for adverse reproductive effects in rats was approximately 2.5 mg/kg-day, with higher doses causing adverse effects. Ethanol is a known reproductive toxin, with overexposure during
pregnancy associated with numerous adverse effects on the fetus. Acute and chronic overexposure to Fipronil produced adverse
neurological effects in animals, including changes in neuromuscular endpoints and seizures.
 Additional toxicological information: Symptoms of respiratory depression or central nervous system depression (fatigue, lethargy or dizziness) may occur. This product is a veterinary medicine and should be regarded as harmful if swallowed or absorbed.
12 Ecological information
• Ecotoxological effects: Acquatic toxicity:
65733-16-6 (S)-Methoprene LC50 / 96hrs: 360 ppb (daphnia magna)
120068-37-3 Fipronil Technical EC50/48 hours: 190 ug/l (daphnia magna)
LC50/96 hr: .25 mg/l (Rainbow Trout) LC50/8 days: >5000 mg/kg (mal)
• Remark: Components of this product are toxic to aquatic, avian and insect
species. • General notes:
Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water source or sewage
system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.
13 Disposal considerations
 Product: Recommendation: Smaller quantities can be disposed of with household waste. On the basis of the necessary technical regulations and after
consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste. USA

Printing date 07/31/2000 Reviewed on 07/31/2000 Trade name: FRONTLINE® PLUS FOR CATS Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations. 14 Transport information • DOT regulations: • Hazard class: 3 • Identification number: UN1170 Packing group: TTT • Proper shipping name (technical name): Ethanol solution (Ethyl alcohol solution) • Land transport ADR/RID (cross-border): • ADR/RID class: 3 Flammable liquids 31c • Item: • Danger code (Kemler): 36 1170 • UN-Number: Ethanol solution (Ethyl alcohol solution) Description of goods: • Maritime transport IMDG: • IMDG Class: 3.3 3346-1 • Page: 1170 • UN Number: Packaging group: III 3-03 • EMS Number: • Marine pollutant: No • Proper shipping name: Ethanol solution (Ethyl alcohol solution) • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1170 Packaging group: III • Proper shipping name: Ethanol solution (Ethyl alcohol solution) 15 Regulations • Sara Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act): Components of this product are listed on the inventory. See section 2. • CA Proposition 65 Chemicals known to cause cancer: 25013-16-5 Butylhydroxyanisole Chemicals known to cause reproductive toxicity: 64-17-5 ethanol Product related hazard informations: The product has been classified and marked in accordance with directives on hazardous materials. SARA 312 HAZARD CLASS: Fire, Acute health • Hazard symbols: Xn Harmful USA- Printing date 07/31/2000

Trade name: FRONTLINE®	Trade name: FRONTLINE® PLUS FOR CATS				
N Dangerous for the environment F Highly flammable					
 Risk phrases: 10 Flammable. 22 Harmful if swall 51 Toxic to aquatic 57 Toxic to bees. 					
16 Keep away from s 20/21 When using do no 29/56 Do not empty int container at haz	ources of ignition t eat, drink or s o drains, dispose ardous or special ek medical advice				
• Water hazard class: Water hazard class 2 (Self-assessment)	: hazardous for water.			
 Other regulations, limitations and prohibitive regulations STATE RIGHT TO KNOW STATUS: 					
COMPONENT ethanol butylhydroxyanisole	PENNSYLVANIA listed not listed	MASSACHUSETTS listed listed			
16 Other information					
accurate. However, ne	ither Merial or a ability whatsoeve	rmation contained herein is any of its subsidiaries or er for the accuracy or			

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Merial cannot guarantee that these are the only hazards that exist.

• Department issuing MSDS: MSDS Coordinator

• Contact: MSDS Coordinator, 706-552-2739, msds@merial.com

USA-