## **SAFETY DATA SHEETS**

## This SDS packet was issued with item: 078838593

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078838601

Date prepared : 23/01/2011		PRODUCT NAME	Page 1/4				
Edition 3		Masitinib 50 & 150 mg coated tablets					
	MATERI	AL SAFETY DATA SHEET					
		rme AFNOR T01 – 102 et Arrêté du 5/1/93					
		$\frac{1}{102} \text{ ct Affect du } \frac{1}{102} \frac{1}{1$					
1.	CHEMICAL PRODUCT AND FIRM IDENTIFICATION:						
	PRODUCT NAME:	KINAVET-CA1					
	FIRM NAME:	AB Science					
	ADDRESS:	3 Avenue George V, 75008 Paris -FRANCE					
	TELEPHONE:	+33 (0) 1 47 20 23 11					
	TELEFAX:	+33 (0)1 47 20 24 11					
	EMERGENCY TELEPHONE CALLS:						
2.	<b>COMPOSITION / INFORMATION ON INGREDIENTS:</b>						
	COMPOSITION:	Tablets contain 50, or 150 mg masitinib as 1 (AB1010).	nasitinib mesylate				
		Inactive ingredients: cellulose,povidone, crospo powder, magnesium stearate, Opadry	vidone, pig liver				
	CHEMICAL FORMULA:	API: C <sub>29</sub> H <sub>34</sub> N <sub>6</sub> 0 <sub>4</sub> S <sub>2</sub>					
	CAS NUMBER:	API : 790299-79-5					
3.	PHYSICAL AND CHEMICAL (	PHYSICAL AND CHEMICAL CHARACTERISTICS:					
	SOLUBILITY:	API freely soluble in acidified water pH2, soluble soluble to practically insoluble in organic solvents	API freely soluble in acidified water pH2, soluble in water, slightly soluble to practically insoluble in organic solvents				
		Tablets disintegrate in liquids and masitin according to its solubility hereabove	ib is solubilised				
	<u>APPEARANCE</u> :	Round coated tablets embossed with a logo C or strength (50 or 150) on the other side.	one side and the				
	<u>COLOR</u> :	Light orange					
	ODOR:	Not specific					
	<u>рН</u> :	Not available					
	FLASH POINT:	Not available					
	EXPLOSIVE PROPERTIES:	Not available					
	MELTING POINT:	Not available					
	<b>RELATIVE DENSITY</b> :	>1					
	VAPOR PRESSURE:	Not available					
	VAPOR DENSITY:	Not available					

Date prepared : 23/01/2011		PRODUCT NAME	Page 2/4		
Edi	ition 3	Masitinib 50 & 150 mg coated tablets			
4.	FIRE FIGHTING MEASURES:				
	FLASH POINT	Not determined			
	AUTOIGNITION TEMPERATURE:	Not determined			
	COMBUSTIBILITY OF DUSTS:	Not determined			
	EXTINGUISHING MEDIA:	In case of fire, flood the fire with water, dry chemica foam	l CO2 or ''alcohol''		
	FIREFIGHTING INSTRUCTIONS:	chemical resistant clothing, boots and gloves. Co water from a maximum distance. Avoid skin cont	Firefighters should wear self contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Cool containers with water from a maximum distance. Avoid skin contact, inhalation and ingestion. If materials contacts protective clothing or equipment decontaminate prior to reuse		
	HAZARDOUS COMBUSTION PRODUCTS	: Not determined			
5.	<b>REACTIVITY DATA</b> :				
	<u>STABILITY</u> :	Stable at room temperature	Stable at room temperature		
	HAZARDOUS DECOMPOSITION PRODUC	<u>CTS</u> : Unknown			
6.	HEALTH / HAZARD DATA:				
6.	EFFECTS ON HEALTH: ROUTES OF ENTRY:	inhibition properties leading to potential cytostatic p LOEL = 0.7mg/kg/day; Maximimum tolerated dose= ♦Inhalation : Under normal conditions, this pro- within double bags and inhalation would not be ex- bags break or spill, vapors of this material may be in aerolised, there may be potential for inhalation of A of absorption after inhalation is unknown	Drug substance under development in human, for tyrosine-kinase inhibition properties leading to potential cytostatic properties. LOEL = 0.7mg/kg/day; Maximimum tolerated dose= 15mg/kg/day ◆Inhalation : Under normal conditions, this product is contained within double bags and inhalation would not be expected to occur. If bags break or spill, vapors of this material may be inhaled, if material is aerolised, there may be potential for inhalation of AB 1010. The extent of absorption after inhalation is unknown		
		◆Skin contact : Under normal conditions, this pr within double bags and skin contact would not be Exposure to AB 1010 may occur via skin contact if and if gloves and protective clothing are not we systemic absorption after skin contact is unknown	expected to occur bagss break or spill		
		<ul> <li>Eye contact : Irritant</li> <li>Ingestion : Under normal conditions, this product double bags and ingestion would not be expected to a trace amount of the material might occur if mate and if hands are not washed prior to eating, drinkin extent of systemic absorption of AB1010 by oral determined, but oral absorption is good.</li> </ul>	occur. Ingestion of rials contact hands ng or smoking. The		
	EMERGENCY AND FIRST AID MEASU	<u>RES</u> :			
	INHALATION:	Remove exposed person to fresh air			
	<u>SKIN CONTACT</u> :	Remove contaminated clothing. Flush with water least. If irritation (redness, itching, swelling) deve attention.			
	EYES CONTACT:	Flush with running water for at least 15 minu attention if pain, redness or trouble occurs.	Flush with running water for at least 15 minutes. Seek medical attention if pain, redness or trouble occurs.		
	INGESTION:		Call a physician or Poison Center. Only induce vomiting at th instructions of a physician. Never give anything by mouth to a unconscious person.		

<b>Date prepared</b>	:	23/01/2011
----------------------	---	------------

## PRODUCT NAME

## **Edition 3** Masitinib 50 & 150 mg coated tablets 7. PRECAUTIONS FOR SAFE HANDLING AND USE: STEPS TO BE TAKEN IN CASE MATERIEL IS Not to throw away in the drain or in the natural environment. Wipe up RELEASED OR SPILLED: with absorbent towels or other absorbent material as appropriate; place collected materials into a suitable waterproof container for disposal. Wash twice with detergent and water. Then flush with water to process sewer, if allowable under national, federal, state, or local permits or regulations. Destroy waste according to national, federal, state, or local regulations. Incineration according to the national, federal, state and local WASTE DISPOSAL METHOD: regulations. PRECAUTIONS TO BE TAKEN IN HANDLING Masitinib is presented as coated tablets which prevent contact with or dissemination of it. Each time, the coating is damaged, tablets or AND STORING: derivatives must be handled as masitinib i.e. as an HAZARDOUS PRODUCT as defined by NIOSH. HANDLING PRECAUTIONS: Avoid ingestion, inhalation, skin or eye contact with this material PERSONAL EXPOSURE PRECAUTIONS: Wear suitable protective clothing and gloves. FIRE AND EXPLOSION PREVENTION: Do not expose to heat source. STORAGE CONDITIONS: Recommended storage is between 15°C and 30°C, into the original container. 8. **CONTROL MEASURES: PERSONAL PROTECTION:** Grinding of the tablets and handling of pulverized tablets should be performed in biologic safety cabinet (class I BSC, vertical flow hood) RESPIRATORY PROTECTION: Mask highly recommended when handling pulverized tablets HAND PROTECTION: Gloves recommended when handling tablets or solutions. EYE PROTECTION: Safety goggles highly recommended when handling pulverized tablets or solutions. SKIN PROTECTION: One use working clothes when handling pulverized tablets. HYGIEN: Wash hands thoroughly after handling tablets or tablets derivatives and before eating smoking, using lavatory and at the end of the day CROSSCONTAMINATION Grinding of the tablets and handling of pulverized tablets should be performed in biologic safety cabinet (class I BSC, vertical flow hood) 9. **TOXICOLOGICAL INFORMATION:** ACUTE TOXICITY: Rat, oral route: LD50 > 1600 mg/kg **Rat, IV: LD0 > 80 mg/kg** Rat, 14 days, oral route: NOAEL 15 mg/kg/day. REPEATED DOSE TOXICITY: Dog, 13 weeks, oral route: NOAEL 15 mg/kg/day. Reversible haematological changes (non regenerative anemia, increase in activated partial thromboplastin time and fibrinogen level, decrease in leucocyte and neutrophile counts), blood biochemicals changes (increase in chloride level and alkaline phosphatase activity,

decrease in albumin level) and hepatocellular hypertrophy

Date prepared : 23/01/2011 Edition 3		<b>PRODUCT NAME</b>	Page 4/4		
		Masitinib 50 & 150 mg coated tablets			
9.	TOXICOLOGICAL INFORMA	TION:			
(end)	l de la companya de l				
	CARCINOGENENICITY:	In rat, dose dependant increase of frequency of adeno carcinomas of uterus at the highest doses (tested 75-60 mg/Kg/day) was observed after 2 years exposure.			
	MUTAGENICITY:	AB 1010 was negative in <i>in vitro</i> tests [chromosom (human lymphocyte) and thymidine kinase locus mu lymphoma)] and in <i>in vivo</i> micronuclei test.			
	TERATOGENICITY:		Segment 2: embryo foetal development: No effect in rabbit developmental toxicity in rats at doses above 30 mg/Kg/day		
	REPRODUCTIVE EFFECTS:	Segment 1 in rats showed that the fertility of female was affected	Segment 1 in rats showed that the fertility of females given 100 mg/kg was affected		
10.	ECOLOGICAL INFORMATION:				
		Not available.			
11.	DISPOSAL CONSIDERATIONS:	Incineration according to the federal, state and loc	cal regulations		
14.	TRANSPORT INFORMATION:				
	<u>UN NUMBER</u> :				
	PLACARD REQUIREMENTS:	Toxic			
	LABEL REQUIREMENTS:	Toxic	Toxic		
	PROPER SHIPPING NAME:	Coated tablets			
<u>15.</u>	<b>REGULATORY INFORMATION</b>	Masitinib 50mg and 150mg tablets are veterinaria registered by FDA under trade mark Kinavet-CA and registered in Europe under trade mark Masivet	1 (NADA 141-308		
16.	<b>OTHER INFORMATION:</b>				

This material safety data sheet is intended for use by personnel who handle this material as part of their job responsibilities. The data given here is based on current knowledge and experience. Investigational drug products are intended for use under direction of a physician, according to national, state or local regulations. As a general precaution, personnel who handle drug substances should avoid contact (ingestion, inhalation, skin and eye contact) with these substances.