SAFETY DATA SHEETS

This SDS packet was issued with item: 078881317

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078352552 078368627

Homeo**Pet**®

Cleanz-Detox

Manufacturer Safety Data Sheet

Ingredients

Astragalus Menziesii 6x: (Astragalus)

Berber Vulgaris 4x: (Barberry)

Cactus Grandiflorus 12x: (Night-blooming Cereus)

Cantharis 12x: (Spanish Fly)

Carbo Vegitabilis 12x: (Vegetable Charcoal)

Carduus Marianus 4x: (St. Mary's Thistle)

Ceanothus Americanus 6x: (Red Root)

Chelidonum Majus 4x: (Greater Celandine)

Chionanthus Virginica 6x: (Fringe Tree)

Dioscorea Villosa 4x: (Wild Yam)

Dolichos Prurien 6x: (Cowhage)

Equisetum Hyemale 6x: (Horse-tail)

Leptandra Virginica 4x: (Culver's Root)

Lycopodium 8x: (Club Moss)

Nux Vomica 8x: (Poison-nut) To relieve and remove burning in esophagus and stomach issues.

To benefit pain in front of kidneys extending to liver, spleen, stomach, groins, kidneys into bladder, heptic region.

Weight and distress in stomach and liver. Vomiting. Constant urination. Urine passes by drops, with much burning.

Vomiting. Sensitiveness over stomach. Acute cystitis, with bloody urine. Kidney area very sensitve.

Liver. Slow digestion. Belching after eating and drinking, temporary relief from belching. Protein in the urine. Diabetes. Bedwetting at night.

Liver, engorged, swollen laterally painful to pressure. Stomach burning as of acidity. Contents of stomach and intestines sour. Nausea, retching and vomiting. Urging to urinate. Pressure on bladder producing dribbling of urine.

Pain in liver worse lying on right side. Dull pain in liver region immediately after eating. Wanting to drink water, but it makes him sick. Constant urge to urinate, and after urinating feeling as if all had not passed.

Liver enlarged, tender. Gastric pains, better after eating. Eating relieves temporarily. Profuse, foaming yellow urine, like beer. Spasmodic pain in right kidney and liver.

Soreness in region of liver, enlarged liver. Belching, nausea and vomiting. Contipation. Frequent urination with bile and sugar in urine.

Sharp pains from liver. Belching of large quantities of offensive gas, sour, bitter, with hiccoughs. Sharp, cramping pain in pit of stomach.

Liver problems with itching. Flatulent eructation. Vomits bile.

Excessive hunger. Deep pain in region of right kidney, extending to lower abdomen with urgent desire to urinate. Frequent urging with severe pain at the close of urination.

Acute liver conditions. Red or orange colored urine. Distress in stomach and small intestines.

Weak liver, cries before urinating. Poor digestion. Eating ever so little creates fullness.

Toxic liver from drugs, chemicals. Weak liver from bad diet. Hepatitis from bad food or water. Nausea and vomiting. Involuntary urination when coughing, sneezing.

Sulphur 6x: (Sublimated Sulphur)	Pain and soreness of liver. Frequent urination, especially at night. Vomiting of undigested food or sour vomiting. Sudden call to urinate, must hurry.
Solidago Virgaurea 4x: (Goldenrod)	Kidneys sore and tender. Cystitis. Obstructing flow of urnine or inflammation.
Taraxacum Officinale 4x: (Dandelion)	Deficiency of the liver and the bladder. Chronic cholecystitis. Gastric bilous attacks. Frequent desire to urinate with copious urine. Urination painless urging. Bedwetting during sleep.

INDICATIONS: For removal of unwanted environmental toxins from organs. Improves energy, overall health and well being.

FORMS: Liquid

PACKAGE SIZE: 15 ml bottle

DOSING:

Dogs/Cats under 20 lbs/10 kg, 5 drops; 21-60 lbs/ 10-30 kg, 10 drops; 61-100 lbs/30-45 kg, 15 drops; over 100 lbs/45 kg, 20 drops.

Treatment: Twice daily for 21 days, repeat every 3 months.

Pets Under 1 lb: 2 drops in the drinking water twice daily.

SMALL MAMMALS such as rabbits, ferrets, hamsters and pot bellied pigs can be dosed by weight as for cats and dogs in previous section.

ADMINISTRATION: Optimally the liquid preparation should be dropped directly on to the mucous membrane of the mouth including lips, ideally in dogs by pulling out the labial pouch and in cats by raising the head until the mouth opens. Where an animal finds this distressful or an owner is unable to comply, the medication can be put in the food, water or milk. Where animals are sensitive to the odor of the alcohol preservative a 10-20 minute period should be allowed for it to dilute and evaporate before the liquid or food is presented to the patient. Occasionally, animals will shake their heads as a response to the alcohol preservative; cats may salivate excessively and in these cases presenting it in food, water or milk works.

ADVERSE EFFECTS AND CONTRAINDICATIONS: None known other than reversible effect of overdose. Overdose will result in a return of symptoms after the symptoms have initially disappeared. Where a return of symptoms occur while on the medication, ceasing to use will alleviate the effect. Patients who are hypersensitive to homeopathic preparations will show response to a single dose, which may not need to be repeated for some time. For this reason therapy should always start with a single dose the previous day and should a major response be seen, therapy should not be recommenced until symptoms relapse, and then only a single dose given for maximum effect. Although there is no evidence that there are any safety issues, extra care should always be taken when dealing with pregnant animals. Should a suspected adverse reaction be seen or advice needed, please contact HomeoPet, LLC (contact information at bottom of sheet).

DRUG INTERACTIONS: None known for animal use; keep out of reach of children.

PHARMACEUTICAL PRECAUTIONS: Store at room temperature, out of direct sunlight, and away from strong odors.

USER SAFETY: No adverse effects have been recorded. There have been reports to the company of beneficial rather than adverse effects. As homeopathics are active in humans, care is advised when handling product, although a long history of homeopathics used in humans shows a very high safety margin.

ENVIRONMENTAL IMPACT: To date none found.

Authorization#, NDC#: 61571-0561-01

HOMEOPET, LLC PO BOX 147 WESTHAMPTON BEACH, NY 11978 TOLL FREE TEL: 800 555 4461, TEL: 631 288 6883 TOLL FREE FAX: 800 434 0449, FAX: 631 288 6711 E-MAIL: <u>info@homeopet.com</u> WEBSITE: www.homeopet.com