SAFETY DATA SHEETS

This SDS packet was issued with item:

078907651

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

 $078907383\ 078907384\ 078907385\ 078907386\ 078907387\ 078907652\ 078907653\ 078907654\ 078907655$

Safety Data Sheet



Section 1: Identification

Product identifier

 Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Toy), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Small), Vet

Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Medium), Vet **Product Name**

> Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Large), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (X-Large)

• 100511727; 100511729; 100511780; 100511781; 100511782; EPA Reg. No.: 2724-**Synonyms**

811; RF2164 A/T Combo

Product Description · Pale yellow oily liquid.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use Flea, tick & mosquito treatment for dogs.

Restrictions on use • Avoid contact with skin and eyes. Keep out of reach of children and pets.

Details of the supplier of the safety data sheet

Manufacturer Wellmark International

1501 E. Woodfield Road 200W

Schaumburg, IL 60173

United States

Emergency telephone number

Manufacturer (Transportation) • 1-800-424-9300 - CHEMTREC

Manufacturer (Transportation) • 1-703-527-3887 - CHEMTREC Outside US Collect Calls accepted

Manufacturer 1-888-914-2082

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 · Not classified; does not meet hazard criteria.

Label elements **OSHA HCS 2012**

Hazard statements • No label element(s) required

Other hazards

Preparation Date: 18/February/2016 Format: GHS Language: English (US) Revision Date: 18/February/2016 Page 1 of 8

OSHA HCS 2012

· Does not meet hazard criteria.

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

Composition					
Chemical Name	Identifiers	%			
(s)-Methoprene	CAS:65733-16-6	3.6%			
Piperonyl butoxide	CAS:51-03-6	5%			
Etofenprox	CAS:80844-07-1	30%			
Other ingredients	NDA	61.4%			

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

•

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms persist.

Skin

• IF ON SKIN: Wash skin with soap and water.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion

 IF SWALLOWED: Do not induce vomiting unless told to by a poison control center or doctor. Rinse mouth.

Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

· Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media . In case of fire use media as appropriate for surrounding fire.

Unsuitable Extinguishing

· None known.

Media

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

· None known.

Hazardous Combustion

· None known.

Products

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures

Stay upwind. Keep unauthorized personnel away. Ventilate closed spaces before entering

Environmental precautions

• Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.

LARGE SPILLS: Dike far ahead of spill for later disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

Use good safety and industrial hygiene practices. Avoid contact with skin or eyes.

Conditions for safe storage, including any incompatibilities

Storage

•

Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and pets.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure controls

Engineering Measures/Controls

· No data available.

Personal Protective Equipment

Pictograms



Respiratory

Not required with normal use.

Eye/Face

Wear chemical splash safety goggles.

Skin/Body

Wear appropriate gloves.

Environmental Exposure Controls

Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description					
Physical Form	Liquid	Appearance/Description	Pale yellow oily liquid.		
Color	Pale yellow.	Odor	Weak, neutral, chemical-like.		
Odor Threshold	No data available				
General Properties					
Boiling Point	No data available	Melting Point/Freezing Point	No data available		
Decomposition Temperature	No data available	рН	No data available		
Specific Gravity/Relative Density	= 0.99 @ 20 °C(68 °F) Water=1	Water Solubility	Insoluble		
Viscosity	100-150 cPs @ 20°C / 25 cPs @ 40°C				
Volatility	•	•	•		
Vapor Pressure	No data available	Vapor Density	No data available		
Evaporation Rate No data available					
Flammability					
Flash Point 136 °C(276.8 °F) PMCC (Pensky- Martins Closed Cup)		UEL	No data available		
LEL	No data available	Autoignition	No data available		
Flammability (solid, gas)	Not relevant.				
Environmental					
Octanol/Water Partition coefficient	No data available				

Section 10: Stability and Reactivity

Reactivity

· No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under normal temperatures and pressures.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

None known.

Incompatible materials

· None known.

Hazardous decomposition products

None known.

Section 11 - Toxicological Information

Information on toxicological effects

	CAS	
Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Toy), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Small), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Medium), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (Large), Vet Kem Ovitrol X-Tend Flea & Tick Spot On for Dogs (X-Large)	NDA	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Skin-Rat LD50 • >5000 mg/kg; Irritation: Eye-Rabbit • Mild irritation; Skin-Rabbit • Mild irritation

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met

Route(s) of entry/exposure

Potential Health Effects

Inhalation

Acute (Immediate)

Chronic (Delayed)

Skin

Eye

Chronic (Delayed)

Acute (Immediate)

Chronic (Delayed)

Acute (Immediate)

Ingestion Acute (Immediate)

Chronic (Delayed)

Mutagenic Effects

· Inhalation, Ingestion, Eyes, and Skin

- Under normal conditions of use, no health effects are expected.
- No data available.
- May cause mild irritation.
- Prolonged and repeated exposure to Etofenprox can cause skin irritation.
- May cause mild irritation.
- No data available.
- Under normal conditions of use, no health effects are expected.
- No data available.

Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods. Piperonyl butoxide was not genotoxic in several tests, including the Ames mutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Methoprene has been tested and found negative for mutagenicity potential.

Carcinogenic Effects

Etofenprox is not classified as carcinogen by NTP, IARC and OSHA. Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA. Methoprene is not classified as carcinogen by NTP, IARC and OSHA.

Reproductive Effects

Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Methoprene is not a teratogenic compound. The NOEL for maternal and embryotoxicity in rabbits was 200 mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

Section 12 - Ecological Information

Toxicity

Components				
Etofenprox (30%)	80844-07-1	Aquatic Toxicity-Fish: 96 Hour(s) LC50 Sheepshead minnow >0.0165 mg/L [Acute] 96 Hour(s) LC50 Rainbow Trout 0.0027 mg/L [Acute] Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Water Flea Daphnia magna 0.0008 mg/L [Acute] 96 Hour(s) LC50 Mysid shrimp 0.0000188 mg/L [Acute] NOEC Water Flea Daphnia magna 0.00017 mg/L [Chronic]		
Aquatic Toxicity-Fish: NOEC Fathead minnow 0.04 mg/L [Chronic] 96 Hour(s) LC50 Rainbow Trout 1.9 mg/L [Acute] 96 Hour(s) LC50 Sheephead minnow 3.94 mg/L [Acute] Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Daphnia magna 0.51 mg/L [Acute] 48 Hour(s) LC50 Mysid shrimp 0.49 mg/L [Acute] NOEC Daphnia magna 0.03 mg/L [Chronic]		96 Hour(s) LC50 Rainbow Trout 1.9 mg/L [Acute] 96 Hour(s) LC50 Sheephead minnow 3.94 mg/L [Acute] Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Daphnia magna 0.51 mg/L [Acute] 48 Hour(s) LC50 Mysid shrimp 0.49 mg/L [Acute]		
(s)-Methoprene (3.6%)	65733-16-6	Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow Trout 0.76 mg/L [Acute] 96 Hour(s) LC50 Bluegill >0.37 mg/L [Acute] NOEC Fathead Minnow 0.048 mg/L [Chronic] Aquatic Toxicity-Crustacea: NOEC Mysid Shrimp 0.014 mg/L [Chronic] 48 Hour(s) LC50 Daphnia 0.36 mg/L [Acute]		

Persistence and degradability

Etofenprox is not readily biodegradable. Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water.

Bioaccumulative potential

No data available

Mobility in Soil

(s)-Methoprene: 10-14 days, rapidly hydrolyzed in soil.

Other adverse effects

Potential Environmental Effects

No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. See product label for disposal instructions.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	UN3082	Bulk packaging only: Environmentally Hazardous Substance, Liquid, n.o.s. (Etofenprox, Piperonyl butoxide, S-Methoprene)	9	III	Marine Pollutant
IMO/IMDG	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, Liquid, n.o.s. (Etofenprox, Piperonyl butoxide, S-Methoprene)	9	III	Marine Pollutant
IATA/ICAO	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, Liquid, n.o.s. (Etofenprox, Piperonyl butoxide, S-Methoprene)	9	III	Acute Aquatic Toxicity

Special precautions for user • None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

Other information

IMO/IMDG • No data available IATA/ICAO · No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • SARA Title III Section 313

FIFRA – Pesticide Labeling

This material is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • Keep out of reach of children.

Hazards to Humans and . **Domestic Animals**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION DO NOT USE ON DOGS LESS THAN 6 LBS OR PUPPIES LESS THAN 10 WEEKS OF AGE. For external use only. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation. Consult a veterinarian before using this product on debilitated. aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog/puppy with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some dogs/puppies may experience hair loss or temporary skin irritation at the application site. If signs persist or become more severe, contact veterinarian immediately and report incident to company at 1-800-914-2082.

Preparation Date: 18/February/2016 Revision Date: 18/February/2016

Format: GHS Language: English (US) OSHA HCS 2012

First Aid •

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Inventory				
Component	CAS	TSCA		
(s)-Methoprene	65733-16-6	No		
Etofenprox	80844-07-1	No		
Piperonyl butoxide	51-03-6	Yes		

United States

Environment									
	_	n	7 I P	^	n	m	^	n	•
		IΙV	ш	u			H		ш

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

80844-07-1 Etofenprox Not Listed

1.0 % de minimis · Piperonyl butoxide 51-03-6 concentration • (s)-Methoprene 65733-16-6 Not Listed

Section 16 - Other Information

Revision Date

Last Revision Date

Preparation Date

Disclaimer/Statement of

Liability

• 18/February/2016

18/February/2016

18/February/2016

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.