

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078909202

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078909203

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT IDENTIFICATION AND USE

PRODUCT IDENTIFIER :	EPSOM HOOF POULTICE PAD	PRODUCT IDENTIFICATION NUMBER:	
PRODUCT USE :	POULTICE FOR HOOF OF HORSE		
MANUFACTURER'S NAME:	INLINE MANUFACTURING INC.	SUPPLIER'S NAME:	THE BETTER BANDAGE COMPANY INC
STREET ADDRESS:	2355 DERRY RD E UNIT 30	STREET ADDRESS:	2355 DERRY RD. E UNIT 30
CITY:	MISSISSAUGA	PROVINCE:	ON
POSTAL CODE:	L5S 1V6	POSTAL CODE:	L5S 1V6
EMERGENCY TEL #	(905) 672-3400	EMERGENCY TEL #	(905) 678-9143

## SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	
MgSO4.7H2O	67.00	CAS#10034-99-8
GUAR GUM	33.00	CAS#:9000-30-0

**ASBESTOS FREE**

## SECTION 3 - PHYSICAL DATA

PHYSICAL STATE:	SOLID	ODOUR AND APPEARANCE:	ODOURLESS WHITE GRANULAR
ODOUR THRESHOLD(PPM):	NOT APPLICABLE	VAPOUR DENSITY	NOT AVAILABLE
SPECIFIC GRAVITY:	NOT APPLICABLE	VAPOUR PRESSURE:	NOT APPLICABLE
EVAPORATION RATE:	NOT APPLICABLE	FREEZING POINT (0C):	NOT APPLICABLE
BOILING POINT: (0C)	NOT APPLICABLE	SOLUBILITY IN WATER (20C)	NOT AVAILABLE
% VOLATILE (BY VOLUME)	NOT APPLICABLE	COEFFICIENT OF WATER/ OIL DISTRUBUTION:	NOT APPLICABLE
Ph:	NEUTRAL		

## SECTION 4 - FIRE & EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY:	AT HIGH TEMP	AUTOIGNITION TEMPERATURE(0C):	NOT APPLICABLE
MEANS OF EXTINCTION:	NOT APPLICABLE	HAZARDOUS COMBUSTION PRODUCTS:	NOT APPLICABLE
SPECIAL PROCEDURES:	NOT APPLICABLE		
FLASHPOINT(0C) AND METHOD:	NOT APPLICABLE		
UPPER EXPLOSION LIMIT (% BY VOLUME):	NOT APPLICABLE		

<b>EXPLOSION DATA</b>	
SENSITIVITY TO MECHANICAL IMPACT:	NOT APPLICABLE
SENSIVITY TO STATIC DISCHARGE:	NOT APPLICABLE

## SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY :	YES	REACTIVITY AND UNDER WHAT CONDITION:	NONE
INCOMPATIBILITY TO OTHER SUBSTANCES:	NO	HAZARDOUS DECOMPOSITION PRODUCTS:	NOT AVAILABLE

## SECTION 6 - TOXICOLOGICAL PROPERTIES OF MATERIAL

SKIN CONTACT:	YES	INHALATION CHRONIC:	YES
INHALATION ACUTE:	NO	EYE CONTACT:	YES
SKIN ABSORPTION:	NO	INGESTION:	YES

EFFECTS ON ACUTE EXPOSURE TO MATERIAL: NOT APPLICABLE

EFFECT OF CHRONIC EXPOSURE TO MATERIAL IN A DRY POWDERED FORM PROLONGED EXPOSURE TO DUST MAY CAUSE LUNG DISORDERS SUCH AS SILICOSIS. THIS CAN OCCUR AFTER YEARS OF HEAVY EXPOSURE SUCH AS IN THE CASE OF CLAY MINERS.

LD OF MATERIAL (SPECIFY SPECIES & ROUTE):	NOT AVAILABLE	LC OF MATERIAL (SPECIFY SPECIES & ROUTE):	NOT AVAILABLE
EXPOSURE (LIMITS):	NONE	IRRITANCY OF MATERIAL:	MAY CAUSE SKIN DRYNESS/IRRITATE EY
SENSITIZATION:	NOT AVAILABLE	SYNERGISTIC MATERIAL:	NOT AVAILABLE
CARCINOGENICITY, TERATOGENICITY, MUTAGENICITY, REPRODUCTIVE EFFECTS:			NONE

#### SECTION 7 - PREVENTIVES MEASURES - PERSONAL PROTECTIVE EQUIPMENT

GLOVES:	NONE	EYE:	NO
RESPIRATORY:	WEAR AN APPROVED RESPIRATOR WHEN WORKING WITH DRY CLAY		
ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS SPECIFY):	VENTILATE WHEN MIXING OR AIRBORNE DUST PRESENT		
LEAK AND SPILL PROCEDURE:	IF WET NO SPECIAL PRECAUTIONS ARE NECESSARY. IF DRY, CLEAN WITH A DAMP MOP MINIMIZING DUST <b><u>DO NOT VACUUM</u></b>		
HANDLING PROCEDURES AND EQUIPMENT:	DO NOT FREEZE	STORAGE REQUIREMENT:	KEEP DRY:ROOM TEMP
SPECIAL SHIPPING INFORMATION:	DO NOT FREEZE	WASTE DISPOSAL:	LANDFILL

#### SECTION 8 - FIRST AID MEASURES:

CAN IRRITATE EYES. FLUSH WITH WATER.

#### SECTION 9 - PREPARATION DATE OF MSDS

PREPARED BY  
THE BETTER BANDAGE COMPANY INC. MAR 2013