SAFETY DATA SHEETS

This SDS packet was issued with item:

078909258

N/A



SAFETY DATA SHEET

Product Name: Meropenem for Injection

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Name And Hospira, Inc.

Address 275 North Field Drive

Lake Forest, Illinois 60045

USA

Emergency Telephone CHEMTREC: North America: 800-424-9300;

International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418

Hospira, Inc., Non-Emergency 224 212-2000

Product Name Meropenem for Injection

Synonyms (4R,5S,6S)-3-[[(3S,5S)-5-(Dimethylcarbamoyl)-3-pyrrolidinyl]thio]-6-[(1R)-1-

hydroxyethyl]-4-methyl-7-oxo-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid

trihydrate

2. HAZARD(S) IDENTIFICATION

Emergency Overview Meropenem for Injection is a powder containing meropenem, a carbapenem beta-

lactam antibacterial with actions and uses similar to those of imipenem. Clinically, it is used to treat infections caused by susceptible Gram-positive and Gram-negative bacteria. In the workplace, this material should be considered potentially irritating to the skin, eyes and respiratory tract, and a potential sensitizer which may induce allergic reactions in persons known to be sensitized to penicillins and cephalosporins. Based on clinical use, possible target organs include the gastrointestinal system,

nervous system, skin, hematopoietic system, and liver.

U.S. OSHA GHS Classification

Physical Hazards Hazard Class Hazard Category

Not Classified Not Classified

Health Hazards Hazard Class Hazard Category

Eye Damage / Irritation 2A Sensitization – Skin 1 Sensitization - Respiratory 1

STOT - RE

Label Element(s)

Pictogram



Signal Word Danger

Hazard Statement(s) Causes serious eye irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause damage to organ through prolonged or repeated exposure



2. HAZARD(S) IDENTIFICATION: continued

Precautionary Statement(s)

Prevention Do not breathe dust, vapor or spray

In case of inadequate ventilation, wear respiratory protection

Wear eye protection/face protection

Wear protective gloves

Wash hands thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace.

Response Get medical attention if you feel unwell

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name Meropenem Sodium Carbonate

Chemical Formula C₁₇H₂₅N₃O₅S•3H₂O CO₃Na₂

Component	Approximate Percent by Weight	CAS Number	RTECS Number
Meropenem Trihydrate	91	119478-56-7	CL5446507
Sodium Carbonate	8	497-19-8	VZ4050000

4. FIRST AID MEASURES

Eye Contact Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Skin Contact Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Inhalation Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Ingestion Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability None anticipated for this product. However, many organic powders will combust at

elevated temperatures.

Fire & Explosion Hazard None anticipated for this product. Avoid the creation of dusty environments.

Extinguishing Media As with any fire, use extinguishing media appropriate for primary cause of fire such as

carbon dioxide, dry chemical extinguishing powder or foam.

Special Fire Fighting

Procedures

No special provisions required beyond normal firefighting equipment such as flame

and chemical resistant clothing and self contained breathing apparatus.



6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal For spilled powder, isolate area around spill. Put on suitable protective clothing and

equipment as specified by site spill control procedures. Collect the spilled powder using techniques that minimize powder migration. Clean affected area with soap and water. Absorb any liquid with an inert absorbent material (e.g. absorbent pad). Dispose of materials according to the applicable federal, state, or local regulations.

If a spill occurs after reconstitution, absorb liquid with suitable material and clean affected area with soap and water. Dispose of materials according to the applicable

federal, state, or local regulations.

7. HANDLING AND STORAGE

Handling No special handling required under conditions of normal product use.

Storage No special storage required for hazard control. For product protection, follow storage

recommendations noted on the product case label, the primary container label, or the

product insert.

Special Precautions No special precautions are required for hazard controls. Employees with known

allergies to penicillin and cephalosporin antibiotics should consult a health and/or

safety professional prior to handling open containers of this material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

	Exposure Limits				
Component	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL	
Meropenem Trihydrate	8-hr TWA: Not	8-hr TWA: Not	8-hr TWA: Not	8-hr TWA: Not	
	Established	Established	Established	Established	
Sodium Carbonate	8 hr TWA: Not	8 hr TWA: Not	8 hr TWA: Not	8-hr TWA: Not	
	Established	Established	Established	Established	

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value.

AIHA WEEL: Workplace Environmental Exposure Level

EEL: Employee Exposure Limit. TWA: 8-hour Time Weighted Average.

Respiratory Protection Respiratory protection is normally not needed during intended product use. However,

if the generation of dusts or aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended under conditions where airborne dust or aerosol concentrations are not expected to be excessive. For uncontrolled release events, or if exposure levels are not known, provide respirators that offer a high protection factor such as a powered air purifying respirator or supplied air. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions require respirator use. Personnel who wear respirators should be fit tested

and approved for respirator use as required.

Skin Protection If skin contact with the product formulation is likely, the use of latex or nitrile gloves

is recommended.

Eye Protection Eye protection is normally not required during intended product use. However, if eye

contact is likely to occur, the use of chemical safety goggles (as a minimum) is

recommended.

Engineering Controls Engineering controls are normally not needed during the normal use of this product.





9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State Meropenem is a white to pale yellow crystalline powder; solutions

vary from colorless to yellow depending on the concentration

Odor NA Odor Threshold NA

pH The pH of freshly constituted aqueous solutions is between 7.3 and

8.3

Melting point/Freezing Point NA **Initial Boiling Point/Boiling Point Range** NA **Flash Point** NA **Evaporation Rate** NA Flammability (solid, gas) NA **Upper/Lower Flammability or Explosive Limits** NA NA Vapor Pressure Vapor Density (Air =1) NA **Relative Density** NA

Solubility Soluble in water

Partition Coefficient: n-octanol/water NA
Auto-ignition Temperature NA
Decomposition Temperature NA
Viscosity NA

10. STABILITY AND REACTIVITY

Reactivity Not determined.

Chemical Stability Stable under standard use and storage conditions.

Hazardous Reactions Not determined

Conditions to Avoid Strong oxidizers and strong bases

Incompatibilities Not determined

Hazardous Decomposition Not determined. During thermal decomposition, it may be possible to generate

Products irritating vapors and/or toxic fumes of carbon oxides (COx), nitrogen oxides (NOx),

sulfur oxides (SOx), and oxides of sodium (NaxOx).

Hazardous Polymerization Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Not determined for the product formulation. Information for the ingredients is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Meropenem Trihydrate	100	LD50	Oral	NA	NA	NA
Meropenem	100	LD50	Oral	>5000	mg/kg	Rat, Mouse
Meropenem	100	LD50	Intravenous	2850 2650	mg/kg mg/kg	Rat Mouse
Sodium Carbonate	100	LD50	Oral	4090 6600	mg/kg mg/kg	Rat Mouse

LD50: Dosage that produces 50% mortality.



11. TOXICOLOGICAL INFORMATION: continued

Occupational Exposure Info

Potential

Information on the absorption of this product via inhalation or skin contact is not

available. Avoid dust or liquid aerosol generation and skin contact.

Signs and SymptomsNone anticipated from normal handling of this product. In clinical use, the most

common adverse effects of meropenem include headache, nausea, diarrhea, vomiting, rash, seizures, pruritus, urticaria, thrombocytosis, abdominal pain, and elevated liver enzymes. Some patients with a history of penicillin hypersensitivity have experienced severe hypersensitivity reactions when treated with another beta-lactam antibiotic.

Aspiration Hazard None anticipated from normal handling of this product.

Dermal Irritation/Corrosion None anticipated from normal handling of this product. However, inadvertent contact

with this product formulation may be irritating to mucous membranes and the

respiratory system.

Ocular Irritation/Corrosion None anticipated from normal handling of this product. However, inadvertent contact

of this product formulation with eyes may produce irritation with redness and

discomfort.

Dermal or Respiratory

Sensitization

None anticipated from normal handling of this product. The active ingredient in this product is a potential sensitizer and may induce allergic reactions in persons known to be sensitized to penicillins and cephalosporins. If known to be allergic to penicillins or cephalosporins, consult a health or safety professional prior to handling open

containers of this product.

Reproductive EffectsNone anticipated from normal handling of this product. Reproductive studies

conducted with meropenem in rats at dosages up to 750 mg/kg/day, and cynomolgus monkeys at dosages of up to 360 mg/kg/day. These studies revealed no evidence of impaired fertility or harm to the fetus due to meropenem, although there were slight changes in fetal body weight at dosages of 250 mg/kg/day. There was increased

evidence of abortions at 500 mg/kg in a preliminary study in monkeys.

Mutagenicity Genetic toxicity studies were performed with meropenem using the bacterial reverse

mutation test, the Chinese hamster ovary HGPRT assay, cultured human lymphocytes

cytogenic assay, and the mouse micronucleus test. There was no evidence of

mutagenic potential found in any of these tests.

Carcinogenicity The carcinogenic potential of meropenem has not been evaluated.

Carcinogen Lists IARC: Not listed NTP: Not listed OSHA: Not listed

Specific Target Organ Toxicity

- Single Exposure

NA

Specific Target Organ Toxicity

- Repeat Exposure

Based on clinical use, possible target organs include the gastrointestinal system,

nervous system, skin, hematopoietic system, and liver.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity Not determined for product. Information for ingredients is as follows:

LC50 = 320 mg/L; 96 Hr.; static Conditions, for Bluegill/Sunfish for sodium carbonate

Persistence/Biodegradability Not determined for product.

Bioaccumulation Not determined for product.

Mobility in Soil Not determined for product.



13. DISPOSAL CONSIDERATIONS

Waste Disposal All waste materials must be properly characterized. Further, disposal should be

performed in accordance with the federal, state or local regulatory requirements.

Container Handling and

Disposal

Dispose of container and unused contents in accordance with federal, state and local

regulations.

14. TRANSPORTATION INFORMATION

ADR/ADG/ DOT STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

ICAO/IATA STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

IMDG STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

Notes: DOT - US Department of Transportation Regulations

15. REGULATORY INFORMATION

US TSCA Status Exempt. However, sodium carbonate is listed on the U.S. TSCA inventory.

US CERCLA Status
US SARA 302 Status
US SARA 313 Status
US RCRA Status
US PROP 65 (Calif.)
Not listed
Not listed
Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65



15. REGULATORY INFORMATION: continued

GHS/CLP Classification* *In the EU, classification under GHS/CLP does not apply to certain substances and

mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in

the finished state, intended for the final user.

Hazard Class Hazard Category Pictogram Signal Word Hazard Statement

NA NA NA NA NA NA

Prevention Do not breathe dust, vapor or spray

In case of inadequate ventilation, wear respiratory protection

Wear eye protection/face protection

Wear protective gloves

Wash hands thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Response Get medical attention if you feel unwell

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

EU Classification* *Medicinal products are exempt from the requirements of the EU Dangerous

Preparations Directive.

Classification(s) NA Symbol NA Indication of Danger NA

Risk Phrases R42/43: May cause sensitization by inhalation and skin contact

Safety Phrases S23: Do not breathe vapor/spray

S24: Avoid contact with the skin S25: Avoid contact with eyes

S37/39 Wear suitable gloves and eye/face protection



16. OTHER INFORMATION

Notes:

ACGIH TLV American Conference of Governmental Industrial Hygienists – Threshold Limit Value

CAS Chemical Abstracts Service Number

CERCLA US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act

DOT US Department of Transportation Regulations

EEL Employee Exposure Limit

IATA International Air Transport Association LD₅₀ Dosage producing 50% mortality NA Not applicable/Not available

NE Not established

NIOSH National Institute for Occupational Safety and Health

OSHA PEL US Occupational Safety and Health Administration – Permissible Exposure Limit

Prop 65 California Proposition 65

RCRA US EPA, Resource Conservation and Recovery Act
RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments and Reauthorization Act

STEL 15-minute Short Term Exposure Limit

STOT - SE Specific Target Organ Toxicity – Single Exposure STOT - RE Specific Target Organ Toxicity – Repeated Exposure

TSCA Toxic Substance Control Act
TWA 8-hour Time Weighted Average

MSDS Coordinator: Hospira GEHS
Date Prepared: October 19, 2012
Date Revised: June 02, 2014

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.



SAFETY DATA SHEET

Product Name: Meropenem for Injection

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Name And Hospira, Inc.

Address 275 North Field Drive

Lake Forest, Illinois 60045

USA

Emergency Telephone CHEMTREC: North America: 800-424-9300;

International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418

Hospira, Inc., Non-Emergency 224 212-2000

Product Name Meropenem for Injection

Synonyms (4R,5S,6S)-3-[[(3S,5S)-5-(Dimethylcarbamoyl)-3-pyrrolidinyl]thio]-6-[(1R)-1-

hydroxyethyl]-4-methyl-7-oxo-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid

trihydrate

2. HAZARD(S) IDENTIFICATION

Emergency Overview Meropenem for Injection is a powder containing meropenem, a carbapenem beta-

lactam antibacterial with actions and uses similar to those of imipenem. Clinically, it is used to treat infections caused by susceptible Gram-positive and Gram-negative bacteria. In the workplace, this material should be considered potentially irritating to the skin, eyes and respiratory tract, and a potential sensitizer which may induce allergic reactions in persons known to be sensitized to penicillins and cephalosporins. Based on clinical use, possible target organs include the gastrointestinal system,

nervous system, skin, hematopoietic system, and liver.

U.S. OSHA GHS Classification

Physical Hazards Hazard Class Hazard Category

Not Classified Not Classified

Health Hazards Hazard Class Hazard Category

Eye Damage / Irritation 2A Sensitization – Skin 1 Sensitization - Respiratory 1

STOT - RE

Label Element(s)

Pictogram



Signal Word Danger

Hazard Statement(s) Causes serious eye irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause damage to organ through prolonged or repeated exposure



2. HAZARD(S) IDENTIFICATION: continued

Precautionary Statement(s)

Prevention Do not breathe dust, vapor or spray

In case of inadequate ventilation, wear respiratory protection

Wear eye protection/face protection

Wear protective gloves

Wash hands thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace.

Response Get medical attention if you feel unwell

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name Meropenem Sodium Carbonate

Chemical Formula C₁₇H₂₅N₃O₅S•3H₂O CO₃Na₂

Component	Approximate Percent by Weight	CAS Number	RTECS Number
Meropenem Trihydrate	91	119478-56-7	CL5446507
Sodium Carbonate	8	497-19-8	VZ4050000

4. FIRST AID MEASURES

Eye Contact Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Skin Contact Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Inhalation Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Ingestion Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability None anticipated for this product. However, many organic powders will combust at

elevated temperatures.

Fire & Explosion Hazard None anticipated for this product. Avoid the creation of dusty environments.

Extinguishing Media As with any fire, use extinguishing media appropriate for primary cause of fire such as

carbon dioxide, dry chemical extinguishing powder or foam.

Special Fire Fighting

Procedures

No special provisions required beyond normal firefighting equipment such as flame

and chemical resistant clothing and self contained breathing apparatus.



6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal For spilled powder, isolate area around spill. Put on suitable protective clothing and

equipment as specified by site spill control procedures. Collect the spilled powder using techniques that minimize powder migration. Clean affected area with soap and water. Absorb any liquid with an inert absorbent material (e.g. absorbent pad). Dispose of materials according to the applicable federal, state, or local regulations.

If a spill occurs after reconstitution, absorb liquid with suitable material and clean affected area with soap and water. Dispose of materials according to the applicable

federal, state, or local regulations.

7. HANDLING AND STORAGE

Handling No special handling required under conditions of normal product use.

Storage No special storage required for hazard control. For product protection, follow storage

recommendations noted on the product case label, the primary container label, or the

product insert.

Special Precautions No special precautions are required for hazard controls. Employees with known

allergies to penicillin and cephalosporin antibiotics should consult a health and/or

safety professional prior to handling open containers of this material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

	Exposure Limits				
Component	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL	
Meropenem Trihydrate	8-hr TWA: Not	8-hr TWA: Not	8-hr TWA: Not	8-hr TWA: Not	
	Established	Established	Established	Established	
Sodium Carbonate	8 hr TWA: Not	8 hr TWA: Not	8 hr TWA: Not	8-hr TWA: Not	
	Established	Established	Established	Established	

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value.

AIHA WEEL: Workplace Environmental Exposure Level

EEL: Employee Exposure Limit. TWA: 8-hour Time Weighted Average.

Respiratory Protection Respiratory protection is normally not needed during intended product use. However,

if the generation of dusts or aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended under conditions where airborne dust or aerosol concentrations are not expected to be excessive. For uncontrolled release events, or if exposure levels are not known, provide respirators that offer a high protection factor such as a powered air purifying respirator or supplied air. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions require respirator use. Personnel who wear respirators should be fit tested

and approved for respirator use as required.

Skin Protection If skin contact with the product formulation is likely, the use of latex or nitrile gloves

is recommended.

Eye Protection Eye protection is normally not required during intended product use. However, if eye

contact is likely to occur, the use of chemical safety goggles (as a minimum) is

recommended.

Engineering Controls Engineering controls are normally not needed during the normal use of this product.





9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State Meropenem is a white to pale yellow crystalline powder; solutions

vary from colorless to yellow depending on the concentration

Odor NA Odor Threshold NA

pH The pH of freshly constituted aqueous solutions is between 7.3 and

8.3

Melting point/Freezing Point NA **Initial Boiling Point/Boiling Point Range** NA **Flash Point** NA **Evaporation Rate** NA Flammability (solid, gas) NA **Upper/Lower Flammability or Explosive Limits** NA NA Vapor Pressure Vapor Density (Air =1) NA **Relative Density** NA

Solubility Soluble in water

Partition Coefficient: n-octanol/water NA
Auto-ignition Temperature NA
Decomposition Temperature NA
Viscosity NA

10. STABILITY AND REACTIVITY

Reactivity Not determined.

Chemical Stability Stable under standard use and storage conditions.

Hazardous Reactions Not determined

Conditions to Avoid Strong oxidizers and strong bases

Incompatibilities Not determined

Hazardous Decomposition Not determined. During thermal decomposition, it may be possible to generate

Products irritating vapors and/or toxic fumes of carbon oxides (COx), nitrogen oxides (NOx),

sulfur oxides (SOx), and oxides of sodium (NaxOx).

Hazardous Polymerization Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Not determined for the product formulation. Information for the ingredients is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Meropenem Trihydrate	100	LD50	Oral	NA	NA	NA
Meropenem	100	LD50	Oral	>5000	mg/kg	Rat, Mouse
Meropenem	100	LD50	Intravenous	2850 2650	mg/kg mg/kg	Rat Mouse
Sodium Carbonate	100	LD50	Oral	4090 6600	mg/kg mg/kg	Rat Mouse

LD50: Dosage that produces 50% mortality.



11. TOXICOLOGICAL INFORMATION: continued

Occupational Exposure Info

Potential

Information on the absorption of this product via inhalation or skin contact is not

available. Avoid dust or liquid aerosol generation and skin contact.

Signs and SymptomsNone anticipated from normal handling of this product. In clinical use, the most

common adverse effects of meropenem include headache, nausea, diarrhea, vomiting, rash, seizures, pruritus, urticaria, thrombocytosis, abdominal pain, and elevated liver enzymes. Some patients with a history of penicillin hypersensitivity have experienced severe hypersensitivity reactions when treated with another beta-lactam antibiotic.

Aspiration Hazard None anticipated from normal handling of this product.

Dermal Irritation/Corrosion None anticipated from normal handling of this product. However, inadvertent contact

with this product formulation may be irritating to mucous membranes and the

respiratory system.

Ocular Irritation/Corrosion None anticipated from normal handling of this product. However, inadvertent contact

of this product formulation with eyes may produce irritation with redness and

discomfort.

Dermal or Respiratory

Sensitization

None anticipated from normal handling of this product. The active ingredient in this product is a potential sensitizer and may induce allergic reactions in persons known to be sensitized to penicillins and cephalosporins. If known to be allergic to penicillins or cephalosporins, consult a health or safety professional prior to handling open

containers of this product.

Reproductive EffectsNone anticipated from normal handling of this product. Reproductive studies

conducted with meropenem in rats at dosages up to 750 mg/kg/day, and cynomolgus monkeys at dosages of up to 360 mg/kg/day. These studies revealed no evidence of impaired fertility or harm to the fetus due to meropenem, although there were slight changes in fetal body weight at dosages of 250 mg/kg/day. There was increased

evidence of abortions at 500 mg/kg in a preliminary study in monkeys.

Mutagenicity Genetic toxicity studies were performed with meropenem using the bacterial reverse

mutation test, the Chinese hamster ovary HGPRT assay, cultured human lymphocytes

cytogenic assay, and the mouse micronucleus test. There was no evidence of

mutagenic potential found in any of these tests.

Carcinogenicity The carcinogenic potential of meropenem has not been evaluated.

Carcinogen Lists IARC: Not listed NTP: Not listed OSHA: Not listed

Specific Target Organ Toxicity

- Single Exposure

NA

Specific Target Organ Toxicity

- Repeat Exposure

Based on clinical use, possible target organs include the gastrointestinal system,

nervous system, skin, hematopoietic system, and liver.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity Not determined for product. Information for ingredients is as follows:

LC50 = 320 mg/L; 96 Hr.; static Conditions, for Bluegill/Sunfish for sodium carbonate

Persistence/Biodegradability Not determined for product.

Bioaccumulation Not determined for product.

Mobility in Soil Not determined for product.



13. DISPOSAL CONSIDERATIONS

Waste Disposal All waste materials must be properly characterized. Further, disposal should be

performed in accordance with the federal, state or local regulatory requirements.

Container Handling and

Disposal

Dispose of container and unused contents in accordance with federal, state and local

regulations.

14. TRANSPORTATION INFORMATION

ADR/ADG/ DOT STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

ICAO/IATA STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

IMDG STATUS Not regulated

Proper Shipping Name NA
Hazard Class NA
UN Number NA
Packing Group NA
Reportable Quantity NA

Notes: DOT - US Department of Transportation Regulations

15. REGULATORY INFORMATION

US TSCA Status Exempt. However, sodium carbonate is listed on the U.S. TSCA inventory.

US CERCLA Status
US SARA 302 Status
US SARA 313 Status
US RCRA Status
US PROP 65 (Calif.)
Not listed
Not listed
Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65



15. REGULATORY INFORMATION: continued

GHS/CLP Classification* *In the EU, classification under GHS/CLP does not apply to certain substances and

mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in

the finished state, intended for the final user.

Hazard Class Hazard Category Pictogram Signal Word Hazard Statement

NA NA NA NA NA NA

Prevention Do not breathe dust, vapor or spray

In case of inadequate ventilation, wear respiratory protection

Wear eye protection/face protection

Wear protective gloves

Wash hands thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Response Get medical attention if you feel unwell

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

EU Classification* *Medicinal products are exempt from the requirements of the EU Dangerous

Preparations Directive.

Classification(s) NA Symbol NA Indication of Danger NA

Risk Phrases R42/43: May cause sensitization by inhalation and skin contact

Safety Phrases S23: Do not breathe vapor/spray

S24: Avoid contact with the skin S25: Avoid contact with eyes

S37/39 Wear suitable gloves and eye/face protection



16. OTHER INFORMATION

Notes:

ACGIH TLV American Conference of Governmental Industrial Hygienists – Threshold Limit Value

CAS Chemical Abstracts Service Number

CERCLA US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act

DOT US Department of Transportation Regulations

EEL Employee Exposure Limit

IATA International Air Transport Association LD₅₀ Dosage producing 50% mortality NA Not applicable/Not available

NE Not established

NIOSH National Institute for Occupational Safety and Health

OSHA PEL US Occupational Safety and Health Administration – Permissible Exposure Limit

Prop 65 California Proposition 65

RCRA US EPA, Resource Conservation and Recovery Act
RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments and Reauthorization Act

STEL 15-minute Short Term Exposure Limit

STOT - SE Specific Target Organ Toxicity – Single Exposure STOT - RE Specific Target Organ Toxicity – Repeated Exposure

TSCA Toxic Substance Control Act
TWA 8-hour Time Weighted Average

MSDS Coordinator: Hospira GEHS
Date Prepared: October 19, 2012
Date Revised: June 02, 2014

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.