

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078911955

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078911954

## Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
Consulted for specific requirements.

IDENTITY (As used on Label and List)	<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
<b>Transition™ Calcium Bolus</b>	

### Section 1

Manufacturer's Name <b>MAI P/S Division</b>	Emergency Telephone Number <b>715-778-5822</b>
Address (Number, Street, City, State and Zip Code) <b>P.O. Box 39</b>	Telephone Number for Information <b>715-778-5822</b>
<b>Spring Valley, WI 54767</b>	Date Prepared <b>10/9/2013</b>
	Signature of Preparer (optional)

### Section II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical identity; Common Names(s))		Other limits			
Chemical Name	Common Name(s)	CAS Number	OSHA PEL	ACGIH TLV	Recommended
Calcium Chloride		10043-52-4			
Calcium Carbonate		471-34-1			
Calcium Propionate		4075-81-4			
Cholecalciferol		67-97-0			

### Section III – Physical/Chemical Characteristics

Boiling Point No Data		Specific Gravity (H2O =1) No Data	
Vapor Pressure (mm Hg.) 0.01 hPa		Melting Point No Data	
Vapor Density (Air = 1) 2.2 g/l		Evaporation Rate (Butyl Acetate = 1) No Data	
Solubility in Water Complete, colorless 1 M in H2O, 20 C			

Appearance and Odor  
Physical State: White Large Time Release Tablet/Odorless.

#### Section IV – Fire and Explosion Hazard Data

Flammability: Unknown	Flammable Limits unknown	LEL Unknown	UEL Unknown
Extinguishing Media: Dry Chemical powder			
Special Fire Fighting Procedures; None			
Unusual Fire and Explosion Hazards: None			

#### Section V – Reactivity Data

Stability	Unstable		Conditions to Avoid None <b>n/a</b>
	Stable	<b>x</b>	
Incompatibility (Materials to Avoid) None			
Hazardous Decomposition : None			
Hazardous Polymerization	May Occur		Conditions To Avoid n/a
	Will Not Occur	<b>x</b>	

#### Section VI – Health Hazard Data

Route(s) of Entry:	Inhalation? <b>X</b>	Skin? <b>X</b>	Ingestion? <b>X</b>	Eyes? <b>X</b>
Health Hazards ( <i>Acute and Chronic</i> ) <b>Eye:</b> May cause stinging, tearing, itching, swelling, and/or redness. <b>Skin:</b> Prolonged contact may be drying or transiently irritating to skin.. <b>Inhalation:</b> none <b>Ingestion:</b> May result in nausea, vomiting, and/or diarrhea.				
Hazardous livestock remedy. Product is not intended for human consumption.				

Carcinogenicity:	NTP?	IARC Monographs ?	OSHA Regulated?
Signs and Symptoms of Exposure <b>None known.</b>			
Medical Conditions Generally Aggravated by Exposure None known			
Emergency and First Aid Procedures <b>Eye: Flush thoroughly with water for 15 minutes.</b> <b>Skin: If prolonged contact occurs, rinse thoroughly with water.</b> <b>Inhalation: none</b> <b>Ingestion: Drink 2 or 4 glasses of milk do not induce vomiting.</b>			

## Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Evacuate area.
Waste Disposal Method
<b>Precautions to Be Taken in Handling and Storing</b>  <b>Store in cool dry environment. Avoid contact with intense heat and open flame. Keep out of reach of children.</b>
Other Precautions:  <b>Eyewash station and safety shower should be available within the hazards presented by this material.</b>

## Section VIII – Control Measures

Respiratory Protection ( <i>Specify Type</i> ) <b>none</b>		
Ventilation	Local Exhaust <b>none</b>	Special
	Mechanical ( <i>General</i> ) <b>none</b>	Other
Protective Gloves <b>none</b>		Eye Protection <b>none</b>
Other Protective Clothing or Equipment		
Eyewash station and safety shower should be available within the hazards presented by this material.		
Work/Hygienic Practices		
Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.		

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Reasonable care has been taken in the preparation of this document, but no warranties are extended and no representation made as to the accuracy or completeness of the information. Since MAI P/S Division has no control over the ultimate use of this product, it is the responsibility of the user to determine the conditions of its safe use.



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 1 of 11

### TRANSITION™ Calcium Bolus

#### SECTION 1: Identification

##### Product identifier

**Product name:** TRANSITION™ Calcium Bolus

**Product code:** 85005 / 85006 / 85008 / 85011

**Additional information:** The potential for exposure to hazardous substances contained in this product as supplied and administered (pill form) is unlikely. The description of hazards and potential adverse effects are applicable if the pill is crushed or broken.

##### Recommended use of the product and restriction on use

**Relevant identified uses:** Nutritional supplement for cows.

**Uses advised against:** Not for human use. Keep out of reach of children.

**Reasons why uses advised against:** Not determined or not applicable.

##### Manufacturer or supplier details

###### Manufacturer:

###### United States

Contract Manufacturing Services  
1111 West Industrial Road  
Elmwood, WI 54740  
877-267-4094

###### Supplier:

###### United States

MAI Animal Health  
605 Pro-Ject Drive  
Elmwood, WI 54740  
1-800-447-0687

##### Emergency telephone number:

###### United States

Poison Control  
800-222-1222 (24 hours)

#### SECTION 2: Hazard(s) identification

##### GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

##### Label elements

###### Hazard pictograms:



**Signal word:** Warning

##### Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

##### Precautionary statements:

P264 Wash skin thoroughly after handling

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 2 of 11

### TRANSITION™ Calcium Bolus

P280 Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see Sections 4 - 8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

**Hazards not otherwise classified:** None

### SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7647-14-5	Sodium chloride	<1.5
CAS number: 10043-52-4	Calcium chloride	50-60
CAS number: 7447-40-7	Potassium chloride	1-2
CAS number: 14808-60-7	Silica, crystalline quartz (respirable)	<0.5
CAS number: 1317-65-3	Calcium Carbonate	10-15
CAS number: 4075-81-4	Calcium dipropionate	2-3
CAS number: 8002-74-2	Paraffin waxes and Hydrocarbon waxes	2-3

#### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

### SECTION 4: First aid measures

#### Description of first aid measures

##### General notes:

Show this Safety Data Sheet to the doctor in attendance.

##### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

##### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 3 of 11

### TRANSITION™ Calcium Bolus

#### After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

#### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

##### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

##### Delayed symptoms and effects:

Not determined or not applicable.

#### Immediate medical attention and special treatment

##### Specific treatment:

Not determined or not applicable.

##### Notes for the doctor:

Treat symptomatically.

### SECTION 5: Firefighting measures

#### Extinguishing media

##### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable extinguishing media:

Do not use water jet.

#### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating and toxic fumes including carbon oxides, calcium oxides, potassium oxides, sodium oxides and hydrogen chloride gas.

#### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 4 of 11

### TRANSITION™ Calcium Bolus

#### Methods and material for containment and cleaning up:

Collect spilled product and place in a suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and storage

#### Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m <sup>3</sup>
	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA: 0.3 mg/m <sup>3</sup> (Total dust)
	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA: 0.1 mg/m <sup>3</sup> (Respirable)
	Silica, crystalline quartz (respirable)	14808-60-7	TWA: 0.025 mg/m <sup>3</sup> (Action level, respirable)
	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 15 mg/m <sup>3</sup> (total dust)
	Calcium Carbonate	1317-65-3	8-Hour TWA-PEL: 5 mg/m <sup>3</sup> (respirable fraction)
ACGIH	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA: 0.025 mg/m <sup>3</sup> (respirable particulate matter)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 10 mg/m <sup>3</sup> (inhalable particulate matter containing no asbestos and < 1% crystalline silica)
	Calcium Carbonate	1317-65-3	8-Hour TWA: 3 mg/m <sup>3</sup> (respirable particles)
	Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA: 2 mg/m <sup>3</sup>
NIOSH	Silica, crystalline quartz (respirable)	14808-60-7	REL-TWA: 0.05 mg/m <sup>3</sup> (up to 10 hrs.)
	Silica, crystalline quartz (respirable)	14808-60-7	IDLH: 50 mg/m <sup>3</sup>
	Calcium Carbonate	1317-65-3	REL-TWA: 10 mg/m <sup>3</sup> (total dust - up to 10 hrs.)



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 5 of 11

### TRANSITION™ Calcium Bolus

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States(California)	Calcium Carbonate	1317-65-3	REL-TWA: 5 mg/m <sup>3</sup> (respirable fraction - up to 10 hrs.)
	Paraffin waxes and Hydrocarbon waxes	8002-74-2	REL: 2 mg/m <sup>3</sup>
	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m <sup>3</sup>
	Paraffin waxes and Hydrocarbon waxes	8002-74-2	PEL: 2 mg/m <sup>3</sup>

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal protection equipment

##### Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

##### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance	White to Pale Yellow Pill with Waxy Coating
Odor	Metallic
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 6 of 11

### TRANSITION™ Calcium Bolus

Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

#### Other information

### SECTION 10: Stability and reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical stability:

Stable under recommended handling and storage conditions.

#### Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to avoid:

Extreme heat; Hot surfaces; Moisture; Incompatible materials

#### Incompatible materials:

Acids; Strong oxidizing agents

#### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Sodium chloride	oral	LD50 Rat: 3000 mg/kg
	inhalation	LC50 Rat: 42,000 mg/m <sup>3</sup> (1 hr.)
	dermal	LD50 Rabbit: >10,000 mg/kg
Calcium chloride	oral	LD50 Rat: 1000 mg/kg
Potassium chloride	oral	LD50 Rat: 2600 mg/kg

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 7 of 11

### TRANSITION™ Calcium Bolus

Name	Route	Result
Paraffin waxes and Hydrocarbon waxes	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg

#### Skin corrosion/irritation

**Assessment:**

Causes skin irritation.

**Product data:**

No data available.

**Substance data:**

Name	Result
Calcium chloride	Causes skin irritation.

#### Serious eye damage/irritation

**Assessment:**

Causes serious eye irritation.

**Product data:**

No data available.

**Substance data:**

Name	Result
Calcium chloride	Causes serious eye irritation.
Calcium dipropionate	Causes serious eye damage.

#### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Silica, crystalline quartz (respirable)	Not applicable	May cause lung cancer via inhalation.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Silica, crystalline quartz (respirable)	Group 1

#### National Toxicology Program (NTP):

Name	Classification
Silica, crystalline quartz (respirable)	Known to be human carcinogens

**OSHA Carcinogens:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 8 of 11

### TRANSITION™ Calcium Bolus

Ingredient Name	CAS	OSHA Carcinogens Status
Silica, crystalline quartz (respirable)	14808-60-7	Yes

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
Silica, crystalline quartz (respirable)	Causes damage to organs (lungs; kidneys; immune system) through prolonged or repeated exposure via inhalation.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Information on likely routes of exposure:

Ingestion; Skin contact

#### Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

#### Other information:

No data available.

### SECTION 12: Ecological information

#### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 9 of 11

### TRANSITION™ Calcium Bolus

**Substance data:** No data available.

#### Persistence and degradability

**Product data:** No data available.

**Substance data:**

Name	Result
Calcium chloride	Not applicable to an inorganic compound.
Calcium dipropionate	This substance is readily biodegradable.
Paraffin waxes and Hydrocarbon waxes	Inherently biodegradable, but not readily biodegradable (the percent biodegradability of the test substance was determined to be 31%).

#### Bioaccumulative potential

**Product data:** No data available.

**Substance data:**

Name	Result
Calcium dipropionate	Bioaccumulation is not expected for this substance.

#### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

#### Results of PBT and vPvB assessment

**Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Other adverse effects:** No data available.

### SECTION 13: Disposal considerations

#### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

#### Contaminated packages:

Empty containers may contain product residue that presents the same hazards as the product.

### SECTION 14: Transport information

#### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

#### International Maritime Dangerous Goods (IMDG)

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 10 of 11

### TRANSITION™ Calcium Bolus

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### SECTION 15: Regulatory information

#### United States regulations

**Inventory listing (TSCA):** All ingredients are listed or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 extremely hazardous substances:** None of the ingredients are listed.

**SARA Section 313 toxic chemicals:**

7647-14-5	Sodium chloride	Not Listed
10043-52-4	Calcium chloride	Not Listed
7447-40-7	Potassium chloride	Not Listed
14808-60-7	Silica, crystalline quartz (respirable)	Not Listed
1317-65-3	Calcium Carbonate	Not Listed
4075-81-4	Calcium dipropionate	Not Listed
8002-74-2	Paraffin waxes and Hydrocarbon waxes	Not Listed

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

14808-60-7	Silica, crystalline quartz (respirable)	Listed
1317-65-3	Calcium Carbonate	Listed
8002-74-2	Paraffin waxes and Hydrocarbon waxes	Listed

**New Jersey Right to Know:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.23.2020

Page 11 of 11

### TRANSITION™ Calcium Bolus

7447-40-7	Potassium chloride	Listed
14808-60-7	Silica, crystalline quartz (respirable)	Listed
1317-65-3	Calcium Carbonate	Listed
8002-74-2	Paraffin waxes and Hydrocarbon waxes	Listed

#### New York Right to Know:

7647-14-5	Sodium chloride	Not Listed
10043-52-4	Calcium chloride	Not Listed
7447-40-7	Potassium chloride	Not Listed
14808-60-7	Silica, crystalline quartz (respirable)	Not Listed
1317-65-3	Calcium Carbonate	Not Listed
4075-81-4	Calcium dipropionate	Not Listed
8002-74-2	Paraffin waxes and Hydrocarbon waxes	Not Listed

#### Pennsylvania Right to Know:

7447-40-7	Potassium chloride	Listed
14808-60-7	Silica, crystalline quartz (respirable)	Listed
1317-65-3	Calcium Carbonate	Listed
8002-74-2	Paraffin waxes and Hydrocarbon waxes	Listed

#### California Proposition 65:

**⚠WARNING:** This product can expose you to Silica, crystalline (airborne particles of respirable size); which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### SECTION 16: Other information

**Abbreviations and Acronyms:** None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial preparation date:** 07.23.2020

**End of Safety Data Sheet**