# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078912111

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078912110 078927017



# SAFETY DATA SHEET

# 1. Identification

Product identifier	Vetera® Gold XP + VEE
Other means of identification	
Product code	APHIS Code – 49W5.21, Family Code - 370
Recommended use	Vaccine for parenteral use in animals.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier	/Distributor information
Manufacturer	Boehringer Ingelheim Vetmedica, Inc.
Address	2621 North Belt Hwy
	St. Joseph, MO 64506-2002
Transportation emergency	For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300
	Outside USA and Canada: +1 703-527-3887 (collect calls accepted)
Medical Emergency (24HR):	(866)638-2226
Non-Emergency calls:	(800) 821-7467

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin Carcinogenicity	Category 1 Category 1
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger	
Hazard statement	May cause cancer. May cause an allergic skin reaction.	
Precautionary statement		
Prevention	Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Storage	Store away from incompatible materials. Keep at a temperature between 2 - 7°C Do not freeze. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
*Formaldehyde	50-00-0	≤ 1.85 g/L
Composition comments	* Used to inactivate bacterin and subsequently removed from solution. maximum remaining amount by percent weight which is below USDA al	

Vetera® Gold XP + VEE

# 4. First-aid measures

4. First-aid measures	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash. Ingestion of a large quantity may cause vomiting, nausea, dizziness, drowsiness and other systemic effects.
Indication of immediate medical attention and special treatment needed	Not for human use. For use in animals only. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Persons developing anaphylactic (life threatening) reactions, such as difficulty in breathing or unconsciousness, must receive immediate medical attention.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from foodstuffs. Store in the dark at 2°C to 7°C (35°F to 45°F). Avoid freezing. Shake Well. Store away from incompatible materials, see Section 10 of the SDS.

# 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)			
Components	Туре	Value	
*Formaldehyde (CAS 50-00-0)	STEL	2 ppm	

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Components	Туре	Value
	TWA	0.75 ppm
US. ACGIH Threshold Lim	iit Values	
Components	Туре	Value
*Formaldehyde (CAS 50-00-0)	STEL	0.3 ppm
	TWA	0.1 ppm
US. NIOSH: Pocket Guide Components	to Chemical Hazards Type	Value
*Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm
iological limit values	No biological exposure limits noted f	or the ingredient(s).
ppropriate engineering ontrols	Ventilation rates should be matched exhaust ventilation, or other enginee	ventilation (typically 10 air changes per hour) should be used. to conditions. If applicable, use process enclosures, local ring controls to maintain airborne levels below recommended ve not been established, maintain airborne levels to an
ndividual protection measure	s, such as personal protective equipm	nent
Eye/face protection	side shields are recommended. The	aboratory, medical or industrial settings, safety glasses with use of goggles or full face protection may be required e setting. Contact a health and safety professional for specific
Skin protection		
Hand protection	Wear appropriate chemical resistant supplier.	gloves. Suitable gloves can be recommended by the glove
Skin protection		
Other	Wear appropriate chemical resistant protective gloves.	clothing. Use of an impervious apron is recommended. Wear
Respiratory protection	None required for consumer use. Respirators may be required for certain laboratory and manufacturing tasks if engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (where exposure limits have not been established). Workplace risk assessments should be completed before specifying and implementing respirator usage. All respirators must conform to specifications for efficiency and performance. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 29 CFR 1910.134. Respirator type: Air-purifying respirator with an appropriate, air-purifying filter, cartridge or canister. Contact a health and safety professional or manufacturer for specific information.	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
ieneral hygiene onsiderations	and before eating, drinking, and/or s	ne measures, such as washing after handling the material moking. Routinely wash work clothing and protective Contaminated work clothing should not be allowed out of the

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Killed virus, inactivated bacterin toxoid and adjuvant in an injectable solution.
Color	Clear to slightly pink.
Odor	No data available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Will burn if involved in a fire.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Excessive heat. Keep from freezing.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Low hazard for usual handling by trained personnel.	
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash. Ingestion of a large quantity may cause vomiting, nausea, dizziness, drowsiness and other systemic effects.	

### Information on toxicological effects

Acute toxicity	May cause an allergic skin reaction.		
Components	Species	Test Results	
*Formaldehyde (CAS 50-00-0	0)		
<u>Acute</u>			
Dermal			
LD50	Rat	270 mg/kg	
Inhalation			
LC50	Rat	0.578 mg/l, 4 hours	

938666 Version #: 02 Revision date: 12-February-2018 Issue date: 05-July-2017

Components	Species		Test Results	
Oral				
LD50	Rat		100 mg/kg	
kin corrosion/irritation	Prolonged s	Prolonged skin contact may cause temporary irritation.		
erious eye damage/eye	Direct conta	Direct contact with eyes may cause temporary irritation.		
ritation				
espiratory or skin sensitizat	ion			
ACGIH sensitization				
FORMALDEHYDE (CA	AS 50-00-0)	Dermal sensitization Respiratory sensitiz		
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	May cause	May cause an allergic skin reaction.		
erm cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Contains a component that is listed as an IARC 1 (Known Human Carcinogen), a NTP Known Carcinogen and an ACGIH A2 (Suspected Human Carcinogen). In vaccines, the chronic exposu potential is negligible.			
IARC Monographs. Overa	II Evaluation of	f Carcinogenicity		
*Formaldehyde (CAS NTP Report on Carcinoge	,	1 Carcinogenic to h	umans.	
*Formaldehyde (CAS OSHA Specifically Regula	,	Known To Be Huma s (29 CFR 1910.1001-1053)	an Carcinogen.	
*Formaldehyde (CAS s	50-00-0)	Cancer		
eproductive toxicity	This produc	t is not expected to cause reproductive	or developmental effects.	
pecific target organ toxicity ingle exposure	No data available.			
Specific target organ toxicity epeated exposure	- No data ava	ailable.		
spiration hazard	Not an aspi	ration hazard.		
•	Dessible by			
hronic effects	Possible hy	per sensitization (development of abnor	mal sensitivity).	
		per sensitization (development of abnor	mal sensitivity).	
Chronic effects 12. Ecological informati Ecotoxicity	on The produc	t is not classified as environmentally ha	zardous. However, this does not exclude the	
2. Ecological informati cotoxicity	on The produc	t is not classified as environmentally has hat large or frequent spills can have a h	zardous. However, this does not exclude the armful or damaging effect on the environmen	
2. Ecological informati cotoxicity Components	on The produc possibility th	t is not classified as environmentally ha	zardous. However, this does not exclude the	
2. Ecological informatic cotoxicity Components *Formaldehyde (CAS 50-00	on The produc possibility th	t is not classified as environmentally has hat large or frequent spills can have a h	zardous. However, this does not exclude the armful or damaging effect on the environmen	
2. Ecological informatic cotoxicity Components *Formaldehyde (CAS 50-00 Aquatic	on The produc possibility th	t is not classified as environmentally ha nat large or frequent spills can have a ha <b>Species</b>	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b>	
2. Ecological informatic cotoxicity <u>Components</u> *Formaldehyde (CAS 50-00 Aquatic Crustacea	on The produc possibility th D-0) EC50	t is not classified as environmentally ha nat large or frequent spills can have a ha <b>Species</b> Water flea (Daphnia pulex)	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours	
2. Ecological information icotoxicity <u>Components</u> *Formaldehyde (CAS 50-00 <u>Aquatic</u> Crustacea Fish	on The produc possibility th D-0) EC50 LC50	t is not classified as environmentally hat hat large or frequent spills can have a ha <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis)	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours	
2. Ecological informati cotoxicity <u>Components</u> *Formaldehyde (CAS 50-00 Aquatic Crustacea Fish Persistence and degradability	on The produc possibility th D-0) EC50 LC50 No data is a	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this prod	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours	
2. Ecological informati cotoxicity <u>Components</u> *Formaldehyde (CAS 50-00 Aquatic Crustacea Fish ersistence and degradability fioaccumulative potential	on The produc possibility th D-0) EC50 LC50 No data is a No data ava	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this proc ailable.	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours	
2. Ecological informati cotoxicity <u>Components</u> *Formaldehyde (CAS 50-00 Aquatic Crustacea Fish ersistence and degradability	on The produc possibility th D-0) EC50 LC50 v No data is a No data ava canol / water (lo	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this proc ailable.	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours	
2. Ecological information cotoxicity <u>Components</u> *Formaldehyde (CAS 50-00) Aquatic Crustacea Fish ersistence and degradability tioaccumulative potential Partition coefficient n-oct *Formaldehyde (CAS 50-00)	on The produc possibility th D-0) EC50 LC50 V No data is a No data ava canol / water (lo D-0)	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this proc ailable. <b>g Kow)</b>	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours duct.	
2. Ecological information cotoxicity  Components  *Formaldehyde (CAS 50-00) Aquatic Crustacea Fish rersistence and degradability ioaccumulative potential Partition coefficient n-oct *Formaldehyde (CAS 50-00) Iobility in soil	on The produc possibility th D-0) EC50 LC50 Mo data is a No data ava canol / water (lo D-0) Diluent and This produc	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this prod ailable. <b>g Kow)</b> 0.35 end-product expected to be slightly to r	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours duct.	
12. Ecological informati Ecotoxicity Components *Formaldehyde (CAS 50-00 Aquatic Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-oct	on The produc possibility th D-0) EC50 LC50 No data is a No data ava canol / water (lo D-0) Diluent and This produc the US Fed	t is not classified as environmentally has nat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this prod ailable. <b>g Kow)</b> 0.35 end-product expected to be slightly to r ct contains one or more substances iden	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours duct.	
12. Ecological information Ecotoxicity	on The produc possibility th D-0) EC50 LC50 No data is a No data ava canol / water (lo D-0) Diluent and This produc the US Fed ions Collect and	t is not classified as environmentally has hat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this pro- ailable. <b>g Kow)</b> 0.35 end-product expected to be slightly to r et contains one or more substances iden eral Clean Air Act (see section 15).	zardous. However, this does not exclude the armful or damaging effect on the environmen Test Results 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours duct. noderately mobile in soil. tified as hazardous air pollutants (HAPs) per at licensed waste disposal site. Dispose of	
12. Ecological information Ecotoxicity	on The produc possibility th D-0) EC50 LC50 No data is a No data ava canol / water (lo D-0) Diluent and This produc the US Fed ions Collect and contents/co	t is not classified as environmentally has hat large or frequent spills can have a has <b>Species</b> Water flea (Daphnia pulex) Striped bass (Morone saxatilis) available on the degradability of this pro- ailable. <b>g Kow)</b> 0.35 end-product expected to be slightly to r et contains one or more substances ident eral Clean Air Act (see section 15).	zardous. However, this does not exclude the armful or damaging effect on the environmen <b>Test Results</b> 4.3 - 7.8 mg/l, 48 hours 10.302 - 16.743 mg/l, 96 hours duct. noderately mobile in soil. tified as hazardous air pollutants (HAPs) per at licensed waste disposal site. Dispose of il/national/international regulations.	

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

```
US federal regulations
```

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA. Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use. FEDERAL LAW RESTRICTS THIS DRUG TO USE BY OR ON ORDER OF LICENSED VETERINARIANS.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

\*Formaldehyde (CAS 50-00-0) Listed. SARA 304 Emergency release notification \*Formaldehyde (CAS 50-00-0) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

\*Formaldehyde (CAS 50-00-0)

#### Cancer Skin sensitization Respiratory sensitization Eye irritation Skin irritation respiratory tract irritation Acute toxicity Flammability

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
*Formaldehyde	50-00-0	100	500		
SARA 311/312 Hazardou chemical	i <b>s</b> Yes				
Classified hazard categories	Respiratory Carcinoger	/ or skin sensitiza hicity	ation		
SARA 313 (TRI reporting Chemical name	1)	C	AS number	% by wt.	
*Formaldehyde			i0-00-0	≤ 1.85 g/L	
er federal regulations		0	0-00-0	≤ 1.65 g/L	
Clean Air Act (CAA) Sec	tion 112 Hazard	ous Air Pollutai	nts (HAPs) List		
*Formaldehyde (CAS	50-00-0)				
Clean Air Act (CAA) Sec	tion 112(r) Accie	dental Release I	Prevention (40 CFR 6	8.130)	
*Formaldehyde (CAS	50.00.0		-		

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

#### US. Massachusetts RTK - Substance List

\*Formaldehyde (CAS 50-00-0)

US. New Jersey Worker and Community Right-to-Know Act

\*Formaldehyde (CAS 50-00-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

\*Formaldehyde (CAS 50-00-0)

US. Rhode Island RTK

\*Formaldehyde (CAS 50-00-0)

#### **California Proposition 65**



**WARNING:** This product can expose you to \*Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

```
Listed: January 1, 1988
```

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

\*Formaldehyde (CAS 50-00-0)

\*Formaldehyde (CAS 50-00-0)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Vaa" indicates this product	$\alpha$	

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	05-July-2017
Revision date	12-February-2018
Version #	02
Further information	HMIS® is a registered trade and service mark of the American Coatings Association (ACA).
HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0

**NFPA** ratings



The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. ("BIVI") in good faith as accurate as of the date hereof, but without guarantee. This information includes information which has been generated by other parties and provided to BIVI, and which BIVI has not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. ("BIVI") expressly disclaims all liability for reliance thereon. BIVI EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIVI's control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIVI EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIVI neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.