# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078912710

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912711



#### SAFETY DATA SHEET

## **Droncit (praziquantel) Injectable for Dogs & Cats**

Version 1.1 Revision Date 06/22/2011

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product information** 

**Product Name:** Droncit (praziquantel) Injectable for Dogs & Cats, Droncit solution <6% -

Bulk

MSDS Number: 122000001124

Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

CAUTION! Colour: colorless to tinted Form: liquid Odour: sweet, like fruit.

May cause skin irritation. May cause eye irritation.

#### Hazard Communication (29CFR 1910.1200)

Skin Contact Eye Contact Ingestion

**Acute Skin Hazards** Exposure during the end use of this product is expected to

be minimal. May cause irritation with symptoms of

reddening and itching.

**Acute Eye Hazards** Exposure during the end use of this product is expected to

be minimal. May cause irritation with symptoms of

reddening, tearing and stinging.

**Medical Conditions Aggrevated by** 

**Exposure** 

Hypersensitivity to any components of the preparation.

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

Version 1.1 Revision Date 06/22/2011

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Glycol

**Hazardous Ingredients:** 

Weight percent Components

CAS-No.

60 - 100%

5 - 10% Alcohol derivative

#### 4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

**In case of skin contact:** After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

**In case of eye contact:** In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

#### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

**Specific hazards during fire fighting:** Fire may cause evolution of: Carbon monoxide Carbon dioxide (CO2)

**Special protective equipment for fire-fighters:** In the event of fire, wear self-contained breathing apparatus.

**Further information:** Prevent fire extinguishing water from contaminating surface water or the ground water system.

Version 1.1 Revision Date 06/22/2011

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

**Methods for cleaning up:** Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

#### 7. HANDLING AND STORAGE

#### Handling:

No special precautions required.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

#### Storage:

Storage temperature: 86 °F (30 °C)

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Glycol**

US. Workplace Environmental Exposure Level (WEEL) Guides Time Weighted Average (TWA): 10 mg/m3 (Aerosol.)

#### Alcohol derivative

#### Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

#### Hand protection:

Chemically resistant gloves.

#### Eye protection:

Safety glasses

#### Other protective measures:

Wear suitable protective equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Colour: colorless to tinted
Odour: sweet like fruit

Density: ca. 1.0430 g/cm3 at 68 °F (20 °C)

Vapour pressure: no data available Viscosity, dynamic: no data available

Version 1.1 Revision Date 06/22/2011

Miscibility with water: miscible

pH: no data available

Partition coefficient

(n-octanol/water): no data available

Flash point: 209.3 °F (98.5 °C) Ignition temperature: not determined

#### 10. STABILITY AND REACTIVITY

**Conditions to avoid:** Do not allow product to come in contact with:

Exposure to light. Exposure to air.

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

#### Thermal decomposition:

no data available

#### **Hazardous decomposition products:**

No hazardous decomposition products are known., Carbon monoxide, Carbon dioxide (CO2)

#### 11. TOXICOLOGICAL INFORMATION

#### Other information on toxicity:

Praziquantel not mutagen

#### Acute oral toxicity:

Glycol

LD50 rat: 19400 - 36000

Praziquantel

LD50 rat: 2,840 mg/kg

#### Acute dermal toxicity:

Glycol

LD50 rabbit: 20800

#### Skin irritation:

Glycol rabbit

slight irritation

Version 1.1 Revision Date 06/22/2011

#### Eye irritation:

Glycol

rabbit

slight irritation

Praziquantel

Result: Mild eye irritation

#### Sensitisation:

Glycol

Human experience Result: Non-sensitizer

#### Genotoxicity in vitro:

Glycol

Ames test Bacteria Result: negative

#### Pharmaceutic effects:

Praziquantel Anthelmintics

#### 12. ECOLOGICAL INFORMATION

#### General advice:

Do not allow to enter surface waters or groundwater.

#### Toxicity to fish:

Glycol

Acute Fish toxicity: LC50 > 20,000 mg/l

Test species: Pimephales promelas (fathead minnow) Duration of test: 96 h

Praziquantel

Acute Fish toxicity: LC50 17 mg/l

Duration of test: 24 h

LC0 32 mg/l

Test species: Danio rerio (zebra fish)

LC100 100 mg/l

Test species: Danio rerio (zebra fish)

#### Toxicity to daphnia and other aquatic invertebrates.:

Glycol

LC50 34,400 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Praziquantel EC0 35 mg/l

EC100 100 mg/l

Version 1.1 Revision Date 06/22/2011

#### Toxicity to algae:

Praziquantel

Cell multiplication inhibition test EbC50 140 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test EbC10 60 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 77 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC10 41 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 25 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOErC 25 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

#### Toxicity to bacteria:

Glycol

> 20,000 mg/l

tested on: Pseudomonas putida

Praziquantel

EC50 > 1,000 mg/l Duration of test: 3 h

#### **Biodegradability:**

Glycol

Readily biodegradable.

Praziquantel

0 %, Not readily biodegradable.

#### 13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### 14. TRANSPORT INFORMATION

Land transport (DOT)

Non-Regulated

Inland waterway transport

Version 1.1 Revision Date 06/22/2011

Non-Regulated

Railway transport

Non-Regulated

Sea transport (IMDG)

Non-Regulated

Air transport (ICAO / IATA cargo aircraft only)

Non-Regulated

Air transport (ICAO / IATA passenger and cargo aircraft)

Non-Regulated

#### 15. REGULATORY INFORMATION

**US. Toxic Substances Control Act** This product is excluded from TSCA regulation by

Section 3 (2)(B)(vi) when used for FDA application.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section

302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

None

SARA Section 311/312 Hazard

Categories

Exempt from SARA Section 311/312

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

None

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

None

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists Weight percent Components CAS-No.

60 - 100% Glycol

5 - 10% Alcohol derivative

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

Version 1.1 Revision Date 06/22/2011

#### 16. OTHER INFORMATION

NFPA 704M Rating

Health	1
Flammability	0
Reactivity	0
Other	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# 122000001124

#### SAFETY DATA SHEET

## **Droncit (praziquantel) Injectable for Dogs & Cats**

Version 1.1 Revision Date 06/22/2011

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product information** 

**Product Name:** Droncit (praziquantel) Injectable for Dogs & Cats, Droncit solution <6% -

Bulk

MSDS Number: 122000001124

Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

CAUTION! Colour: colorless to tinted Form: liquid Odour: sweet, like fruit.

May cause skin irritation. May cause eye irritation.

#### Hazard Communication (29CFR 1910.1200)

Skin Contact Eye Contact Ingestion

**Acute Skin Hazards** Exposure during the end use of this product is expected to

be minimal. May cause irritation with symptoms of

reddening and itching.

**Acute Eye Hazards** Exposure during the end use of this product is expected to

be minimal. May cause irritation with symptoms of

reddening, tearing and stinging.

**Medical Conditions Aggrevated by** 

**Exposure** 

Hypersensitivity to any components of the preparation.

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

Version 1.1 Revision Date 06/22/2011

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous Ingredients:** 

Weight percent Components

CAS-No.

60 - 100% Glycol

5 - 10% Alcohol derivative

#### 4. FIRST AID MEASURES

**General advice:** Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

**In case of skin contact:** After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

**In case of eye contact:** In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

#### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

**Specific hazards during fire fighting:** Fire may cause evolution of: Carbon monoxide Carbon dioxide (CO2)

**Special protective equipment for fire-fighters:** In the event of fire, wear self-contained breathing apparatus.

**Further information:** Prevent fire extinguishing water from contaminating surface water or the ground water system.

Version 1.1 Revision Date 06/22/2011

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

**Methods for cleaning up:** Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

#### 7. HANDLING AND STORAGE

#### Handling:

No special precautions required.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

#### Storage:

Storage temperature: 86 °F (30 °C)

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Glycol**

US. Workplace Environmental Exposure Level (WEEL) Guides Time Weighted Average (TWA): 10 mg/m3 (Aerosol.)

#### Alcohol derivative

#### Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

#### Hand protection:

Chemically resistant gloves.

#### Eye protection:

Safety glasses

#### Other protective measures:

Wear suitable protective equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Colour: colorless to tinted
Odour: sweet like fruit

Density: ca. 1.0430 g/cm3 at 68 °F (20 °C)

Vapour pressure: no data available Viscosity, dynamic: no data available

#### SAFETY DATA SHEET

# **Droncit (praziquantel) Injectable for Dogs & Cats**

Version 1.1 Revision Date 06/22/2011

Miscibility with water: miscible

pH: no data available

Partition coefficient

(n-octanol/water): no data available

Flash point: 209.3 °F (98.5 °C) Ignition temperature: not determined

#### 10. STABILITY AND REACTIVITY

Conditions to avoid: Do not allow product to come in contact with:

Exposure to light. Exposure to air.

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

#### Thermal decomposition:

no data available

#### **Hazardous decomposition products:**

No hazardous decomposition products are known., Carbon monoxide, Carbon dioxide (CO2)

#### 11. TOXICOLOGICAL INFORMATION

#### Other information on toxicity:

Praziquantel not mutagen

#### Acute oral toxicity:

Glycol

LD50 rat: 19400 - 36000

Praziquantel

LD50 rat: 2,840 mg/kg

#### Acute dermal toxicity:

Glycol

LD50 rabbit: 20800

#### Skin irritation:

Glycol rabbit

slight irritation

#### SAFETY DATA SHEET

# **Droncit (praziquantel) Injectable for Dogs & Cats**

Version 1.1 Revision Date 06/22/2011

#### Eye irritation:

Glycol

rabbit

slight irritation

Praziquantel

Result: Mild eye irritation

#### Sensitisation:

Glycol

Human experience Result: Non-sensitizer

#### Genotoxicity in vitro:

Glycol

Ames test Bacteria Result: negative

#### Pharmaceutic effects:

Praziquantel Anthelmintics

#### 12. ECOLOGICAL INFORMATION

#### General advice:

Do not allow to enter surface waters or groundwater.

#### Toxicity to fish:

Glycol

Acute Fish toxicity: LC50 > 20,000 mg/l

Test species: Pimephales promelas (fathead minnow) Duration of test: 96 h

Praziquantel

Acute Fish toxicity: LC50 17 mg/l

Duration of test: 24 h

LC0 32 mg/l

Test species: Danio rerio (zebra fish)

LC100 100 mg/l

Test species: Danio rerio (zebra fish)

#### Toxicity to daphnia and other aquatic invertebrates.:

Glycol

LC50 34,400 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Praziquantel EC0 35 mg/l

EC100 100 mg/l

Version 1.1 Revision Date 06/22/2011

#### Toxicity to algae:

Praziquantel

Cell multiplication inhibition test EbC50 140 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test EbC10 60 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 77 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC10 41 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 25 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOErC 25 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

#### Toxicity to bacteria:

Glycol

> 20,000 mg/l

tested on: Pseudomonas putida

Praziquantel

EC50 > 1,000 mg/l Duration of test: 3 h

#### **Biodegradability:**

Glycol

Readily biodegradable.

Praziquantel

0 %, Not readily biodegradable.

#### 13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### 14. TRANSPORT INFORMATION

Land transport (DOT)
Non-Regulated

Inland waterway transport

Version 1.1 Revision Date 06/22/2011

Non-Regulated

Railway transport

Non-Regulated

Sea transport (IMDG)

Non-Regulated

Air transport (ICAO / IATA cargo aircraft only)

Non-Regulated

Air transport (ICAO / IATA passenger and cargo aircraft)

Non-Regulated

#### 15. REGULATORY INFORMATION

**US. Toxic Substances Control Act** This product is excluded from TSCA regulation by

Section 3 (2)(B)(vi) when used for FDA application.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section

302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components

Compone

None

SARA Section 311/312 Hazard

Categories

Exempt from SARA Section 311/312

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

None

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

None

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists Weight percent Components CAS-No.

60 - 100% Glycol

5 - 10% Alcohol derivative

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

Version 1.1 Revision Date 06/22/2011

#### 16. OTHER INFORMATION

NFPA 704M Rating

Health	1
Flammability	0
Reactivity	0
Other	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.