This SDS packet was issued with item: 078912813

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078403973 078421013

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912852



Version: 2.0

Page 1 of 8

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health Pfizer Inc 235 East 42nd Street New York, NY 10017 Poison Control Center Phone: 1-866-531-8896 Technical Services Phone: 1-800-366-5288 **Emergency telephone number:** CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd, Kent **CT13 9NJ** United Kingdom +00 44 (0)1304 616161

Emergency telephone number: ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid

One Shot Ultra 8 Trade Name: **Chemical Family:** Intended Use:

Mixture Veterinary Vaccine

2. HAZARDS IDENTIFICATION

Appearance: Signal Word:	Freeze-dried preparation WARNING
Statement of Hazard:	May cause allergic skin reaction.
Short Term: EU Indication of danger:	May cause eye and skin irritation. May cause allergic reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously. Irritant
EU Hazard Symbols: Xi	
EU Risk Phrases: Australian Hazard Classification (NOHSC):	R43 - May cause sensitization by skin contact. Hazardous Substance. Non-Dangerous Goods.
Note:	This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010 Page 2 of 8

Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Saponin	8047-15-2	232-462-6	Not Listed	*
Formaldehyde	50-00-0	200-001-8	C;R34 Carc. Cat.3;R40 R43 T;R23/24/25	0.1 - <1.0%
Aluminum potassium sulfate	7784-24-9	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	*
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	*
Pasteurella haemolytica	NOT ASSIGNED	Not Listed	Xn;R22	*
Clostridium haemolyticum	NOT ASSIGNED	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES	
Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Symptoms and Effects of Exposure:	For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media:	As for primary cause of fire.
Hazardous Combustion Products:	Not known
Fire Fighting Procedures:	Dike and collect water used to fight fire.

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010

Fire / Explosion Hazards:	Fine particles (such as dust and mists) may fuel fires/explosions.
6. ACCIDENTAL RELEASE ME	ASURES
Health and Safety Precautions:	Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.
Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
Measures for Environmental Protections:	Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.
7. HANDLING AND STORAGE	

General Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid breathing
	dust. Avoid contact with eyes, skin and clothing.
Storage Conditions: Storage Temperature:	Store under refrigeration in closed container. 2-7°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

naidenyde	
ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Listed
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	Listed
Bulgaria OEL - TWA	Listed
Czech Republic OEL - TWA	Listed
Estonia OEL - TWA	Listed
Finland OEL - TWA	Listed
France OEL - TWA	Listed
Germany (DFG) - MAK	0.3 ppm MAK
	0.37 mg/m ³ MAK
Greece OEL - TWA	Listed
Hungary OEL - TWA	Listed
Ireland OEL - TWAs	Listed
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m ³
Latvia OEL - TWA	Listed
Lithuania OEL - TWA	Listed
Netherlands OEL - TWA	Listed
OSHA - Final PELS - TWAs:	0.75 ppm

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010 Page 4 of 8

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
OSHA - Specifically Regulated Chemicals 0.5 ppm-Action Level		
	0.75 ppm-TWA	
	2 ppm-STEL	
Poland OEL - TWA	Listed	
Romania OEL - TWA	Listed	
Slovenia OEL - TWA	Listed	
Sweden OEL - TWAs	Listed	
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.	
Environmental Exposure Controls:	Refer to specific Member State legislation for requirements under Community environmental legislation.	
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).	
Hands:	Wear impervious gloves if skin contact is possible.	
Eyes:	Safety glasses or goggles	
Skin:	Wear protective clothing when working with large quantities. Wash hands and arms thoroughly after handling this material.	
Respiratory protection:	In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Freeze-dried preparation	Color:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
		U	

Polymerization:

Will not occur

10. STABILITY AND REACTIVITY

Chemical Stability: Conditions to Avoid:	Stable Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products	: None expected under normal conditions.

11. TOXICOLOGICAL INFORMATION

General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content.

Acute Toxicity: (Species, Route, End Point, Dose)

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye IrritationRabbitSevereSkin IrritationRabbitModerate SevereSkin Irritation / SensitizationThis product contains formaldehyde which is considered to be a skin sensitizer.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs Inhalation Not Specified 90 Day(s) Rat Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs Inhalation 15 ppm 9 Day(s) Rat LOAEL Respiratory system Rats exposed to 15 ppm formaldehyde vapor for six hours/day for up to nine days showed an acute cell degeneration, necrosis and inflammation in the nasal cavities. Inhalation exposure to formaldehyde for up to 90 days produced interstitial inflammation in the lungs of dogs, rats, monkeys, rabbits and guinea pigs. In rats, several inhalation studies have shown that formaldehyde induces squamous-cell **Chronic Effects/Carcinogenicity** carcinomas and necrosis of the nasal cavity. Formaldehyde also showed cocarcinogenic effects when inhaled, ingested, or applied to the skin of rodents.

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal DevelopmentMouseOral 185 mg/kg/dayNot teratogenic, Maternal toxicityEmbryo / Fetal DevelopmentRatInhalation 40 ppmNot Teratogenic, Maternal ToxicityTeratogenicityFormaldehyde has been tested by inhalation, oral, and dermal routes and has not been shown
to be teratogenic in animals.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

 In Vitro Bacterial Mutagenicity (Ames)
 Bacteria
 Positive

 In Vitro Chromosome Aberration
 Rodent
 Positive

 In Vitro Sister Chromatid Exchange
 Rodent
 Positive

 In Vivo Chromosome Aberration
 Not specified
 Positive

 Mutagenicity
 Formaldehyde has been reported to be active in many short-term tests, both in vitro and in vivo.

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

Contains formaldehyde: potential cancer hazard. See below .

Formaldehyde

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010 Page 6 of 8

Version: 2.0

11. TOXICOLOGICAL INFO	ORMATION
IARC:	Group 1
NTP:	Listed
OSHA:	Present
12. ECOLOGICAL INFORM	IATION
Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
13. DISPOSAL CONSIDER	ATIONS
Waste Treatment Methods:	Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Symbol: EU Indication of danger:	Xi Irritant
EU Risk Phrases:	R43 - May cause sensitization by skin contact.
EU Safety Phrases:	S24 - Avoid contact with skin. S37 - Wear suitable gloves.

OSHA Label: WARNING May cause allergic skin reaction.

Canada - WHMIS: Classifications

WHMIS hazard class: Class D, Division 2, Subdivision A

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010

Version: 2.0

15. REGULATORY INFORMATION



Saponin	
Australia (AICS):	Listed
EU EINECS/ELINCS List	232-462-6
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1% de minimis concentration
CERCI A/SARA Hazardous Substances	100 lb final RQ
and their Reportable Quantities:	45.4 kg final RQ
CERCLA/SARA - Section 302 Extremely Hazardous	500 lb TPQ
TPQs	
CERCLA/SARA - Section 302 Extremely Hazardous	100 lb
Substances EPCRA RQs	
California Proposition 65	carcinogen, initial date 1/1/88 (gas)
OSHA - Specifically Regulated Chemicals	0.5 ppm-Action Level
	0.75 ppm-TWA
	2 ppm-STEL
Inventory - United States TSCA - Sect. 8(b)	Listed
Australia (AICS):	Listed
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8
Aluminum potassium sulfate	
Australia (AICS):	Listed

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R34 - Causes burns. R43 - May cause sensitization by skin R40 - Limited evidence of a carcinoger R23/24/25 - Toxic by inhalation, in con	nic effect
Data Sources:	Pfizer proprietary drug development information. Safety data sheets for individual ingredients. Publicly available toxicity information.
Reasons for Revision:	Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures.
Prepared by:	Product Stewardship Hazard Communications Pfizer Global Environment, Health, and Safety Operations

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 23-Jul-2010 Page 8 of 8

Version: 2.0

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet



Revision date: 22-Apr-2014

Version: 3.0

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid

Trade Name:One Shot Ultra 8Chemical Family:Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Freeze-dried preparation Classification of the Substance or Mixture GHS - Classification

> Respiratory Sensitization: Category 1 Skin Sensitization: Category 1 Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Irritant Carcinogenic: Category 3

EU Symbol: EU Risk Phrases:

Хі Т

R43 - May cause sensitization by skin contact. R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word:	Danger
Hazard Statements:	H317 - May cause an allergic skin reaction
	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H350 - May cause cancer

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014

Page 2 of 11

Version: 3.0

Precautionary Statements:	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P284 - Wear respiratory protection P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P308 + P313 - IF exposed or concerned: Get medical attention/advice P405 - Store locked up P501 - Dispose of contents/container in accordance with all local and national regulations
	Poor - Dispose of contents/container in accordance with an local and hational regulations



Other Hazards Short Term:

Australian Hazard Classification (NOHSC):

Note:

May cause eye and skin irritation. May cause allergic reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	0.1-1.0%

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 3 of 11

Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Saponin	8047-15-2	232-462-6	Not Listed	Not Listed	*
Aluminum potassium sulfate	7784-24-9	Not Listed	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Clostridium haemolyticum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Pasteurella haemolytica	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.	
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.	
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.	
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.	
Most Important Symptoms and Effe Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known	
Indication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None	
5. FIRE-FIGHTING MEASURES		

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture Hazardous Combustion Formation of toxic gases is possible during heating or fire. Products:

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 4 of 11

Version: 3.0

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills dry solids. Clean spill area thoroughly.	
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.	

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing dust, vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:
Storage Temperature:
Specific end use(s):

Store under refrigeration in closed container. 2-7°C No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Forma	Ideh	yde
-------	------	-----

ACGIH Ceiling Threshold Limit: ACGIH - Sensitizer Designation Australia STEL	0.3 ppm Sensitizer 2 ppm 2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 5 of 11

Version: 3.0

8. EXPOS	URE CONTROLS	/ PERSONAL PROTECTION	
France OEL - TWA		0.5 ppm	
Germany (DFG) - MAK		0.3 ppm	
		0.37 mg/m ³ no irritation should occur during mixed exposure	
Greece OEL - TWA		2 ppm	
		2.5 mg/m ³	
Hungary OEL - TWA		0.6 mg/m ³	
Ireland OEL - TWAs		2 ppm	
		2.5 mg/m ³	
Japan - OELs - Ceilings		0.2 ppm	
		0.24 mg/m ³	
Latvia OEL - TWA		0.5 mg/m ³	
Lithuania OEL - TWA		0.5 ppm	
		0.6 mg/m ³	
Netherlands OEL - TWA		0.15 mg/m ³	
Vietnam OEL - TWAs		0.5 mg/m ³	
OSHA - Final PELS - TWAs:		0.75 ppm	
OSHA - Specifically Regulated	d Chemicals	2 ppm	
		0.5 ppm	
		0.75 ppm	
Poland OEL - TWA		0.5 mg/m ³	
Romania OEL - TWA		1 ppm	
		1.20 mg/m ³	
Slovakia OEL - TWA		0.3 ppm	
		0.37 mg/m ³	
Slovenia OEL - TWA		0.5 ppm	
		0.62 mg/m ³	
Sweden OEL - TWAs		0.3 ppm	
		0.37 mg/m ³	
Switzerland OEL -TWAs		0.3 ppm	
		0.37 mg/m ³	
Exposure Controls			
Engineering Controls:		Id be used as the primary means to control exposures. Keep	
		vels below the exposure limits listed above in this section. General	
Personal Protective		ate unless the process generates dust, mist or fumes.	
	protective equipment (PP	al standards and regulations in the selection and use of personal	
Equipment:	protective equipment (FF	E).	
Handa	Wear impervious gloves if	falvin contact in possible	
Hands: Eves:			
Eyes: Skin:	Safety glasses or goggles Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and		
Onin.	laboratory areas.		
Respiratory protection:		onal Exposure Limit (OEL) is exceeded, wear an appropriate	
		n factor sufficient to control exposures to below the OEL.	
		· · · · · · · · · · · · · · · · · · ·	

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014

Page 6 of 11

Version: 3.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Freeze-dried preparation No data available. Mixture	
Solvent Solubility:	No data available	
Water Solubility:	No data available	
pH:	No data available.	
Melting/Freezing Point (°C):	No data available	
Boiling Point (°C):	No data available.	
Partition Coefficient: (Method, pH, E	ndpoint, Value)	
No data available		
Decomposition Temperature (°C):	No data available.	
Evaporation Rate (Gram/s):	No data available	
Vapor Pressure (kPa):	No data available	
Vapor Density (g/ml):	No data available	
Relative Density:	No data available	
Viscosity:	No data available	
Flammablity:		
Autoignition Temperature (So	lid) (°C):	No data
Flammability (Solids):	-/ \ -/	No data
Flash Point (Liquid) (°C):		No data
Upper Explosive Limits (Liqui	d) (% by Vol.):	No data
- r r		

Lower Explosive Limits (Liquid) (% by Vol.):

Color: Odor Threshold: Molecular Weight: No data available. No data available. Mixture

No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions Oxidizing Properties: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: No data available Stable under normal conditions of use.

No data available Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Polymerization:

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 7 of 11

Version: 3.0

11. TOXICOLOGICAL INFORMATION

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe Skin Irritation Rabbit Moderate Severe Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs Inhalation Not Specified 90 Day(s) Monkev Lungs 90 Day(s) Inhalation 15 ppm LOAEL Respiratory system Rat

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive *In Vitro* Chromosome Aberration Rodent Positive *In Vitro* Sister Chromatid Exchange Rodent Positive *In Vivo* Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

See below .

Formaldehyde

IARC:Group 1 (Carcinogenic to Humans)NTP:Known Human CarcinogenOSHA:Listed

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 8 of 11

Version: 3.0

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:Dispose of waste in accordance with all applicable laws and regulations. Member State
specific and Community specific provisions must be considered. Considering the relevant
known environmental and human health hazards of the material, review and implement
appropriate technical and procedural waste water and waste disposal measures to prevent
occupational exposure and environmental release. It is recommended that waste minimization
be practiced. The best available technology should be utilized to prevent environmental
releases. This may include destructive techniques for waste and wastewater.

Formaldehyde RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 9 of 11

Version: 3.0

15. REGULATORY INFORMATION

\mathbf{T}

Clostridium haemolyticum	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
	Not Listed
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 lb
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
oona opeenioury regulated onemious	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8
Saponin	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	232-462-6
Clostridium sordellii	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium novyi	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
	Not Listed
Clostridium chauvoei	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium perfringens type D	

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 10 of 11

Version: 3.0

15. F	REGULATORY INFORMATION
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium septicum	
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium perfringens type C	
CERCLA/SARA 313 Emission reportin	a Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Aluminum potassium sulfate	
CERCLA/SARA 313 Emission reportin	a Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
EU EINEGS/EEINGS EISt	Not Elsted
Pasteurella haemolytica	
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H331 - Toxic if inhaled H350 - May cause cancer

T - Toxic C - Corrosive Carcinogenic: Category 3

R34 - Causes burns.
R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources:

The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 11 of 11

Version: 3.0

Reasons for Revision:	Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.
Prepared by:	Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet



Revision date: 22-Apr-2014

Version: 3.0

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid

Trade Name:One Shot Ultra 8Chemical Family:Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Freeze-dried preparation Classification of the Substance or Mixture GHS - Classification

> Respiratory Sensitization: Category 1 Skin Sensitization: Category 1 Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Irritant Carcinogenic: Category 3

EU Symbol:

Хі Т

EU Risk Phrases:

R43 - May cause sensitization by skin contact. R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word:	Danger
Hazard Statements:	H317 - May cause an allergic skin reaction
	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H350 - May cause cancer

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014

Page 2 of 11

Version: 3.0

Precautionary Statements:	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P284 - Wear respiratory protection P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P308 + P313 - IF exposed or concerned: Get medical attention/advice P405 - Store locked up P501 - Dispose of contents/container in accordance with all local and national regulations
	Poor - Dispose of contents/container in accordance with an local and hational regulations



Other Hazards Short Term:

Australian Hazard Classification (NOHSC):

Note:

May cause eye and skin irritation. May cause allergic reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	0.1-1.0%

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 3 of 11

Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Saponin	8047-15-2	232-462-6	Not Listed	Not Listed	*
Aluminum potassium sulfate	7784-24-9	Not Listed	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Clostridium haemolyticum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Pasteurella haemolytica	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effects, Both Acute and Delayed Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards Exposure: Identification and/or Section 11 - Toxicological Information. Medical Conditions None known Aggravated by Exposure: Vertice	
Indication of the Immediate Medical Attention and Special Treatment Needed Notes to Physician: None	
5. FIRE-FIGHTING MEASURES	

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire. Products:

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 4 of 11

Version: 3.0

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing dust, vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:
Storage Temperature:
Specific end use(s):

Store under refrigeration in closed container. 2-7°C No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit: ACGIH - Sensitizer Designation	0.3 ppm Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 5 of 11

Version: 3.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
France OEL - TWA	0.5 ppm	
Germany (DFG) - MAK	0.3 ppm	
	0.37 mg/m ³ no irritation should occur during mixed exposur	re
Greece OEL - TWA	2 ppm	
	2.5 mg/m ³	
Hungary OEL - TWA	0.6 mg/m ³	
Ireland OEL - TWAs	2 ppm	
	2.5 mg/m ³	
Japan - OELs - Ceilings	0.2 ppm	
	0.24 mg/m ³	
Latvia OEL - TWA	0.5 mg/m ³	
Lithuania OEL - TWA	0.5 ppm	
	0.6 mg/m ³	
Netherlands OEL - TWA	0.15 mg/m ³	
Vietnam OEL - TWAs	0.5 mg/m ³	
OSHA - Final PELS - TWAs:	0.75 ppm	
OSHA - Specifically Regulate	d Chemicals 2 ppm	
	0.5 ppm	
	0.75 ppm	
Poland OEL - TWA	0.5 mg/m ³	
Romania OEL - TWA	1 ppm	
	1.20 mg/m ³	
Slovakia OEL - TWA	0.3 ppm	
	0.37 mg/m ³	
Slovenia OEL - TWA	0.5 ppm	
	0.62 mg/m ³	
Sweden OEL - TWAs	0.3 ppm	
	0.37 mg/m ³	
Switzerland OEL -TWAs	0.3 ppm	
	0.37 mg/m ³	
Exposure Controls Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Kee	'n
Engineering Controls.	airborne contamination levels below the exposure limits listed above in this section. G	
	room ventilation is adequate unless the process generates dust, mist or fumes.	eneral
Personal Protective	Refer to applicable national standards and regulations in the selection and use of pers	sonal
Equipment:	protective equipment (PPE).	onai
=40.5		
Hands:	Wear impervious gloves if skin contact is possible.	
Eyes:	Safety glasses or goggles	
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both produc	tion and
	laboratory areas.	
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate	;
	respirator with a protection factor sufficient to control exposures to below the OEL.	

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014

Page 6 of 11

Version: 3.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Freeze-dried preparation No data available. Mixture	
Solvent Solubility:	No data available	
Water Solubility:	No data available	
pH:	No data available.	
Melting/Freezing Point (°C):	No data available	
Boiling Point (°C):	No data available.	
Partition Coefficient: (Method, pH, E	ndpoint, Value)	
No data available		
Decomposition Temperature (°C):	No data available.	
Evaporation Rate (Gram/s):	No data available	
Vapor Pressure (kPa):	No data available	
Vapor Density (g/ml):	No data available	
Relative Density:	No data available	
Viscosity:	No data available	
Flammablity:		
Autoignition Temperature (So	lid) (°C):	No data
Flammability (Solids):		No data
Flash Point (Liquid) (°C):		No data
Upper Explosive Limits (Liquid) (% by Vol.):		No data
chho: =vhiceire =mure (Fider		

Lower Explosive Limits (Liquid) (% by Vol.):

Color: Odor Threshold: Molecular Weight: No data available. No data available. Mixture

No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions Oxidizing Properties: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: No data available Stable under normal conditions of use.

No data available Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Polymerization:

0403B

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 7 of 11

Version: 3.0

11. TOXICOLOGICAL INFORMATION

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe Skin Irritation Rabbit Moderate Severe Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs Inhalation Not Specified 90 Day(s) Monkev Lungs 90 Day(s) Inhalation 15 ppm LOAEL Respiratory system Rat

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive *In Vitro* Chromosome Aberration Rodent Positive *In Vitro* Sister Chromatid Exchange Rodent Positive *In Vivo* Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

See below .

Formaldehyde

IARC:Group 1 (Carcinogenic to Humans)NTP:Known Human CarcinogenOSHA:Listed

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 8 of 11

Version: 3.0

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:Dispose of waste in accordance with all applicable laws and regulations. Member State
specific and Community specific provisions must be considered. Considering the relevant
known environmental and human health hazards of the material, review and implement
appropriate technical and procedural waste water and waste disposal measures to prevent
occupational exposure and environmental release. It is recommended that waste minimization
be practiced. The best available technology should be utilized to prevent environmental
releases. This may include destructive techniques for waste and wastewater.

Formaldehyde RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 9 of 11

Version: 3.0

15. REGULATORY INFORMATION

\bigcirc

Clostridium haemolyticum	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
	Not Listed
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 lb
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
ConA opcomoany regulated onemicals	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8
Saponin	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	232-462-6
Clostridium sordellii	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium novyi	NI . I . I
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium chauvoei	
CERCLA/SARA 313 Emission reporting	Not Listed
	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	
Clostridium perfringens type D	

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 10 of 11

Version: 3.0

15. F	REGULATORY INFORMATION
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium septicum	
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium perfringens type C	
CERCLA/SARA 313 Emission reportin	a Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Aluminum potassium sulfate	
CERCLA/SARA 313 Emission reportin	a Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
EU EINEGS/EEINGS EISt	Not Elsted
Pasteurella haemolytica	
CERCLA/SARA 313 Emission reportin	g Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H331 - Toxic if inhaled H350 - May cause cancer

T - Toxic C - Corrosive Carcinogenic: Category 3

R34 - Causes burns.
R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources:

The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Material Name: Clostridium chauvoei-septicumhaemolyticum-novyi-sordellii-perfringens Types C&D-Pasteurella haemolytica Bacterin-Toxoid Revision date: 22-Apr-2014 Page 11 of 11

Version: 3.0

Reasons for Revision:	Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.
Prepared by:	Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet