SAFETY DATA SHEETS

This SDS packet was issued with item:

078912820

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912851

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health
Pfizer Inc
235 East 42nd Street
New York, NY 10017
Poison Control Center Phone: 1-866-531-8896
Technical Services Phone: 1-800-366-5288

Pfizer Ltd,
Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300

Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Haemophilus Somnus Bacterin

Trade Name: Somubac (R)
Chemical Family: Mixture
Intended Use: Veterinary Vaccine

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS List	%
Formaldehyde	50-00-0	200-001-8	0.1 - 1.0
Merthiolate (as mercury)	54-64-8	200-210-4	##

Ingredient	CAS Number	EU EINECS List	%
EDTA solution	NOT ASSIGNED	Not listed	*
Aluminum hydroxide gel	21645-51-2	244-492-7	*
Water, purified	7732-18-5	231-791-2	>90
Haemophilus somnus	NOT ASSIGNED	Not listed	*

Additional Information:
* Proprietary
Trace
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

3. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials
Signal Word: WARNING

Statement of Hazard:
Contains formaldehyde: potential cancer hazard.
May cause sensitization of the skin and respiratory system.
May cause eye, skin and respiratory tract irritation

Additional Hazard Information:
Short Term: May cause eye and skin irritation. May cause allergic skin reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

EU Indication of danger: Irritant

EU Hazard Symbols:



EU Risk Phrases:

R43 - May cause sensitization by skin contact.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media: As for primary cause of fire.

Hazardous Combustion Products: Not known

Fire Fighting Procedures: Dike and collect water used to fight fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Measures for Environmental Protections: Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use appropriate personal protective equipment.

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Formaldehyde

OSHA - Final PELS - TWAs:	= 0.75 ppm TWA
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level = 0.75 ppm TWA = 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
ACGIH Ceiling Threshold Limit:	= 0.3 ppm Ceiling
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	= 2 ppm STEL = 2.5 mg/m^3 STEL
Australia TWA	= 1 ppm TWA = 1.2 mg/m^3 TWA

Merthiolate (as mercury)

OSHA - Final PELS - TWAs:	= 0.01 mg/m^3 TWA
ACGIH Threshold Limit Value (TWA)	= 0.01 mg/m^3 TWA
ACGIH Threshold Limit Value (STEL)	= 0.03 mg/m^3 STEL
ACGIH - Skin Absorption Designation	Skin - potential significant contribution to overall exposure by the cutaneous route
Australia STEL	= 0.03 mg/m^3 STEL
Australia TWA	= 0.01 mg/m^3 TWA

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.

Personal Protective Equipment:

Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Wear protective clothing when working with large quantities. Wash hands and arms thoroughly after handling this material.
Respiratory protection:	In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Liquid solution in multiple-dose vials	**Color:**	No data available.
Molecular Formula:	Mixture	**Molecular Weight:**	Mixture

Solubility:	Soluble: Water (based on components)
pH:	7.0 +/- 1.5
Boiling Point (°C):	>100
Vapor Pressure (kPa):	Expected to be negligible
Specific Gravity:	1.0 +/-0.2

Flash Point (Liquid) (°C): Non-flammable

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Hazardous Decomposition Products: None expected under normal conditions.
Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)
Rat Oral LD50 75 mg/kg
Rat Subcutaneous LD50 98 mg/kg

Aluminum hydroxide gel
Rat Intraperitoneal LD50 150 mg/kg

Formaldehyde
Rat Oral LD50 800 mg/kg
Inhalation Acute Toxicity Not determined for this mixture. However, irritation may occur based on effects of individual components.

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)
Eye Irritation Rabbit Mild

Formaldehyde
Eye Irritation Rabbit Severe
Skin Irritation Rabbit Moderate Severe
Skin Irritation / Sensitization This product contains formaldehyde and merthiolate which are considered to be skin sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde
90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs
9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system
Subchronic Effects Rats exposed to 15 ppm formaldehyde vapor for six hours/day for up to nine days showed an acute cell degeneration, necrosis and inflammation in the nasal cavities. Inhalation exposure to formaldehyde for up to 90 days produced interstitial inflammation in the lungs of dogs, rats, monkeys, rabbits and guinea pigs.
Chronic Effects/Carcinogenicity In rats, several inhalation studies have shown that formaldehyde induces squamous-cell carcinomas and necrosis of the nasal cavity. Formaldehyde also showed cocarcinogenic effects when inhaled, ingested, or applied to the skin of rodents.

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity
Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Reproductive Effects Not considered to be a reproductive hazard.
Teratogenicity Formaldehyde has been tested by inhalation, oral, and dermal routes and has not been shown to be teratogenic in animals.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde
In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Mutagenicity Formaldehyde has been reported to be active in many short-term tests, both in vitro and in vivo.

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: Contains formaldehyde: potential cancer hazard.

Formaldehyde
IARC: Group 1
NTP: Reasonably Anticipated To Be A Carcinogen
OSHA: Present

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Observe all local and national regulations when disposing of this material. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde
RCRA - U Series Wastes waste number U122

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

15. REGULATORY INFORMATION

EU Symbol: Xi
EU Indication of danger: Irritant

EU Risk Phrases:

R43 - May cause sensitization by skin contact.

EU Safety Phrases:

S24 - Avoid contact with skin.
S37 - Wear suitable gloves.

OSHA Label:
WARNING
Contains formaldehyde: potential cancer hazard.
May cause sensitization of the skin and respiratory system.
May cause eye, skin and respiratory tract irritation

Canada - WHMIS: Classifications

WHMIS hazard class:
Class D, Division 2, Subdivision A



Aluminum hydroxide gel

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	244-492-7

Formaldehyde

CERCLA/SARA 313 Emission reporting	= 0.1 % de minimis concentration
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	= 100 lb final RQ = 45.4 kg final RQ
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	= 500 lb TPQ
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	= 100 lb EPCRA RQ
California Proposition 65	carcinogen, initial date 1/1/88 (gas)
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level = 0.75 ppm TWA = 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS List	200-001-8

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting	= 1.0 % Supplier notification limit
California Proposition 65	Developmental
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	200-210-4

Water, purified

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	231-791-2

16. OTHER INFORMATION

Reasons for Revision: Updated Section 3 - Hazard Identification. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication
Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without a warranty of any kind, expressed or implied.

End of Safety Data Sheet

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid

Trade Name: Ultrabac 7 - Somubac
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification

Respiratory Sensitization: Category 1
Skin Sensitization: Category 1
Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Irritant
Carcinogenic: Category 3

EU Symbol: Xi T
EU Risk Phrases:
R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word: Danger
Hazard Statements: H317 - May cause an allergic skin reaction
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350 - May cause cancer

Precautionary Statements:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P284 - Wear respiratory protection
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician
P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P308 + P313 - IF exposed or concerned: Get medical attention/advice
P405 - Store locked up
P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term: May cause eye and skin irritation. May cause allergic skin reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification (NOHSC): Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	*
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	0.1-1.0%

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Haemophilus somnus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Store under refrigeration in closed container.
Storage Temperature:	2-7°C
Specific end use(s):	No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Aluminum hydroxide gel

ACGIH Threshold Limit Value (TWA)	1 mg/m^3
Austria OEL - MAKs	5 mg/m^3
Germany (DFG) - MAK	4 mg/m^3 1.5 mg/m^3
Latvia OEL - TWA	6 mg/m^3
Lithuania OEL - TWA	6 mg/m^3
Poland OEL - TWA	2.5 mg/m^3 1.2 mg/m^3
Slovakia OEL - TWA	1.5 mg/m^3
Switzerland OEL -TWAs	3 mg/m^3

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm 2.5 mg/m^3
Australia TWA	1 ppm 1.2 mg/m^3

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Austria OEL - MAKs	0.5 ppm 0.6 mg/m^3
Bulgaria OEL - TWA	1.0 mg/m^3
Czech Republic OEL - TWA	0.5 mg/m^3
Estonia OEL - TWA	0.5 ppm 0.6 mg/m^3
Finland OEL - TWA	0.3 ppm 0.37 mg/m^3
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m^3 no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m^3
Hungary OEL - TWA	0.6 mg/m^3
Ireland OEL - TWAs	2 ppm 2.5 mg/m^3
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m^3
Latvia OEL - TWA	0.5 mg/m^3
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m^3
Netherlands OEL - TWA	0.15 mg/m^3
Vietnam OEL - TWAs	0.5 mg/m^3
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m^3
Romania OEL - TWA	1 ppm 1.20 mg/m^3
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m^3
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m^3
Sweden OEL - TWAs	0.3 ppm 0.37 mg/m^3
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m^3

Exposure Controls

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid Solution in multiple-dose vials	**Color:**	No data available.
Odor:	No data available.	**Odor Threshold:**	No data available.
Molecular Formula:	Mixture	**Molecular Weight:**	Mixture

Solvent Solubility: No data available
Water Solubility: No data available
Solubility: Soluble: Water (based on components)
pH: 7.0 +/- 1.5
Melting/Freezing Point (°C): No data available
Boiling Point (°C): >100
Partition Coefficient: (Method, pH, Endpoint, Value)
No data available
Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available
Vapor Pressure (kPa): Expected to be negligible
Vapor Density (g/ml): No data available
Relative Density: No data available
Specific Gravity: 1.0 +/-0.2
Viscosity: No data available

Flammablity:
- **Autoignition Temperature (Solid) (°C):** No data available
- **Flammability (Solids):** No data available
- **Flash Point (Liquid) (°C):** Non-flammable
- **Upper Explosive Limits (Liquid) (% by Vol.):** No data available
- **Lower Explosive Limits (Liquid) (% by Vol.):** No data available

Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.
Possibility of Hazardous Reactions
- **Oxidizing Properties:** No data available
- **Conditions to Avoid:** Fine particles (such as dust and mists) may fuel fires/explosions.
- **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers
- **Hazardous Decomposition Products:** No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects
General Information: Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde
Rat Oral LD50 800 mg/kg

Aluminum hydroxide gel
Rat Para-periosteal LD50 150 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde
Eye Irritation Rabbit Severe
Skin Irritation Rabbit Moderate Severe
Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde
90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity
Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde
In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: See below

Formaldehyde
IARC: Group 1 (Carcinogenic to Humans)

11. TOXICOLOGICAL INFORMATION

NTP: Known Human Carcinogen
OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Formaldehyde
RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15. REGULATORY INFORMATION

Canada - WHMIS: Classifications
WHMIS hazard class:
Class D, Division 2, Subdivision A
Class D, Division 2, Subdivision B



Haemophilus somnus

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Aluminum hydroxide gel

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	244-492-7

Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2 Schedule 6
EU EINECS/ELINCS List	200-001-8

Clostridium sordellii

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium novyi

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

15. REGULATORY INFORMATION

Clostridium chauvoei

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type D

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium septicum

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type C

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H331 - Toxic if inhaled
H350 - May cause cancer

T - Toxic
C - Corrosive
Carcinogenic: Category 3

R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R43 - May cause sensitization by skin contact.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Haemophilus Somnus Bacterin

Trade Name: Somubac (R)
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified
Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

Short Term: May cause eye and skin irritation. May cause allergic skin reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification (NOHSC): Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Haemophilus somnus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
EDTA solution	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	*
Water, purified	7732-18-5	231-791-2	Not Listed	Not Listed	>90

Additional Information: * Proprietary
Trace
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Aluminum hydroxide gel

ACGIH Threshold Limit Value (TWA)	1 mg/m^3
Austria OEL - MAKs	5 mg/m^3
Germany (DFG) - MAK	4 mg/m^3 1.5 mg/m^3
Latvia OEL - TWA	6 mg/m^3
Lithuania OEL - TWA	6 mg/m^3
Poland OEL - TWA	2.5 mg/m^3 1.2 mg/m^3
Slovakia OEL - TWA	1.5 mg/m^3
Switzerland OEL -TWAs	3 mg/m^3

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm 2.5 mg/m^3
Australia TWA	1 ppm 1.2 mg/m^3
Austria OEL - MAKs	0.5 ppm 0.6 mg/m^3
Bulgaria OEL - TWA	1.0 mg/m^3
Czech Republic OEL - TWA	0.5 mg/m^3
Estonia OEL - TWA	0.5 ppm 0.6 mg/m^3
Finland OEL - TWA	0.3 ppm 0.37 mg/m^3
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m^3 no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m^3
Hungary OEL - TWA	0.6 mg/m^3
Ireland OEL - TWAs	2 ppm 2.5 mg/m^3
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m^3
Latvia OEL - TWA	0.5 mg/m^3
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m^3
Netherlands OEL - TWA	0.15 mg/m^3
Vietnam OEL - TWAs	0.5 mg/m^3
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m^3
Romania OEL - TWA	1 ppm 1.20 mg/m^3
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m^3

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Slovenia OEL - TWA	0.5 ppm 0.62 mg/m^3
Sweden OEL - TWAs	0.3 ppm 0.37 mg/m^3
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m^3

Exposure Controls

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid solution in multiple-dose vials	**Color:**	No data available.
Odor:	No data available.	**Odor Threshold:**	No data available.
Molecular Formula:	Mixture	**Molecular Weight:**	Mixture

Solvent Solubility:	No data available
Water Solubility:	No data available
Solubility:	Soluble: Water (based on components)
pH:	7.0 +/- 1.5
Melting/Freezing Point (°C):	No data available
Boiling Point (°C):	>100

Partition Coefficient: (Method, pH, Endpoint, Value)
No data available

Decomposition Temperature (°C):	No data available.
Evaporation Rate (Gram/s):	No data available
Vapor Pressure (kPa):	Expected to be negligible
Vapor Density (g/ml):	No data available
Relative Density:	No data available
Specific Gravity:	1.0 +/-0.2
Viscosity:	No data available

Flammablity:

Autoignition Temperature (Solid) (°C):	No data available
Flammability (Solids):	No data available
Flash Point (Liquid) (°C):	Non-flammable
Upper Explosive Limits (Liquid) (% by Vol.):	No data available
Lower Explosive Limits (Liquid) (% by Vol.):	No data available
Polymerization:	Will not occur

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.
Possibility of Hazardous Reactions
Oxidizing Properties: No data available
Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects
General Information: Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)
Rat Oral LD50 75 mg/kg
Rat Subcutaneous LD50 98mg/kg

Aluminum hydroxide gel
Rat Para-periosteal LD50 150 mg/kg

Formaldehyde
Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)
Eye Irritation Rabbit Mild

Formaldehyde
Eye Irritation Rabbit Severe
Skin Irritation Rabbit Moderate Severe
Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde
90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

11. TOXICOLOGICAL INFORMATION

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity
Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde
In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde
IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen
OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. This product contains trace quantities of mercury, releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes	Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
None required

Haemophilus somnus

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

EDTA solution

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Aluminum hydroxide gel

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	244-492-7

Water, purified

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	231-791-2

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	developmental toxicity initial date 7/1/90
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex XVII - Restrictions on Certain Dangerous Substances:	Use restricted. See item 18.
EU EINECS/ELINCS List	200-210-4

Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2 Schedule 6
EU EINECS/ELINCS List	200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H350 - May cause cancer
H331 - Toxic if inhaled
H330 - Fatal if inhaled
H310 - Fatal in contact with skin
H300 - Fatal if swallowed
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

T - Toxic
Carcinogenic: Category 3
C - Corrosive
T+ - Very toxic
N - Dangerous for the environment

R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R43 - May cause sensitization by skin contact.
R33 - Danger of cumulative effects.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 13 - Disposal Considerations. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com