This SDS packet was issued with item: 078912834

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078912877



Revision date: 30-Jan-2014

Version: 2.1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin

Trade Name: Chemical Family: PregGuard GOLD(R) FP(TM) 10 Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance:Liquid solution in multiple-dose vialsClassification of the Substance or MixtureMixtureGHS - ClassificationNot classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Hazard Statements: Not Classified Non-hazardous in accordance with international standards for workplace safety.

removed to the nearest emergency room and the appropriate therapy instituted.

Other Hazards Short Term:

Australian Hazard Classification (NOHSC):

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

May cause eye and skin irritation. May cause allergic reaction . In the event of accidental

injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be

Non-Hazardous Substance. Non-Dangerous Goods.

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 2 of 11

Version: 2.1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Gentamicin	1403-66-3	215-765-8	Not Listed	Not Listed	##

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Bovine Parainfluenza3	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Campylobacter fetus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Leptospira canicola	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
_eptospira grippotyphosa	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
eptospira hardjo	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
eptospira icterohaemorrhagiae	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
eptospira pomona	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Bovine Rhinotrachetitis	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Bovine Virus Diarrhea	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 3 of 11

Version: 2.1

	4. FIRST AID MEASURES
Eye Contact:	Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.
Skin Contact:	Wash skin with soap and water. If irritation occurs or persists, get medical attention.
Ingestion:	Get medical attention. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
ost Important Symptoms and Effe Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
dication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None
	5. FIRE-FIGHTING MEASURES
tinguishing Media:	Extinguish fires with CO2, extinguishing powder, foam, or water.
becial Hazards Arising from the Se Hazardous Combustion Products:	ubstance or Mixture Formation of toxic gases is possible during heating or fire.
Fire / Explosion Hazards:	Fine particles (such as dust and mists) may fuel fires/explosions.
Ivice for Fire-Fighters During all fire fighting activities,	wear appropriate protective equipment, including self-contained breathing apparatus.
6.	ACCIDENTAL RELEASE MEASURES
ersonal Precautions, Protective Ed Personnel involved in clean-up	quipment and Emergency Procedures should wear appropriate personal protective equipment (see Section 8). Minimize exposure.
nvironmental Precautions Place waste in an appropriately	labeled, sealed container for disposal. Care should be taken to avoid environmental release.
ethods and Material for Containm Measures for Cleaning / Collecting:	ent and Cleaning Up Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean s area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personne

7. HANDLING AND STORAGE

Precautions for Safe Handling

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014

Page 4 of 11

Version: 2.1

7. HANDLING AND STORAGE

Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities Storage Conditions:

Store under refrigeration in closed container. 2-7°C This material can be denatured or inactivated by a variety of organic solvents, salts or heavy **Incompatible Materials:** metals. No data available

Specific end use(s):

Storage Temperature:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehvde

maidenyde	
ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm
	0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm
	2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm
	2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm
	0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Poland OEL - TWA	0.5 mg/m ³

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 5 of 11

Version: 2.1

8. EXPOS	URE CONTROLS / PERSONAL PROTECTION	
Romania OEL - TWA	1 ppm 1 20 mm/m ³	
Slovakia OEL - TWA	1.20 mg/m ³ 0.3 ppm 0.37 mg/m ³	
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³	
Sweden OEL - TWAs Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m ³ 0.3 ppm	
	0.37 mg/m ³	
Gentamicin Bulgaria OEL - TWA	0.1 mg/m ³	
when the available data are sufficient to	sure Band (OEB) classification system is to separate substances into different Hazard categories o do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is available data; as such, this value may be subject to revision when new information becomes	
Gentamicin Zoetis OEB	OEB 2 (control exposure to the range of 100 ug/m^3 to < 1000 ug/m^3)	
Exposure Controls Engineering Controls: Personal Protective	Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.	
Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).	
Hands: Eyes: Skin:	Wear impervious gloves if skin contact is possible. Safety glasses or goggles Wear protective clothing when working with large quantities. Wash hands and arms thoroughly	

Respiratory protection: after handling this material. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor:	Liquid solution in multiple-dose vials No data available.	Color: Odor Threshold:	No data available. No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility: Water Solubility: Solubility: pH:	No data available No data available Soluble: Water (based on components) 7.0 +/- 1.5		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	>100		
Partition Coefficient: (Method, pH, E	Indpoint, Value)		
No data available			
Decomposition Temperature (°C):	No data available.		

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 6 of 11

Version: 2.1

Evaporation Rate (Gram/s): Vapor Pressure (kPa): Vapor Density (g/ml): Relative Density: Specific Gravity: Viscosity: No data available Expected to be negligible No data available No data available 1.0 +/-0.2 No data available

Flammablity:

Autoignition Temperature (Solid) (°C): Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Store at 2°-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	None expected under normal conditions.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg Rat Subcutaneous LD50 98mg/kg

Gentamicin

Rat Oral LD50 6600 mg/kg Rat Subcutaneous LD50 710mg/kg Mouse IM LD50 167 mg/kg Rat IM LD50 463 mg/kg

Formaldehyde

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014

Page 7 of 11

Version: 2.1

11. TOXICOLOGICAL INFORMATION

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Gentamicin Eye Irritation Rabbit Non-irritating

Formaldehyde

 Eye Irritation
 Rabbit
 Severe

 Skin Irritation
 Rabbit
 Moderate Severe

 Skin Irritation / Sensitization
 This product contains formaldehyde and merthiolate which are considered to be skin sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs Inhalation 15 ppm LOAEL Respiratory system 9 Day(s) Rat

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Gentamicin

Embryo / Fetal Development Rat Intramuscular 75 mg/kg/day LOAEL Developmental toxicity

Formaldehyde

Embryo / Fetal DevelopmentMouseOral 185 mg/kg/dayNot teratogenic, Maternal toxicityEmbryo / Fetal DevelopmentRatInhalation 40 ppmNot Teratogenic, Maternal ToxicityReproductive EffectsNot considered to be a reproductive hazard.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive *In Vitro* Chromosome Aberration Rodent Positive *In Vitro* Sister Chromatid Exchange Rodent Positive *In Vivo* Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 8 of 11

Version: 2.1

11. TOXICOLOGICAL INFORMATION

Carcinogen Status:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde IARC: NTP: OSHA:

Group 1 (Carcinogenic to Humans) Known Human Carcinogen Listed

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. This product contains trace quantities of mercury, releases to the environment should be avoided.	
Toxicity:	No data available	
Persistence and Degradability:	No data available	
Bio-accumulative Potential:	No data available	
Mobility in Soil:	No data available	

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:Dispose of waste in accordance with all applicable laws and regulations. Member State specific
and Community specific provisions must be considered. Considering the relevant known
environmental and human health hazards of the material, review and implement appropriate
technical and procedural waste water and waste disposal measures to prevent occupational
exposure and environmental release. It is recommended that waste minimization be practiced.
The best available technology should be utilized to prevent environmental releases. This may
include destructive techniques for waste and wastewater. This product contains trace
quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be
confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 9 of 11

Version: 2.1

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Non-controlled

Bovine Parainfluenza3 CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Campylobacter fetus CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Leptospira canicola CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Leptospira grippotyphosa CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Leptospira hardjo CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Leptospira icterohaemorrhagiae CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed

Leptospira pomona

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 10 of 11

Version: 2.1

15. REGULATO	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Bovine Rhinotrachetitis	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 lb
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8
Merthiolate (as mercury)	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	200-210-4
Gentamicin	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 4
for Drugs and Poisons:	
EU EINECS/ELINCS List	215-765-8
Bovine Virus Diarrhea	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3 Vaccine, Modified Live Virus, Campylobacter Fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin Revision date: 30-Jan-2014 Page 11 of 11

Version: 2.1

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer
H331 - Toxic if inhaled
H330 - Fatal if inhaled
H310 - Fatal in contact with skin
H300 - Fatal if swallowed
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

T - Toxic C - Corrosive Carcinogenic: Category 3 T+ - Very toxic N - Dangerous for the environment

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R33 - Danger of cumulative effects.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

 Data Sources:
 The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

 Reasons for Revision:
 Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 13 - Disposal Considerations. Updated Section 15 - Regulatory Information.

 Prepared by:
 Toxicology and Hazard Communication

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Zoetis Global Risk Management

End of Safety Data Sheet