This SDS packet was issued with item:

078912862

N/A



Revision date: 04-Dec-2006 Version: 1.3 Page 1 of 7

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health
Pfizer Inc
State 42nd Street
New York, NY 10017
Poison Control Center Phone: 1-866-531-8896
Pfizer Ltd,
Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Technical Services Phone: 1-800-366-5288

Emergency telephone number:

Material Name: Campylobacter Fetus Bacterin

Trade Name: Vibrin (R)
Chemical Family: Mixture

Intended Use: Veterinary Vaccine

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS List	%
Formaldehyde	50-00-0	200-001-8	0.1 - 1.0%
Aluminum monostearate	7047-84-9	230-325-5	*

Ingredient	CAS Number	EU EINECS List	%
Safflower oil	8001-23-8	232-276-5	*
Methylparaben	99-76-3	202-785-7	*
Butylparaben	94-26-8	202-318-7	*
Propylparaben	94-13-3	202-307-7	*
Water, purified	7732-18-5	231-791-2	>90%

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

Emergency telephone number:

safety.

3. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Signal Word: WARNING

Statement of Hazard: Contains formaldehyde: potential cancer hazard.

May cause sensitization of the skin and respiratory system.

May cause eye, skin and respiratory tract irritation.

Additional Hazard Information:

Short Term: May cause eye and skin irritation. May cause allergic reaction . In the event of accidental

injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be

removed to the nearest emergency room and the appropriate therapy instituted.

Material Name: Campylobacter Fetus Bacterin Page 2 of 7
Revision date: 04-Dec-2006 Version: 1.3

.....

EU Indication of danger: Irritant

EU Hazard Symbols:



EU Risk Phrases:

R43 - May cause sensitization by skin contact.

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get

medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention

immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media: As for primary cause of fire.

Hazardous Combustion Products: Not known

Fire Fighting Procedures: Dike and collect water used to fight fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

area thoroughly.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Material Name: Campylobacter Fetus Bacterin Page 3 of 7
Revision date: 04-Dec-2006 Version: 1.3

General Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing

vapor or mist. Use appropriate personal protective equipment.

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Formaldehyde

OSHA - Final PELS - TWAs: = 0.75 ppm TWA
OSHA - Specifically Regulated Chemicals = 0.5 ppm Action Level

= 0.75 ppm TWA

= 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR

1910.1048

ACGIH Ceiling Threshold Limit: = 0.3 ppm Ceiling
ACGIH - Sensitizer Designation Sensitizer

Australia STEL = 2 ppm STEL

= 2.5 mg/m³ STEL = 1 ppm TWA = 1.2 mg/m³ TWA

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure

monitoring may be necessary to determine requirements.

Personal Protective Equipment:

Australia TWA

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Wear protective clothing when working with large quantities. Wash hands and arms thoroughly

after handling this material.

Respiratory protection: In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures

below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid solution in multiple-dose vials Color: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solubility: Soluble: Water (based on components)

pH: 7.0 +/- 1.5 Boiling Point (°C): >100

Vapor Pressure (kPa): Expected to be negligible

Specific Gravity: 1.0 +/-0.2

Flash Point (Liquid) (°C): Non-flammable

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Store at 2°-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

Material Name: Campylobacter Fetus Bacterin Page 4 of 7
Revision date: 04-Dec-2006 Version: 1.3

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition Products: None expected under normal conditions.

Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or

inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content. The information included in this section describes the potential hazards of the

individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Methylparaben

Mouse Oral LD50 > 8000 mg/kg

Rat Oral LD50 2280 mg/kg

Propylparaben

Mouse Oral LD 50 6332 mg/kg

Mouse Intraperitoneal LD 50 200 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Inhalation Acute Toxicity

Not determined for this mixture. However, irritation may occur based on effects of individual

components.

<u>Irritation / Sensitization: (Study Type, Species, Severity)</u>

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Safflower oil

Eye Irritation Rabbit Mild

Skin Irritation / SensitizationThis product contains formaldehyde which is considered to be a skin sensitizer.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lung

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Propylparaben

3 Week(s) Rat Oral 27.1 g/kg LOAEL Endocrine system

4 Week(s) Rat Oral 347.2 mg/kg LOAEL Male reproductive system

Subchronic Effects Rats exposed to 15 ppm formaldehyde vapor for six hours/day for up to nine days showed an

acute cell degeneration, necrosis and inflammation in the nasal cavities. Inhalation exposure to formaldehyde for up to 90 days produced interstitial inflammation in the lungs of dogs, rats,

monkeys, rabbits and guinea pigs.

Chronic Effects/Carcinogenicity In rats, several inhalation studies have shown that formaldehyde induces squamous-

cell carcinomas and necrosis of the nasal cavity. Formaldehyde also showed cocarcinogenic effects when inhaled, ingested, or applied to the skin of rodents.

Page 5 of 7

Material Name: Campylobacter Fetus Bacterin

Revision date: 04-Dec-2006 Version: 1.3

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Reproductive Effects Not considered to be a reproductive hazard.

Teratogenicity Formaldehyde has been tested by inhalation, oral, and dermal routes and has not been shown

to be teratogenic in animals.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Mutagenicity Formaldehyde has been reported to be active in many short-term tests, both in vitro and in

vivo.

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: Contains formaldehyde: potential cancer hazard. See below

Formaldehyde

IARC: Group 1

NTP: Reasonably Anticipated To Be A Carcinogen

OSHA: Present

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Observe all local and national regulations when disposing of this material.

Formaldehyde

RCRA - U Series Wastes waste number U122

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Campylobacter Fetus Bacterin Page 6 of 7
Revision date: 04-Dec-2006 Version: 1.3

Revision date: 04-Dec-2006 Version: 1.3

15. REGULATORY INFORMATION

EU Symbol: Xi EU Indication of danger: Irritant

EU Risk Phrases:

R43 - May cause sensitization by skin contact.

EU Safety Phrases:

S24 - Avoid contact with skin.S37 - Wear suitable gloves.

OSHA Label:

WARNING

Contains formaldehyde: potential cancer hazard.

May cause sensitization of the skin and respiratory system.

May cause eye, skin and respiratory tract irritation.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A



Safflower oil

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS List

232-276-5

Methylparaben

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

Present
202-785-7

Butylparaben

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

Present
202-318-7

Propylparaben

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS List

202-307-7

Formaldehyde

CERCLA/SARA 313 Emission reporting = 0.1 % de minimis concentration

Material Name: Campylobacter Fetus Bacterin Page 7 of 7
Revision date: 04-Dec-2006 Version: 1.3

CERCLA/SARA Hazardous Substances and their Reportable Quantities:

CERCLA/SARA - Section 302 Extremely Hazardous = 500 lb TPQ

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous = 100 lb EPCRA RQ

Substances EPCRA RQs California Proposition 65

California Proposition 65 carcinogen, initial date 1/1/88 (gas)

OSHA - Specifically Regulated Chemicals = 0.5 ppm Action Level = 0.75 ppm TWA

= 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR

1910.1048

= 100 lb final RQ

= 45.4 kg final RQ

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS List

Present
Schedule 2
Schedule 6
200-001-8

Water, purified

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

Present
231-791-2

Aluminum monostearate

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present
EU EINECS List

230-325-5

16. OTHER INFORMATION

Reasons for Revision: Updated Section 3 - Hazard Identification. Updated Section 5 - Fire Fighting Measures.

Updated Section 6 - Accidental Release Measures. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 15 -

Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without a warranty of any kind, expressed or implied.

End of Safety Data Sheet



Version: 2.0 Revision date: 16-Jan-2014 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Campylobacter Fetus Bacterin

Vibrin (R) **Trade Name: Chemical Family:** Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem **Belgium**

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com **Emergency telephone number:** International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

Short Term: May cause eye and skin irritation. May cause allergic reaction . In the event of accidental

injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be

removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which Note:

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: Campylobacter Fetus Bacterin Page 2 of 10
Revision date: 16-Jan-2014 Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum monostearate	7047-84-9	230-325-5	Not Listed	Not Listed	*
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU	EU Classification	GHS	%
_		EINECS/ELINCS		Classification	
		List			
Campylobacter fetus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Safflower oil	8001-23-8	232-276-5	Not Listed	Not Listed	*
Methylparaben	99-76-3	202-785-7	Not Listed	Not Listed	*
Butylparaben	94-26-8	202-318-7	Not Listed	Not Listed	*
Propylparaben	94-13-3	202-307-7	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get

medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention

immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

Material Name: Campylobacter Fetus Bacterin

Revision date: 16-Jan-2014 Version: 2.0

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus. Dike and

collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Page 3 of 10

Collecting: area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, and flame. Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Aluminum monostearate

Lithuania OEL - TWA 5 mg/m³
Sweden OEL - TWAs 5 mg/m³

Formaldehyde

Material Name: Campylobacter Fetus Bacterin Page 4 of 10
Revision date: 16-Jan-2014 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ACGIH Ceiling Threshold Limit: 0.3 ppm **ACGIH - Sensitizer Designation** Sensitizer **Australia STEL** 2 ppm 2.5 mg/m³ **Australia TWA** 1 ppm 1.2 mg/m³ Austria OEL - MAKs 0.5 ppm 0.6 mg/m^{3} **Bulgaria OEL - TWA** 1.0 mg/m³ Czech Republic OEL - TWA 0.5 mg/m³ Estonia OEL - TWA 0.5 ppm 0.6 mg/m³ **Finland OEL - TWA** 0.3 ppm 0.37 mg/m³ France OEL - TWA 0.5 ppm 0.3 ppm Germany (DFG) - MAK 0.37 mg/m³ no irritation should occur during mixed exposure **Greece OEL - TWA** 2 ppm 2.5 mg/m³ 0.6 mg/m³ **Hungary OEL - TWA** 2 ppm **Ireland OEL - TWAs** 2.5 mg/m³ 0.2 ppm Japan - OELs - Ceilings 0.24 mg/m³ Latvia OEL - TWA 0.5 mg/m^{3} Lithuania OEL - TWA 0.5 ppm 0.6 mg/m³ **Netherlands OEL - TWA** 0.15 mg/m³ **Vietnam OEL - TWAs** 0.5 mg/m³ **OSHA - Final PELS - TWAs:** 0.75 ppm **OSHA - Specifically Regulated Chemicals** 2 ppm 0.5 ppm 0.75 ppm Poland OEL - TWA 0.5 mg/m^{3} 1 ppm Romania OEL - TWA 1.20 mg/m³ Slovakia OEL - TWA 0.3 ppm 0.37 mg/m³ Slovenia OEL - TWA 0.5 ppm 0.62 mg/m³ 0.3 ppm **Sweden OEL - TWAs** 0.37 mg/m³

Exposure Controls

Switzerland OEL -TWAs

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure

0.3 ppm

0.37 mg/m³

monitoring may be necessary to determine requirements.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Material Name: Campylobacter Fetus Bacterin Page 5 of 10 Revision date: 16-Jan-2014 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures

below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid solution in multiple-dose vials No data available. **Physical State:** Color: No data available. No data available. Odor: **Odor Threshold:**

Mixture **Molecular Weight:** Mixture Molecular Formula:

No data available **Solvent Solubility:** Water Solubility: No data available

Solubility: Soluble: Water (based on components)

7.0 + / - 1.5:Ha Melting/Freezing Point (°C): No data available

Boiling Point (°C):

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): Expected to be negligible

Vapor Density (g/ml): No data available **Relative Density:** No data available 1.0 +/-0.2 **Specific Gravity:** Viscosity: No data available

Flammablity:

No data available Autoignition Temperature (Solid) (°C): Flammability (Solids): No data available Flash Point (Liquid) (°C): Non-flammable Upper Explosive Limits (Liquid) (% by Vol.): No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

Will not occur Polymerization:

10. STABILITY AND REACTIVITY

No data available Reactivity:

Stable **Chemical Stability:**

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Store at 2°-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

This material can be denatured or inactivated by a variety of organic solvents, salts or heavy **Incompatible Materials:**

metals.

Hazardous Decomposition

Products:

None expected under normal conditions.

Material Name: Campylobacter Fetus Bacterin

Revision date: 16-Jan-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Page 6 of 10

Acute Toxicity: (Species, Route, End Point, Dose)

Propylparaben

Mouse Oral LD 50 6332 mg/kg

Mouse Sub-tenon injection (eye) LD 50 200 mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Safflower oil

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Irritation / Sensitization This product contains formaldehyde which is considered to be a skin sensitizer.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Propylparaben

3 Week(s) Rat Oral 27.1 g/kg LOAEL Endocrine system

4 Week(s) Rat Oral 347.2 mg/kg LOAEL Male reproductive system

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation Not Specified Lungs

90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

In Vitro Chromosome Aberration Rodent Positive

In Vitro Sister Chromatid Exchange Rodent Positive

In Vivo Chromosome Aberration Not specified Positive

Material Name: Campylobacter Fetus Bacterin Page 7 of 10
Revision date: 16-Jan-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: No known carcinogens are present at greater than 0.1%

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen

OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

Formaldehyde

2862.10

RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Page 8 of 10

Material Name: Campylobacter Fetus Bacterin

Revision date: 16-Jan-2014 Version: 2.0

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

Campylobacter fetus

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

Safflower oil

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Eisted

Not

Methylparaben

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Butylparaben

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

202-318-7

Propylparaben

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not Eisted

Not Listed

Not

Aluminum monostearate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Not Listed

Not Listed

Present

Present

Material Name: Campylobacter Fetus Bacterin Page 9 of 10
Revision date: 16-Jan-2014 Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List 230-325-5

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb
and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 100 lb

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

0.5 ppm 0.75 ppm

Inventory - United States TSCA - Sect. 8(b)PresentAustralia (AICS):PresentStandard for the Uniform SchedulingSchedule 2for Drugs and Poisons:Schedule 6EU EINECS/ELINCS List200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H331 - Toxic if inhaled

C - Corrosive

T - Toxic

Carcinogenic: Category 3

R23 - Toxic by inhalation.

R24 - Toxic in contact with skin.

R25 - Toxic if swallowed.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

Data Sources:The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 -

Ecological Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Page 10 of 10

Material Name: Campylobacter Fetus Bacterin

Revision date: 16-Jan-2014 Version: 2.0

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet



1. Identification

Product identifier Campylobacter Fetus Bacterin

Other means of identification

Vibrin® * VIBRIN™ **Synonyms** Recommended use Veterinary vaccine **Recommended restrictions** Not for human use Manufacturer/Importer/Supplier/Distributor information

Zoetis Inc. Company Name (US)

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-800-366-5288

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Zoetis Belgium S.A. Company Name (EU)

> Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

VMIPSrecords@zoetis.com **Contact E-Mail**

2. Hazard(s) identification

Not classified. **Physical hazards** Health hazards Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. None. Signal word

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an

allergic reaction may occur. This product is an oil-adjuvanted suspension. Oil-adjuvant containing

products may cause severe vasospasm following accidental injection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum monostearate		7047-84-9	<5

Chemical name	Common name and synonyms	CAS number	%
Safflower oil		8001-23-8	<5
Formaldehyde		50-00-0	<0.1
Campylobacter fetus		Not assigned	*
Composition comments	* Non-hazardous Ingredients		

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.

Ingestion

Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm following accidental injection.

Indication of immediate medical attention and special treatment needed
General information

Treat symptomatically. Where parenteral oil-adjuvanted vaccine exposure has occurred, the patient should be promptly evaluated for the development of vasospasm and/or compartment syndrome.

For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

equipment/instructions

equipment/instructions

Specific methods
General fire hazards

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid accidental Precautions for safe handling

injection. Wash thoroughly after handling. When using, do not eat, drink or smoke. Wear personal protective equipment. Avoid release to the environment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities Keep tightly closed in a dry, cool and well-ventilated place. @ 2 - 7°C (36 - 45°F). Do not freeze. Keep away from heat, sparks and open flame. Store away from incompatible materials (see

Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL. TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Regulated Substances (29 Cl	FR 1910.1001-1050)
---	--------------------

Components	Туре	Value	
Formaldehyde (CAS 50-00-0)	STEL	2 ppm	
	TWA	0.75 ppm	
US. OSHA Table Z-1 Limits for	r Air Contaminants (29 CFR 1910.100	00)	
Components	Туре	Value	Form
Safflower oil (CAS	PEL	5 mg/m3	Respirable fraction.

8001-23-8) 15 mg/m3 Total dust.

US. ACGIH Threshold Limit Values

Components Type Value Formaldehyde (CAS Ceiling 0.3 ppm 50-00-0)

HE MICELL Booket Guide to Chemical Hazarda

Components	Type	Value	Form
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm	
·	TWA	0.016 ppm	
Safflower oil (CAS 8001-23-8)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Mist.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Control banding approach

Not available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear impervious gloves if skin contact is possible.

Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable Other

coveralls, etc.) in both production and laboratory areas.

No personal respiratory protective equipment normally required. In case of insufficient ventilation, Respiratory protection

wear suitable respiratory equipment. If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be

worn.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid Solution in multiple-dose vials

Physical state Liquid. Form Liquid.

ColorNot available.OdorNot available.Odor thresholdNot available.

pH 6 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point Non-flammable

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.8 - 1.2

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Sunlight. Store at 2-7°C. Prolonged exposure to higher

temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic

solvents, salts or heavy metals.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged skin contact may cause temporary irritation.

Material name: Campylobacter Fetus Bacterin

SDS US

Skin contact Formaldehyde

Species: Rabbit

Severity: Moderate Severe

Eye contact Formaldehyde

Direct contact with eyes may cause temporary irritation.

Species: Rabbit Severity: Severe

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Formaldehyde (CAS 50-00-0)		
<u>Acute</u>		
Inhalation		
LC50	Rat	0.48 mg/l, 4 Hours
Oral		
LD50	Rat	800 mg/kg
		100 mg/kg
<u>Chronic</u>		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 9 days Respiratory system
		6 ppm, 2 years Tumors
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritat	ion.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrita	ation.
Eye Contact		
Formaldehyde	Species: Rabbit Severity: Severe	

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0) Dermal sensitization
Respiratory sensitization

Respiratory sensitization No.

Not a respiratory sensitizer.

Skin sensitization

This product contains formaldehyde which is considered to be a skin sensitizer. This product is not

expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

Formaldehyde In Vitro Bacterial Mutagenicity (Ames)

Result: Positive Species: Bacteria

In Vitro Chromosome Aberration

Result: Positive Species: Rodent

Material name: Campylobacter Fetus Bacterin

SDS US

217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

Mutagenicity

Carcinogenicity

Formaldehyde In Vitro Sister Chromatid Exchange

Result: Positive Species: Rodent

In Vivo Chromosome Aberration

Result: Positive Species: Not specified

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. No known

carcinogens are present at greater than 0.1%.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Formaldehyde (CAS 50-00-0)

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde 185 mg/kg/day Embryo / Fetal Development, Not teratogenic

> Maternal toxicity Species: Mouse Organ: Oral

40 ppm Embryo / Fetal Development, Not Teratogenic

Maternal Toxicity Species: Rat Organ: Inhalation

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

Allergic reactions are possible. The antigens included in this product are non-infectious. All have **Further information**

been prepared from killed or inactivated preparations of microorganisms. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm

following accidental injection.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Avoid release to the environment.

Species Test Results Components

Formaldehyde (CAS 50-00-0)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 4.3 - 7.8 mg/l, 48 hours

Fish LC50 Striped bass (Morone saxatilis) 10.302 - 16.743 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Disposal instructions

> Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

> Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations. None known.

Waste from residues / unused

products

Hazardous waste code

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US federal regulations**

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

> Skin sensitization Respiratory sensitization

Eve irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name **CAS** number Reportable **Threshold** Threshold **Threshold** quantity planning quantity planning quantity, planning quantity, lower value upper value (pounds) (pounds) (pounds) (pounds)

Formaldehyde 50-00-0 100 500

SARA 311/312 Hazardous Nο

chemical

Material name: Campylobacter Fetus Bacterin 217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 01-16-2014

 Revision date
 05-04-2017

Version # 03

United States & Puerto Rico

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: Campylobacter Fetus Bacterin

SDS US

No

On inventory (yes/no)*



1. Identification

Product identifier Campylobacter Fetus Bacterin

Other means of identification

Vibrin® * VIBRIN™ **Synonyms** Recommended use Veterinary vaccine **Recommended restrictions** Not for human use Manufacturer/Importer/Supplier/Distributor information

Zoetis Inc. **Company Name (US)**

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

1-800-366-5288

Services

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Zoetis Belgium S.A. **Company Name (EU)**

> Mercuriusstraat 20 1930 Zaventem

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

VMIPSrecords@zoetis.com **Contact E-Mail**

2. Hazard(s) identification

Not classified. **Physical hazards** Health hazards Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. None. Signal word

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an

allergic reaction may occur. This product is an oil-adjuvanted suspension. Oil-adjuvant containing

products may cause severe vasospasm following accidental injection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum monostearate		7047-84-9	<5

Material name: Campylobacter Fetus Bacterin

SDS US

217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

Chemical name	Common name and synonyms	CAS number	%
Safflower oil		8001-23-8	<5
Formaldehyde		50-00-0	<0.1
Campylobacter fetus		Not assigned	*
Composition comments	* Non-hazardous Ingredients		

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.

Ingestion

Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm following accidental injection. Treat symptomatically. Where parenteral oil-adjuvanted vaccine exposure has occurred, the

Indication of immediate medical attention and special treatment needed

patient should be promptly evaluated for the development of vasospasm and/or compartment syndrome.

General information

For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Fire fighting equipment/instructions

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk, Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid accidental

injection. Wash thoroughly after handling. When using, do not eat, drink or smoke. Wear personal protective equipment. Avoid release to the environment. Observe good industrial hygiene

.

15 mg/m3

Total dust.

practices.

Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry, cool and well-ventilated place. @ $2 - 7^{\circ}C$ (36 - $45^{\circ}F$). Do not freeze. Keep away from heat, sparks and open flame. Store away from incompatible materials (see

Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Reg	julated Substances (29 CFR 1910.1001-1050)
0	T

Components	гуре	value	
Formaldehyde (CAS 50-00-0)	STEL	2 ppm	
•	TWA	0.75 ppm	
US. OSHA Table Z-1 Limits fo	r Air Contaminants (29 CFR 1910.	1000)	
Components	Туре	Value	Form
Safflower oil (CAS 8001-23-8)	PEL	5 mg/m3	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Туре	Value	
Formaldehyde (CAS	Ceiling	0.3 ppm	
50-00-0\			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm		
	TWA	0.016 ppm		
Safflower oil (CAS 8001-23-8)	TWA	5 mg/m3	Respirable.	
,		10 ma/m3	Mist.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding approach

Not available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear impervious gloves if skin contact is possible.

Other Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable

coveralls, etc.) in both production and laboratory areas.

Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation,

wear suitable respiratory equipment. If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be

worn.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid Solution in multiple-dose vials

Physical state Liquid. Form Liquid.

ColorNot available.OdorNot available.Odor thresholdNot available.

pH 6 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point Non-flammable

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.8 - 1.2

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Sunlight. Store at 2-7°C. Prolonged exposure to higher

temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic

solvents, salts or heavy metals.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged skin contact may cause temporary irritation.

Material name: Campylobacter Fetus Bacterin

SDS US

217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

Skin contact Formaldehyde

Species: Rabbit

Spacias

Severity: Moderate Severe

Eye contact Formaldehyde Direct contact with eyes may cause temporary irritation.

Species: Rabbit Severity: Severe

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Toet Posulte

Information on toxicological effects

Acute toxicity Componente

Components	Species	lest Results
Formaldehyde (CAS 50-00-0)		
<u>Acute</u>		
Inhalation		
LC50	Rat	0.48 mg/l, 4 Hours
Oral		
LD50	Rat	800 mg/kg
		100 mg/kg
<u>Chronic</u>		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 9 days Respiratory system
		6 ppm, 2 years Tumors
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Eye Contact		
Formaldehyde		Species: Rabbit Severity: Severe

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0) Dermal sensitization Respiratory sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product contains formaldehyde which is considered to be a skin sensitizer. This product is not Skin sensitization

expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

Formaldehyde In Vitro Bacterial Mutagenicity (Ames)

Result: Positive Species: Bacteria

In Vitro Chromosome Aberration

Result: Positive Species: Rodent

Material name: Campylobacter Fetus Bacterin

SDS US 217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

Mutagenicity

Carcinogenicity

Formaldehyde In Vitro Sister Chromatid Exchange

Result: Positive Species: Rodent

In Vivo Chromosome Aberration

Result: Positive Species: Not specified

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. No known

carcinogens are present at greater than 0.1%.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Formaldehyde (CAS 50-00-0)

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde 185 mg/kg/day Embryo / Fetal Development, Not teratogenic

> Maternal toxicity Species: Mouse Organ: Oral

40 ppm Embryo / Fetal Development, Not Teratogenic

Maternal Toxicity Species: Rat Organ: Inhalation

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

Allergic reactions are possible. The antigens included in this product are non-infectious. All have **Further information**

been prepared from killed or inactivated preparations of microorganisms. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm

following accidental injection.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Avoid release to the environment.

Components **Species Test Results**

Formaldehyde (CAS 50-00-0)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 4.3 - 7.8 mg/l, 48 hours

Fish LC50 Striped bass (Morone saxatilis) 10.302 - 16.743 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: Campylobacter Fetus Bacterin

SDS US

217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

6/8

13. Disposal considerations

Disposal instructionsAvoid release to the environment. Do not discharge into drains, water courses or onto the ground.

Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code None known.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Skin sensitization Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number **Threshold** Threshold **Threshold** Reportable quantity planning quantity planning quantity, planning quantity, lower value upper value (pounds) (pounds) (pounds) (pounds)

Formaldehyde 50-00-0 100 500

SARA 311/312 Hazardous No

chemical

Material name: Campylobacter Fetus Bacterin
217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 01-16-2014

 Revision date
 05-04-2017

Version # 03

United States & Puerto Rico

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Campylobacter Fetus Bacterin

sps us

No

On inventory (yes/no)*

217 Version #: 03 Revision date: 05-04-2017 Issue date: 01-16-2014