SAFETY DATA SHEETS

This SDS packet was issued with item: 078914592

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078679527 078679535 078679543 078679550 078679568 078679576 078915009 078915010 078915011 078925923 078925925 078925926 078925929



1.1. Product identifier	
Product name	: Vectra 3D [®]
Other means of identification	: Vectra 3D [®] for Dogs and Puppies 5-10 lbs. and over 8 weeks of age
	Vectra 3D [®] for Dogs and Puppies 11-20 lbs and over 8 weeks of age
	Vectra 3D [®] for Dogs and Puppies 21-55 lbs and over 8 weeks of age Vectra $3D^{\otimes}$ for Dogs and Puppies 56-95 lbs
	Vectra 3D [®] for Dogs and Puppies over 95 lbs
EPA Registration No.	: 83399-6
5	
	substance or mixture and uses advised against
Use of the substance/mixture	: Control of fleas, ticks, mosquitoes, sand flies, mites and biting and sucking lice on dogs.
1.3. Details of the supplier of the sa	afety data sheet
Ceva Animal Health, LLC	
8735 Rosehill Road, Suite 300	
Lenexa, KS 66215	
1.4. Emergency telephone number	
Emergency number	: Chemtrec 1 800 424 9300
CECTION 2. Honordo identificati	
SECTION 2: Hazards identification	
2.1. Classification of the substance	e or mixture
Classification (GHS-US)	
Acute Tox. 4 (Oral) H302	
Acute Tox. 4 (Inhalation) H332	
Skin Sens. 1 H317	
Aquatic Acute 1 H400	
Aquatic Chronic 1 H410	
2.2. Label elements	
GHS-US labeling	
-	
Hazard pictograms (GHS-US)	
	GHS07 GHS09
Signal word (GHS-US)	GHS07 GHS09
Signal word (GHS-US)	: Warning
Signal word (GHS-US) Hazard statements (GHS-US)	:Warning :H302+H332 - Harmful if swallowed or if inhaled
• • • •	: Warning : H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction
• • • •	: Warning : H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life
Hazard statements (GHS-US)	: Warning : H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
• • • •	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P321 - Specific treatment (see label)
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P321 - Specific treatment (see label) P330 - Rinse mouth
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P303 - Rinse mouth P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P321 - Specific treatment (see label) P330 - Rinse mouth
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P303 - Rinse mouth P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse
Hazard statements (GHS-US)	 Warning H302+H332 - Harmful if swallowed or if inhaled H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301 + P312 - If swallowed: Call a poison center/doctor/ if you feel unwell P302 + P352 - If on skin: Wash with plenty of water/ P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a poison center/doctor if you feel unwell P331 + P313 - If skin irritation or rash occurs: Get medical advice/attention P332 + P364 - Take off contaminated clothing and wash it before reuse P391 - Collect spillage

Vectra 3D®

Safety Data Sheet

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Permethrin	(CAS No) 52645-53-1	35 - 37	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1-Methyl-2-nitro-3-[(3-tetrahydrofuryl)methyl]guanidine	(CAS No) 165252-70-0	4.7 - 5.2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320
2-[1-Methyl-2-(4-phenoxyphenoxy)ethoxy]pyridine	(CAS No) 95737-68-1	0.4 - 0.48	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Move to fresh air, if breathing is difficult give oxygen. Contact a physician if irritation develops.
First-aid measures after skin contact	: Take off contaminated clothing, rinse effected area with plenty of water for 15-20 minutes. Wash clothing and shoes before reuse. Contact a physician if irritation develops.
First-aid measures after eye contact	: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and continue rinsing. Call a poison control center or doctor for treatment advice. Get medical attention if irritation develops or persists.
First-aid measures after ingestion	: Contact a physician or Poison Control Center. Give water to help dilute. Avoid alcohol. If, ingested, do not induce vomiting, unless instructed by doctor or medical personnel. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries after inhalation	: Inhalation exposure is unlikely when product is used as directed.
Symptoms/injuries after skin contact	: May cause mild skin irritation after prolonged contact with skin. Paraesthesia (a tingling sensation on the skin) may result from synthetic pyrethroid contact with the skin. (Paraesthesia will generally subside after 24 hours without treatment.)
Symptoms/injuries after eye contact	: Contact with eyes may cause irritation resulting in reddening, tearing or stinging. Avoid contact with eyes and skin or clothing. Wash thoroughly with soap and water after use.
Symptoms/injuries after ingestion	 Not considered toxic to humans. Symptoms after accidential ingestion may include; gastrointestinal discomfort, diarrhea, nausea and vomiting.
4.2 Indication of any immediate medical	ettention and exected treatment needed

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water, Foam, Carbon Dioxide, Dry Chemical
Unsuitable extinguishing media	: None.
5.2. Special hazards arising from the sul	bstance or mixture
Fire hazard	: None
Explosion hazard	: None known.
5.3. Advice for firefighters	
Protection during firefighting	: Firefighters should wear full protective gear.

Vectra 3D®

Safety Data Sheet

SECTION 6: Accidental release measures					
6.1.					
6.1.1. No addit	S.1.1. For non-emergency personnel No additional information available				
6.1.2. No addit	.1.2. For emergency responders lo additional information available				
6.2.	Environmental precautions				
Avoid re	ease to the environment.				
6.3.	Methods and material for containment	and cleaning up			
For conta Methods	ainment : for cleaning up :	Stop the flow of material, if this is without risk. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Absorbents and other materials contaminated by the spill should be collected for proper disposal. Do not allow spilled material and or wash water to enter sewers, surface water, or ground water. Place in an approved container and dispose in accordance with local, state and federal regulations.			
6.4.	Reference to other sections				
No addit	ional information available				
SECTI	ON 7: Handling and storage				
7.1.	Precautions for safe handling				
Precauti	ons for safe handling :	Product packaged in single dose pipettes. Pipette should only be opened at time of treatment.			
7.2.	7.2. Conditions for safe storage, including any incompatibilities				
Storage	conditions :	Avoid extreme heating and freezing. Optimum storage temperatures 32°F to 95°F. Do not store opened and unused pipettes. Store in a cool dry place, in original container, out of the reach of children. Store separate from food products. Keep away from heat, sparks and open flame.			
7.3.	Specific end use(s)				
Control of fleas, ticks, mosquitoes, sand flies, mites and biting and sucking lice on dogs.					
SECTI	SECTION 8: Exposure controls/personal protection				

Control parameters 8.1.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: None required under normal product handling conditions.
Hand protection	 Avoid unnecessary contact with skin. If handling large quantities/volumes use permeation resistant gloves, footwear and clothing as practical.
Eye protection	 Avoid contact with eyes. If handling large quantities/volumes use chemical safety goggles or glasses.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: None required under normal product handling conditions. Use local and general exhaust ventilation to control levels of exposure when handling large quantities of material.

. INU UALA AVAIIANE	
: No data available	
: 5.88 at 1% w/w	
: No data available	
: Mild Furan	
: Light Yellow	
: Clear	
: Liquid	
C	 Clear Light Yellow Mild Furan No data available 5.88 at 1% w/w

Vectra 3D[®] Safety Data Sheet

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Specifc gravity	:	9.171 lb/gal @25°C
Solubility	:	No data available
Log Pow	:	No data available
Log Kow	:	No data available
Viscosity	:	13 cps@ 21.5°C
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
Will not	occur.
10.4.	Conditions to avoid
Temper	ature extremes, flames and sparks
10.5.	Incompatible materials
None ki	nown.
10.6.	Hazardous decomposition products

None known, other than carbon oxides. Thermal release of large quantities may lead to release of irritating gases and vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Harmful if swallowed. Harmful if inhaled.

Permethrin (52645-53-1)			
LD50 oral rat	220 mg/kg		
LD50 dermal rat	> 5000 mg/kg		
LC50 inhalation rat (mg/l)	> 0.69 mg/l/4h		
ATE US (oral)	220.0000000 mg/kg body weight		
ATE US (gases)	4500.0000000 ppmV/4h		
ATE US (vapors)	11.0000000 mg/l/4h		
ATE US (dust, mist)	1.5000000 mg/l/4h		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Permethrin (52645-53-1)			
IARC group	3 - Not classifiable		
Reproductive toxicity	: Not classified		

EN (English US)

Vectra 3D[®] Safety Data Sheet

Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
Permethrin (52645-53-1)	
LC50 fish 1	0.008 - 0.03 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	0.001 - 0.009 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Permethrin (52645-53-1)	
Log Pow	6.5
12.4. Mobility in soil No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international regulations.
SECTION 14: Transport information	
In accordance with DOT	
Not a dangerous good as defined in transport reg	ulations
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Permethrin (52645-53-1) Listed on SARA Section 313 (Specific toxic che	minel listinge
SARA Section 313 - Emission Reporting	1.0 %
15.2. US State regulations	
Permethrin (52645-53-1)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Su	ibstance List
SECTION 16: Other information	
Full text of H-phrases: Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Sens. 1	Skin sensitization Category 1
H301	Toxic if swallowed
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H320	Causes eye irritation

Vectra 3D[®] Safety Data Sheet

H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product