

SAFETY DATA SHEETS

This SDS packet was issued with item:

078923327

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078923367 078923409 078923410 078930179



We are people protection.™

Safety Data Sheet

Section 1: Identification

Product Name: *StarMed Plus Nitrile Powder-Free Examination Gloves*
CAS Number: Not established
Product Use: Examination Glove
Manufacturer/Supplier: Sempermed USA, Inc.
Address: 13900 49th Street North, Clearwater, FL 33762

Section 2: Hazard(s) Identification

Not Established

Section 3: Composition/Information on Ingredients

Synthetic rubber nitrile (NBR)
Titanium Oxide
Sulfur
Organic accelerators (dithiocarbamates, benzothiazolate)
Zinc Oxide
Polymeric sterically hindered phenol
Potassium Hydroxide

Color: Blue
Odor: N/A

Section 4: First-Aid Measures

N/A

Section 5: Fire-Fighting Measures

Flash Point	N/A
Extinguishing Media	Foam, Carbon Dioxide, Water
Conditions to Avoid	None
Incompatible Materials	None

Section 6: Accidental Release Measures

Not necessary

Section 7: Handling and Storage

Store in cool dry conditions. Avoid excessive heat. Open box should be kept from exposure to direct

13900 49th Street North • Clearwater, Florida 33762
Office 727.787.7250 • Fax 727.787.7558

sun or fluorescent lighting.
Section 8: Exposure Controls/Personal Protection
Not necessary
Section 9: Physical and Chemical Properties
N/A
Section 10: Stability and Reactivity
Stable
Section 11: Toxicological Information
N/A
Section 12: Ecological Information* (non-mandatory)
N/A
Section 13: Disposal Considerations* (non-mandatory)
Material may be recycled or disposed of in accordance with local regulations.
Section 14: Transport Information* (non-mandatory)
N/A
Section 15: Regulatory Information* (non-mandatory)
N/A
Section 16: Other Information
Rev. 09-14