SAFETY DATA SHEETS

This SDS packet was issued with item:

078924240

N/A



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 1 of 10

Revision date: 01.15.2021

Chloradine® Lube

SECTION 1: Identification

Product identifier

Product name: Chloradine® Lube

Product code: 13866005

Recommended use of the product and restriction on use

Relevant identified uses: Ready-to-use chlorhexidine preserved

lubricant for topical or intrauterine application

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Supplier:

United States

Aspen Veterinary Resources Ltd 3155 W. Heartland Drive Liberty, MO 64068 1-800-792-1238

Emergency telephone number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours) Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Label elements

Hazard pictograms:





Signal word: Danger

Hazard statements:

H318 Causes serious eye damage

H335 May cause respiratory irritation

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 2 of 10

Revision date: 01.15.2021

Chloradine® Lube

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 Call a POISON CENTER/doctor if you feel unwell

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P405 Store locked up

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7732-18-5	Water	>80
CAS number: 18472-51-0	Chlorhexidine gluconate	0.1
CAS number: 64-17-5	Ethanol	Trade Secret
CAS number: 141-78-6	Ethyl acetate	Trade Secret
CAS number: N/A	Hydroxyethyl cellulose	Trade Secret

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 3 of 10

Revision date: 01.15.2021

Chloradine® Lube

mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

If respiratory symptoms persist, seek medical attention.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015

Revision date: 01.15.2021

Chloradine® Lube

for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Ethanol	64-17-5	8-Hour TWA-PEL: 1900 mg/m ³ (1000 pm)
	Ethyl acetate	141-78-6	8-Hour TWA-PEL: 1400 mg/m ³ (400 ppm)
NIOSH	Ethanol	64-17-5	REL-TWA: 1900 mg/m³ (1000 ppm [up to 10 hr.])
	Ethanol	64-17-5	IDLH: 3300 ppm
	Ethyl acetate	141-78-6	REL-TWA: 1400 mg/m³ (400 ppm [up to 10 hr])
	Ethyl acetate	141-78-6	IDLH: 2000 ppm
ACGIH	Ethanol	64-17-5	15-Minute STEL: 1000 ppm
	Ethyl acetate	141-78-6	8-Hour TWA: 400 ppm
United States(California)	Ethanol	64-17-5	8-Hour TWA-PEL: 1900 mg/m ³ (1000 ppm)
	Ethyl acetate	141-78-6	8-Hour TWA-PEL: 1400 mg/m ³ (400 ppm)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Page 4 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 5 of 10

Revision date: 01.15.2021

Chloradine® Lube

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, green, viscous gel
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
рН	5.0 - 7.0
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Soluble in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015

Revision date: 01.15.2021

Chloradine® Lube

Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

Do not clean with anionic detergents that will precipitate the chlorhexidine into a water insoluble residue.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Chlorhexidine gluconate	oral	LD50 Rat: 2000 mg/kg
	dermal	LD50 Rabbit: >5000 mg/kg
Ethanol	oral	LD50 Rat: 10,470 mg/kg
	inhalation	LC50 Rat: 116.9 mg/L (4 hr)
	dermal	LD50 Rabbit: 17,100 mg/kg
Ethyl acetate	oral	LD50 Rabbit: 4934 mg/kg
	dermal	LD50 Rabbit: > 20,000 mg/kg
	inhalation	LC50 Rat: 20,000 mg/m ³

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Page 6 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 7 of 10

Revision date: 01.15.2021

Chloradine® Lube

Substance data:

Name	Result
Chlorhexidine gluconate	Causes serious eye damage.
Ethanol	Eye contact may result in irritation.
Ethyl acetate	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment:

May cause respiratory irritation.

Product data: No data available. Substance data:

Name	Result
Ethyl acetate	May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 8

Revision date: 01.15.2021

Chloradine® Lube

Substance data: No data available.

Information on likely routes of exposure:

Skin contact, inhalation, eye contact, ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Chlorhexidine gluconate	LC50 Danio rerio: 2.08 mg/L (96 hours)
	EC50 Daphnia magna: 0.087 mg/L (48 hours)
	EC50 Freshwater algae: 0.081 mg/L

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Chlorhexidine gluconate	NOEC Daphnia magna: 0.02 mg/L
	EC10 Freshwater algae: 0.03 mg/L

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Ethanol	Readily biodegradable in water.
Ethyl acetate	Readily biodegradable (69% degradation after 20 days).

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Chlorhexidine gluconate	BCF: 1.77
	Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
Ethyl acetate	Substance has low potential for bioaccumulation (BCF: 30).

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Chlorhexidine gluconate	Koc at 20 °C: 72200
Ethanol	Highly Mobile (Koc: 1)

Results of PBT and vPvB assessment

Page 8 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015

Revision date: 01.15.2021

Chloradine® Lube

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Ethanol	The substance is not PBT.	
Ethyl acetate	Substance is not PBT.	
vPvB assessment:		
Ethanol	The substance is not vPvB	

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Substance is not vPvB.

Contaminated packages:

Ethyl acetate

Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

•	
UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Page 9 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.15.2015 Page 10 of 10

Revision date: 01.15.2021

Chloradine® Lube

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 313 toxic chemicals: None of the ingredients are listed.

CERCLA:

	141-78-6	Ethyl acetate	Listed	5000 lb
RCRA:				
	141-78-6	Ethyl acetate	Listed	U112

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed

New Jersey Right to Know:

64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed

New York Right to Know:

64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed

Pennsylvania Right to Know:

64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0 **HMIS:** 3-0-0

Initial preparation date: 12.15.2015

Revision date: 01.15.2021

Revision Notes:

Revision Date	Notes
2021-01-15	Version 3.