

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078927537

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078358818 078879805 078912026 078923240 078926795

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

078909582



# ADAPTIL<sup>®</sup> Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 -05/03/2011

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : ADAPTIL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use of the mixture : Calming product for dogs.  
Consumer use.  
The product is sprayed on dog's bedding. The spread volume per application ranges from 120 µL to 140 µL.

Uses advised against : See directions for use on package insert and box

#### 1.3. Details of the supplier of the safety data sheet

Ceva Santé Animale 10 Avenue de la Ballastière 33500 Libourne France +33 (0)5 57 55 40 40 <a href="mailto:contact@ceva.com">contact@ceva.com</a>	Ceva Animal Health, LLC 8735 Rosehill Rd Lenexa, KS 66215 USA 1 800 999 0297 <a href="mailto:contact.us@ceva.com">contact.us@ceva.com</a>
---	--

#### 1.4. Emergency telephone number

Country	Official advisory body / Company	Address	Emergency number
UNITED STATES	CHEMTREC	-	+1-800-424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

FLAM. LIQ. 2 H225  
Eye Irrit. 2A H319  
STOT SE 3 H336  
Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms



GHS02



GHS07

Signal words	Danger	
Hazard statements	H225 H319 H336	Highly flammable liquid and vapour Causes serious eye irritation May cause drowsiness or dizziness
Precautionary statements	P102 P103 P210 P261 P305 + P351 P403 + P235 P501	Keep out of reach of children Read label before use Keep away from heat/ sparks/open flames/hot surfaces. No smoking Avoid breathing vapours If in eyes: Rinse cautiously with water for several minutes Store in a well-ventilated place. Keep cool. Dispose of contents/ container to hazardous or special waste collections point, in accordance with local regulation

#### 2.3. Other hazards

Other hazards not contributing to the classification : None to our knowledge.

#### 2.4. Unknown acute toxicity (GHS-US)

No data available.



# ADAPTIL<sup>®</sup> Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Isopropanol	(CAS No) 67-63-0	> 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	Move the affected person away from the contaminated area and into the fresh air. If breathing is difficult, give oxygen. Call a POISON CENTER or a docteur if you feel unwell.
First-aid measures after skin contact	Remove all contaminated clothing and footwear. Wash with soapy water. In case of redness or irritation, call a doctor.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult an eye specialist.
First-aid measures after ingestion	: Rinse mouth out with water. Never attempt to induce vomiting. Ask for medical advice. If possible show this sheet, if not available show packaging or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Narcotic effect. Headache. Nausea. Dizziness. Drowsiness
Symptoms/injuries after skin contact	None to our knowledge.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	None to our knowledge.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide (CO <sub>2</sub> ). Polyvalent foam.
Unsuitable extinguishing media	: Strong water jet.

#### 5.2. Special hazards arising from the chemicals

Fire hazard	: Highly flammable liquid and vapour. No specific hazardous decomposition products known (release of carbon oxides expected).
Reactivity	: To our knowledge, the product does not present any particular risk.

#### 5.3. Advice for firefighters

Firefighting instructions	No specific advice. No additional self-reaction, explosive or oxidising hazard are anticipated. Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding.
Protection during firefighting	Avoid inhalation of smoke and fumes. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing..

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	No specific precautions. Adequate protective gloves and half mask should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment). Avoid skin contamination and inhalation of vapour. Individual washing routines should be followed after any potential contact. Ensure adequate ventilation in working areas following accidental releases.
----------------------	---

##### 6.1.2. For emergency responders

Protective equipment	Apply the same recommendations as section 6.1.1
----------------------	---



# ADAPTIL<sup>®</sup> Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011

### 6.2. Environmental precautions

Do not discharge directly into drains, soil or aquatic environment.

### 6.3. Methods and material for containment and cleaning up

For containment

Recover the product with absorbent material.

Methods for cleaning up

Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Do not breathe vapours.

Do not handle near flames, sources of heat or sparks (e.g electrical apparatus).

Avoid contact with skin and eyes. Wear adequate protective gloves protection and eye/face protection.

Hygiene measures

When using do not eat, drink or smoke.

Good personal washing routines should be followed. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in a dry, cool, well-ventilated area. Protect from heat and direct sunlight.

Incompatible materials

Combustible material, acids and strong oxidizing materials. Aluminium. Acids. Halogenated compounds. Acid anhydrides

Special rules on packaging

: Store in original container.

### 7.3. Specific end use(s)

No additional information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Isopropanol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

### 8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Hand protection

: Protective gloves made of rubber or PVC.

Eye protection

: Sealed safety goggles.

Skin and body protection

: Protective clothing. Antistatic clothing.

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory equipment. Gas mask with filter type A.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear solution
Colour	Colourless to yellowish
Odour	Alcohol
Odour threshold	No data available
pH	No data available
Freezing point	-90°C (Isopropanol)
Boiling point	82°C (Isopropanol)
Flash point	10°C
Relat. evapor. rate comp. to butylacetate	No data available
Flammability (solid, gas)	Not applicable (liquid)
Explosive limits	Low: 2% ; High: 12% (Isopropanol)
Vapour pressure	60.2 hPa (25 °C) (Isopropanol)
Relative vapour density at 20 °C	2.1 (Isopropanol)
Relative density	Close to 0.786 (Isopropanol)
Density	No data available



# ADAPTIL<sup>®</sup> Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011

Solubility	Miscible in water and in oil
Log Pow	0.05 (Isopropanol)
Self ignition temperature	399 - 455.6 °C (Isopropanol)
Decomposition temperature	No data available
Viscosity	2.5 mPa.s (Isopropanol)
Explosive properties	Not explosive.
Oxidising properties	Non oxidizing material according to EC criteria.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

To our knowledge, the product does not present any particular risk.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Highly flammable liquid and vapour. On exposure to high temperature, may decompose, releasing toxic gases.

### 10.4. Conditions to avoid

Avoid heat and direct sunlight.

### 10.5. Incompatible materials

Avoid contact with combustible material, acids and strong oxidizing materials. Aluminium. Acids. Halogenated compounds. Acid anhydrides.

### 10.6. Hazardous decomposition products

On combustion or on thermal decomposition (pyrolysis) releases : Carbon oxydes (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Isopropanol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rabbit	13000 mg/kg

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Eye Irritant. Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Vapours may cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)



# ADAPTIL® Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Presents no particular risk to the environment, provided the disposal requirements (see section 13) and local regulations are complied with.

Isopropanol (67-63-0)	
LC50 fish	9640 mg/l (Pimephales promelas, 96h)(OECD 203 method)
EC50 Daphnia	5102 mg/l (Daphnia magna, 24h) (OECD 202 method)

#### 12.2. Persistence and degradability

Isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 98 %

#### 12.3. Bioaccumulative potential

Isopropanol (67-63-0)	
Log Pow	0,05 (25 °C)
Bioaccumulative potential	Not bioaccumulable.

#### 12.4. Mobility in soil

No additional information available.

#### 12.5. Other adverse effects

No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of in accordance with relevant local regulations.  
Additional information : Empty the packaging completely prior to disposal. Recycle or dispose of in compliance with current legislation.

### SECTION 14: Transport information

#### 14.1. UN number

UN-No. 1219

#### 14.2. UN proper shipping name

Proper Shipping Name ISOPROPANOL  
Transport document description UN 1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II, (D/E)

#### 14.3. Transport hazard class(es)

Class (UN) 3 - Flammable liquid  
Department of Transportation (DOT) Hazard Classes 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Hazard labels (UN) 3



Hazard labels (DOT) 3 - Flammable liquid



#### 14.4. Packing group

Packing group (UN) II  
Packing group (DOT) II - Medium Danger



# ADAPTIL® Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011


### 14.5. Environmental hazards

Marine pollutant No  
Other information No

### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Hazard identification number (Kemler No.) 33  
Classification code F1  
Orange plates



Tunnel restriction code D/E  
Limited quantities (ADR) 1 L  
Excepted quantities (ADR) E2  
Maximum net quantity per inner packaging : 30 ml  
Maximum net quantity per outer packaging : 500 ml

#### 14.6.2. Transport by sea

FS F-E S-D  
Limited quantity (IMDG) : 1L  
Excepted quantity (IMDG) : E2

IMDG Segregation code group No  
Stowage and separation Category B  
Flash Point 10°C

#### 14.6.3. Air transport

Instruction "cargo" (ICAO)	Packaging Instr.	364	Net quantity max / packaging	60L
Instruction "passenger & cargo" (ICAO)	Packaging Instr.	Y 341	Net quantity max / packaging	1 L
	Packaging Instr.	353	Net quantity max / packaging	5L
Excepted quantity : E2				

### 14.7. DOT

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.  
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)  
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / (1 + a (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions : Refer to 49 CFR 173.4b and 49 CFR 173.150

DOT Packaging Non Bulk : Refer to 49 CFR 173.202

DOT Packaging Bulk : Refer to 49 CFR 173.242

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.



# ADAPTIL<sup>®</sup> Spray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 2.0

Revision date: 07/23/2014

Supersedes: Version 1.0 –05/03/2011

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Listed on SARA Section 313 (Specific toxic chemical listings)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### Propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### EU-Regulations

##### Propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225

Eye Irrit. 2 H319

STOT SE 3 H336

Full text of H-phrases: see section 16

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive toxicity

### SECTION 16: Other information

Data sources : SDS of suppliers.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

#### HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard

Physical : 0 Minimal Hazard

Personal Protection : B

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*