SAFETY DATA SHEETS

This SDS packet was issued with item: 078928800

N/A



SAFETY DATA SHEET

1. Identification

| Product identifier | ULTRA™ Duramune Lyme [®] |
|---------------------------------|---|
| Other means of identification | Borrelia burgdorferi Bacterin |
| Recommended use | For subcutaneous vaccination of healthy dogs 9 weeks of age or older as an aid in the prevention of disease caused by <i>Borrelia burgdorferi</i> . |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/ | Distributor information |
| Manufacturer | Boehringer Ingelheim Vetmedica, Inc. |
| Address | 2621 North Belt Hwy |
| | St. Joseph, MO 64506-2002 |
| Transportation emergency | For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 |
| | Outside USA and Canada: +1 703-527-3887 (collect calls accepted) |
| Medical Emergency (24HR): | (866) 638-2226 |
| Non-Emergency calls: | (800) 821-7467 |

2. Hazard(s) identification

| Physical hazards | Not classified. | |
|----------------------|---------------------|------------|
| Health hazards | Sensitization, skin | Category 1 |
| | Carcinogenicity | Category 1 |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| Signal word | Danger |
|--|--|
| Hazard statement | May cause an allergic skin reaction. May cause cancer. |
| Precautionary statement | |
| Prevention | Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. |
| Response | If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention. |
| Storage | Store away from incompatible materials. Keep at a temperature between 2 - 7°C Do not freeze. Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % | |
|---|---|-----|--------|
| Formaldehyde* | 50-00-0 | 0.2 | |
| ULTRA™ Duramune Lyme [®] | | | SDS US |
| 2026.01 Version #: 01 Revision date: - Issue date: 12 September 2016 | | | 1/8 |
| Obtained by Global Safety Management, 1-813-435 Obtained by Global Safety Management, www.GS | 5-5161 - www.GSMSDS.com MSDS.com, 877-683-7460 | | |

| Borrelia burgdorferi, bacterin - inactivated | Proprietary |
|--|---|
| Composition comments | Contains thimerosal as a preservative. |
| | *Formaldehyde used to inactivate bacterin and subsequently removed from solution. Concentration represents maximum remaining amount by percent weight which is below USDA allowable limits. |
| 4. First-aid measures | |
| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing Call a physician if symptoms develop or persist. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. |
| Most important symptoms/effects, acute and delayed | May cause an allergic skin reaction. Dermatitis. Rash. Ingestion of a large quantity may cause vomiting, nausea, dizziness, drowsiness and other systemic effects. |
| Indication of immediate medical attention and special treatment needed | Not for human use. For use in dogs only. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Persons developing anaphylactic (life threatening) reactions, such a as difficulty in breathing or unconsciousness, must receive immediate medical attention. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |
| 5. Fire-fighting measures | |

| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
|--|---|
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from foodstuffs. Store in the dark at 2°C to 7°C (35°F to 45°F). Avoid freezing. Shake Well. Protect from direct sunlight. Store away from incompatible materials, see Section 10 of the SDS.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

| Components | Туре | Value |
|---|--|--|
| Formaldehyde* (CAS 50-00-0) | STEL | 2 ppm |
| | TWA | 0.75 ppm |
| US. OSHA Table Z-2 (29 CF | R 1910.1000) | |
| Components | Туре | Value |
| Thimerosal* (CAS 54-64-8) | Ceiling | 0.04 mg/m3 |
| | TWA | 0.01 mg/m3 |
| US. ACGIH Threshold Limit | Values | |
| Components | Туре | Value |
| Formaldehyde* (CAS 50-00-0) | Ceiling | 0.3 ppm |
| Thimerosal* (CAS 54-64-8) | STEL | 0.03 mg/m3 |
| | TWA | 0.01 mg/m3 |
| US. NIOSH: Pocket Guide to | o Chemical Hazards | |
| Components | Туре | Value |
| Formaldehyde* (CAS 50-00-0) | Ceiling | 0.1 ppm |
| | TWA | 0.016 ppm |
| Thimerosal* (CAS 54-64-8) | STEL | 0.03 mg/m3 |
| | TWA | 0.01 mg/m3 |
| logical limit values | No biological exposure limits noted t | for the ingredient(s). |
| bosure guidelines | 1 | |
| US - California OELs: Skin | • | |
| Thimerosal* (CAS 54-64 US - Tennessee OELs: Skir | | be absorbed through the skin. |
| Thimerosal* (CAS 54-64 | • | be absorbed through the skin. |
| US ACGIH Threshold Limit | | |
| Thimerosal* (CAS 54-64 | | be absorbed through the skin. |
| US. NIOSH: Pocket Guide to | o Chemical Hazards | |
| Thimerosal* (CAS 54-64 | , | be absorbed through the skin. |
| propriate engineering htrols | Not normally needed. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. | |
| - | , such as personal protective equipn | nent |
| Eye/face protection | Not normally needed. Wear safety g | lasses with side shields (or goggles). |
| Skin protection | | |
| Hand protection | Not normally needed. Wear appropr | - |
| Other | Not normally needed. Wear suitable | protective clothing. |

| Respiratory protection | No personal respiratory protective equipment normally required. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. |
|-----------------------------------|---|
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

| Appearance | |
|--|--|
| Physical state | Liquid. |
| Form | Inactivated bacterin in a liquid solution in a single dose (0.5 ml) vial |
| Color | Tan to Light Yellow Opaque. |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| 10. Stability and reactivity | |
| | |

| Reactivity Chemical | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|-------------------------------------|---|
| stability Possibility of | Material is stable under normal conditions. |
| hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. Excessive heat. Keep from freezing. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com Obtained by Global Safety Management, www.GSMSDS.com, 877-683-7460

11. Toxicological information

Information on likely routes of exposure

| Inhalation | No adverse effects due to inhalation are expected. |
|--|--|
| Skin contact | May cause an allergic skin reaction. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | May cause an allergic skin reaction. Dermatitis. Rash. Ingestion of a large quantity may cause vomiting, nausea, dizziness, drowsiness and other systemic effects. |

Information on toxicological effects

| Acute toxicity | May cause a | n allergic skin reaction. | | | |
|---|---|--|--|--|--|
| Components | Species | | Test Results | | |
| Formaldehyde* (CAS 50-00-0) | | | | | |
| Acute | | | | | |
| Inhalation | | | | | |
| LC50 | Rat | | 0.82 mg/l, 0.5 Hours | | |
| Oral | | | | | |
| LD50 | Rat | | 100 mg/kg | | |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | | | | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | | | | |
| Respiratory or skin sensitizatio | n | | | | |
| ACGIH sensitization | | | | | |
| Formaldehyde* (CAS 50 | -00-0) | Sensitizer. | | | |
| Respiratory sensitization | Not a respira | tory sensitizer. | | | |
| Skin sensitization | May cause a | n allergic skin reaction. | | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | | | |
| Carcinogenicity | Contains a component that is listed as an IARC 1 (Known Human Carcinogen), a NTP Known Carcinogen and an ACGIH A2 (Suspected Human Carcinogen). In vaccines, the chronic exposur potential is negligible. | | | | |
| IARC Monographs. Overall | Evaluation of (| Carcinogenicity | | | |
| Formaldehyde* (CAS 50 NTP Report on Carcinogen | | 1 Carcinogenic | to humans. | | |
| Formaldehyde* (CAS 50 OSHA Specifically Regulate | | | luman Carcinogen. | | |
| Formaldehyde* (CAS 50 | -00-0) | Cancer | | | |
| Reproductive toxicity | This product | This product is not expected to cause reproductive or developmental effects. | | | |
| Specific target organ toxicity - single exposure | Not classified | I. | | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | | | |
| Aspiration hazard | Not an aspiration hazard. | | | | |
| Chronic effects | Possible hyp | Possible hyper sensitization (development of abnormal sensitivity). | | | |
| 12. Ecological information | า | | | | |
| Ecotoxicity | | | / hazardous. However, this does not exclude the a harmful or damaging effect on the environment. | | |
| Components | | Species | Test Results | | |
| Formaldehyde* (CAS 50-00-0 |)) | | | | |
| Aquatic | | | | | |
| Crustacea | EC50 | Water flea (Daphnia pulex) | 4.3 - 7.8 mg/l, 48 hours | | |
| ULTRA™ Duramune Lyme [®] | | | SDS U | | |

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com Obtained by Global Safety Management, www.GSMSDS.com, 877-683-7460

| Components | | Species | Test Results | |
|---|---|---|--------------------------------|--|
| Fish | LC50 | Striped bass (Morone saxatilis) | 10.302 - 16.743 mg/l, 96 hours | |
| Persistence and degradability | No data is | available on the degradability of this proc | duct. | |
| Bioaccumulative potential | | | | |
| Partition coefficient n-octa Formaldehyde* (CAS 50-00- | · · | og Kow) 0.35 | | |
| Mobility in soil | Expected to be slightly to moderately mobile in soil. | | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | | |
| 13. Disposal consideration | ons | | | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | | | |
| Local disposal regulations | Dispose in accordance with all applicable regulations. | | | |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the wast | | | |

Waste from residues / unused
productsDispose of in accordance with local regulations. Empty containers or liners may retain some
product residues. This material and its container must be disposed of in a safe manner (see:
Disposal instructions).Contaminated packagingEmpty containers should be taken to an approved waste handling site for recycling or disposal.
Since emptied containers may retain product residue, follow label warnings even after container is

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

One or more components are not listed on TSCA.

Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use. FEDERAL LAW RESTRICTS THIS DRUG TO USE BY OR ON ORDER OF LICENSED VETERINARIANS.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

emptied.

Formaldehyde* (CAS 50-00-0)

Cancer Skin sensitization Respiratory sensitization Eye irritation Skin irritation respiratory tract irritation Acute toxicity Flammability

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde* (CAS 50-00-0)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|---|---------------------------------|------------------------------------|--|--|--|
| Formaldehyde* | 50-00-0 | 100 | 500 | <u> </u> | u / |
| SARA 311/312 Hazardo chemical | ous Yes | | | | |
| SARA 313 (TRI reporti | ng) | | | | |
| Chemical name | | | CAS number | % by wt. | |
| Formaldehyde* | | | 50-00-0 | 0.2 | |
| ner federal regulations | | | | | |
| Clean Air Act (CAA) So Formaldehyde* (CA Thimerosal* (CAS S Clean Air Act (CAA) So | AS 50-00-0) 54-64-8) | | | 8.130) | |
| Formaldehyde* (CA | AS 50-00-0) | | | | |
| Safe Drinking Water A (SDWA) | ct Not regulat | ed. | | | |
| state regulations | | | | | |
| US. Massachusetts RT | FK - Substance List | t | | | |
| Formaldehyde* (CA Thimerosal* (CAS & US. New Jersey Worke | 54-64-8) | Right-to-Know | Act | | |
| Formaldehyde* (CA | • | Night-to-Nilow | | | |
| Thimerosal* (CAS & US. Pennsylvania Wor | | ty Right-to-Kno | w Law | | |
| Formaldehyde* (CA Thimerosal* (CAS S US. Rhode Island RTK | 54-64-8) | | | | |
| Formaldehyde* (CA Thimerosal* (CAS { | | | | | |
| US. California Proposi California Safe Drin any chemicals curre | nking Water and To | | | on 65): This material is | not known to contain |
| US - California Pro | oposition 65 - Card | cinogens & Rep | oroductive Toxicity (C | RT): Listed substance |) |
| Formaldehyde Thimerosal* (C | * (CAS 50-00-0) CAS 54-64-8) | | | | |
| ernational Inventories | | | | | |
| Country(s) or region | Inventory I | name | | | On inventory (yes/no)* |
| Australia | - | | mical Substances (AIC | S) | No |
| Canada | Domestic S | Substances List (| DSL) | | No |
| Canada | Non-Dome | stic Substances | List (NDSL) | | No |
| China | Inventory o | f Existing Chemi | cal Substances in Chir | na (IECSC) | No |
| Europe | European I Substances | | ting Commercial Chem | lical | No |
| Europe | European L | ist of Notified Cl | hemical Substances (E | ELINCS) | No |
| Japan | Inventory o | f Existing and N | ew Chemical Substanc | ces (ENCS) | No |
| Korea | Existing Ch | emicals List (EC | CL) | | No |
| New Zealand | New Zeala | nd Inventory | | | No |
| Philippines | Philippine I (PICCS) | nventory of Che | micals and Chemical S | Substances | No |
| United States & Puerto *A "Yes" indicates this proc | | | Act (TSCA) Inventory | e governing country(s) | No |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| , | 5 1 1 |
|---------------------|--|
| Issue date | 12 September 2016 |
| Revision date | |
| Version# | 01 |
| Further information | Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling. HMIS® is a registered trade and service mark of the American Coatings Association (ACA). |
| HMIS® ratings | Health: 2 Flammability:0 Physical hazard: 0 |
| NFPA ratings | 200 |
| Disclaimer | The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. ("BIVI") in good faith as accurate as of the date hereof, but without guarantee. This information includes |

information which has been generated by other parties and provided to BIVI, and which BIVIhas not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. ("BIVI") expressly disclaims all liability for reliance thereon. BIVI EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FORA PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIVI's control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIVI EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIVI neither represents nor warrants that the format, content or product formulas contained in this document comply with +the laws of any other country except the United States of America.

Obtained by Global Saféty Management, www.GSMSDS.com, 877-683-7460