This SDS packet was issued with item:

078929369

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078929368

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078036801 078189578



Revision date: 17-Apr-2014 Version: 2.0 Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Tetanus Toxoid

Trade Name: Tetanus Toxoid Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Cloudy white suspension

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified

Hazard Statements: Non-hazardous in accordance with international standards for workplace safety.

Other Hazards

Short Term: In the event of accidental injection, an allergic reaction may occur. If an allergic reaction

occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: Tetanus Toxoid
Revision date: 17-Apr-2014
Page 2 of 11
Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Thimerosal	54-64-8	200-210-4	T+; R26/27/28; R33 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) STOT RE 2 (H373) Acute Tox. 2 (H330) Acute Aquatic 1 (H400) Chronic Aquatic 1 (H410)	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Resp Sens. 1 (H334)	<0.1
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Polysorbate 80	9005-65-6	Not Listed	Not Listed	Not Listed	*
Tetanus toxoid	93384-51-1	297-262-3	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Material Name: Tetanus Toxoid Page 3 of 11 Version: 2.0 Revision date: 17-Apr-2014

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information. **Exposure:**

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for

situations immediately. Clean up operations should only be undertaken by trained personnel. Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls. Keep away from heat, sparks, and flame. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

Material Name: Tetanus Toxoid Page 4 of 11
Revision date: 17-Apr-2014 Version: 2.0

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Switzerland OEL -TWAs

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit: 0.3 ppm **ACGIH - Sensitizer Designation** Sensitizer **Australia STEL** 2 ppm 2.5 mg/m^3 **Australia TWA** 1 ppm 1.2 mg/m³ Austria OEL - MAKs 0.5 ppm 0.6 mg/m³ **Bulgaria OEL - TWA** 1.0 mg/m³ Czech Republic OEL - TWA 0.5 mg/m³ 0.5 ppm **Estonia OEL - TWA** 0.6 mg/m^{3} **Finland OEL - TWA** 0.3 ppm 0.37 mg/m³ France OEL - TWA 0.5 ppm Germany (DFG) - MAK 0.3 ppm 0.37 mg/m³ no irritation should occur during mixed exposure **Greece OEL - TWA** 2 ppm 2.5 mg/m³ **Hungary OEL - TWA** 0.6 mg/m³ 2 ppm **Ireland OEL - TWAs** 2.5 mg/m³ 0.2 ppm Japan - OELs - Ceilings 0.24 mg/m³ Latvia OEL - TWA 0.5 mg/m³ Lithuania OEL - TWA 0.5 ppm 0.6 mg/m³ **Netherlands OEL - TWA** 0.15 mg/m³ **Vietnam OEL - TWAs** 0.5 mg/m³ **OSHA - Final PELS - TWAs:** 0.75 ppm **OSHA - Specifically Regulated Chemicals** 2 ppm 0.5 ppm 0.75 ppm Poland OEL - TWA 0.5 mg/m^{3} Romania OEL - TWA 1 ppm 1.20 mg/m³ Slovakia OEL - TWA 0.3 ppm 0.37 mg/m³ Slovenia OEL - TWA 0.5 ppm 0.62 mg/m³ Sweden OEL - TWAs 0.3 ppm 0.37 mg/m³

PZ01748

0.3 ppm 0.37 mg/m³

Material Name: Tetanus Toxoid Page 5 of 11 Version: 2.0 Revision date: 17-Apr-2014

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Polymyxin B

OEB 2 - Sensitizer (control exposure to the range of 100ug/m³ to < 1000ug/m³, provide **Zoetis OEB**

additional precautions to protect from skin contact)

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Use process

containment, local exhaust ventilation, or other engineering controls to maintain airborne levels

within the OEB range.

Personal Protective

Equipment:

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Wear impervious gloves if skin contact is possible. Hands:

Eyes: Safety glasses or goggles

Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and Skin:

laboratory areas.

Respiratory protection: If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Suspension Color: Cloudy white No data available. Odor: No data available. **Odor Threshold:** Mixture

Molecular Formula: Mixture **Molecular Weight:**

Solvent Solubility: No data available No data available Water Solubility:

Solubility: Soluble: Water, methanol.

pH: 6-8

No data available **Melting/Freezing Point (°C): Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

No data available **Evaporation Rate (Gram/s):** No data available Vapor Pressure (kPa): Vapor Density (g/ml): No data available **Relative Density:** No data available Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): Non-flammable Upper Explosive Limits (Liquid) (% by Vol.): No data available

Lower Explosive Limits (Liquid) (% by Vol.): No data available Will not occur Polymerization:

Material Name: Tetanus Toxoid Page 6 of 11
Revision date: 17-Apr-2014 Version: 2.0

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Thimerosal

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91 mg/kg Rat Subcutaneous LD50 98mg/kg

Polysorbate 80

Rat Intravenous LD 50 1790 mg/kg Mouse Oral LD 50 25g/kg

Polymyxin B

Mouse Oral LD50 790 mg/kg

Mouse Para-periosteal LD50 3980ug/kg Rat Subcutaneous LD50 50mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Thimerosal

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Sensitization Positive

Skin Irritation / Sensitization This product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

Material Name: Tetanus Toxoid Page 7 of 11
Revision date: 17-Apr-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Inhalation Not Specified Lungs Dog 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs 90 Day(s) Inhalation 15 ppm LOAEL Rat Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Polymyxin B

In Vitro Negative In Vivo Negative

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

PZ01748

Material Name: Tetanus Toxoid

Revision date: 17-Apr-2014

Page 8 of 11

Version: 2.0

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde

RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Material Name: Tetanus Toxoid Page 9 of 11
Revision date: 17-Apr-2014 Version: 2.0

15. REGULATORY INFORMATION

Polysorbate 80

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Tetanus toxoid

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

Not Listed

Standard for the Uniform Scheduling

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 297-262-3

Thimerosal

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 developmental toxicity initial date 7/1/90

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present

REACH - Annex XVII - Restrictions on CertainUse restricted. See item 18.

Dangerous Substances:

EU EINECS/ELINCS List 200-210-4

Polymyxin B

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed
215-768-4

Neomycin Free Base

CERCLA/SARA 313 Emission reporting Not Listed

California Proposition 65 developmental toxicity initial date 10/1/92

Standard for the Uniform Scheduling Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 215-766-3

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

0.75 ppm

100 lb

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present

PZ01748

Material Name: Tetanus Toxoid
Revision date: 17-Apr-2014
Page 10 of 11
Version: 2.0

15. REGULATORY INFORMATION

Standard for the Uniform SchedulingSchedule 2for Drugs and Poisons:Schedule 6EU EINECS/ELINCS List200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Carcinogenic: Category 3

T+ - Very toxic

T - Toxic

C - Corrosive

Xn - Harmful

N - Dangerous for the environment

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 15 - Regulatory Information. Updated Section

16 - Other Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Material Name: Tetanus Toxoid Page 11 of 11
Revision date: 17-Apr-2014 Version: 2.0

End of Safety Data Sheet

PZ01748