# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078342959

N/A



# **Safety Data Sheet**

Issue date 26-Sep-2018 Version 2

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name ANDIS COOL CARE PLUS FOR CLIPPER BLADES

Chemical name 7-7875-2

Other means of identification

Product code FG 431-2211-6 GHS Synonyms Disinfectant and Lubricant

Registration number(s) 498-194-74603

Recommended use of the chemical and restrictions on use

**Recommended Use**To disinfect and lubricate hair clippers and for disinfection of other inanimate surfaces.

**Uses advised against** Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Andis Company
1800 Renaissance Boulevard
Sturtevant, WI 53177
1-800-558-9441

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

**Emergency Telephone Number** 

**Company Phone Number** 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

## 2. Hazards Identification

# Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

# **Label Elements**

## **EMERGENCY OVERVIEW**

# **DANGER**

# hazard statements

Causes serious eye irritation

EXTREMELY FLÄMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance clear liquid Physical State Aerosol Odor Perfumed.

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

## Hazards not otherwise classified (HNOC)

# Other Information

• Toxic to aquatic life with long lasting effects

14.748% of the mixture consists of ingredient(s) of unknown toxicity

# 3. Composition/information on Ingredients

**Synonyms** Disinfectant and Lubricant.

**Chemical Family** MIXTURES. **Formula** 7-7875-2

**Chemical nature** Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Ethyl alcohol	64-17-5	60-65	*
Water	7732-18-5	15-20	*
1,1-Difluoroethane	75-37-6	10-15	*
n-butane	106-97-8	1-5	*
O-phenylphenol	90-43-7	0.1	*

**Chemical Additions** 

# 4. First aid measures

## **FIRST AID MEASURES**

**Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

**Skin contact** Wash with soap and water. If irritation develops, consult a physician.

**Inhalation** If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation.

See label for active ingredients information.

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

# 5. Fire-fighting measures

#### Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

## Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide, hydrofluoric

acid and carbonyl halides.

**Explosion data** 

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

# Protective equipment and precautions for firefighters

Use personal protective equipment as required.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information Keep out of reach of children.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

**Methods for cleaning up**Clean contaminated surface thoroughly.

## 7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL II (NFPA 30B).

**Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers.

# 8. Exposure Controls/Personal Protection

Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_
n-butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm
			TWA: 1900 mg/m <sup>3</sup>

#### Appropriate engineering controls

Use with adequate general or local exhaust ventilation. **Engineering controls** 

# Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Household type gloves, if desired.

Respiratory protection None required if used in a well-ventilated area .

Aerosol

General hygiene considerations Wash hands thoroughly after handling.

# 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Physical State	Aerosol		
Appearance	clear liquid	Odor	Perfumed.

Color Odor threshold clear No information available

<u>Property</u>	<u>Values</u>	Remarks • Method
pH	9.8 TO 10.5	No information available
Melting point/freezing point	NA	No information available
Boiling point/boiling range	173-181 °F/78.4 °C Ethyl alcohol	No information available
Flash Point	Not available. This is an aerosol	No information available

Not available. This is an aerosol **Flash Point** product with a Flame Projection of 18 in. with 3 in. flashback. Temperatures above 120 °F may cause cans to burst.

Faster than butyl acetate No information available **Evaporation Rate** 

Flammability (solid, gas) No information available Flammability Limits in Air No information available

Upper flammability limits Not available Not available **Lower Flammability Limit** 

Not available No information available Vapor pressure

**Vapor Density** No information available **Relative Density** 0.84 to 0.848 concentrate No information available

No information available Water solubility completely soluble Solubility in other solvents No information available

**Partition coefficient** No information available **Autoignition Temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available

**Explosive properties** No information available No information available **Oxidizing properties** 

**Other Information** 

No information available Softening point Molecular weight No information available

VOC content (%) 67.7

DensityNo information availableBulk Density6.99 to 7.06 Lb/gal

# 10. Stability and Reactivity

Reactivity

Not applicable No data available

## **Chemical stability**

Stable.

## Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

## **Conditions to Avoid**

Temperatures above 122 °F (50 °C).

#### **Incompatible Materials**

Avoid heat, open flame and contact with strong oxidizers.

## **Hazardous decomposition products**

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

# 11. Toxicological Information

#### Information on likely routes of exposure

Product Information Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

**Inhalation** See data below.

Eye Contact No data available.

**Skin contact** No data available.

Ingestion This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
64-17-5			
Water	> 90 mL/kg(Rat)	-	-
7732-18-5			
n-butane	-	-	= 658 g/m <sup>3</sup> (Rat) 4 h
106-97-8			, ,
O-phenylphenol 90-43-7	= 2 g/kg(Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat)1 h

# Information on toxicological effects

**Symptoms** See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitizationNo information available.Germ cell mutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X
O-phenylphenol 90-43-7		Group 3		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 14.748% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (inhalation-gas) 10000000 ATEmix (inhalation-vapor) 16447.4 mg/l

# 12. Ecological Information

# ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

ſ	Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
	Ethyl alcohol 64-17-5		100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50
	O-phenylphenol 90-43-7	0.85: 72 h Desmodesmus subspicatus mg/L EC50	2.74: 96 h Lepomis macrochirus mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static 3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.75: 96 h Oncorhynchus mykiss mg/L LC50		1 - 2.5: 48 h Daphnia magna mg/L EC50 Static

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

See information below.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
n-butane	2.89
106-97-8	
O-phenylphenol	3.18
90-43-7	

Other adverse effects No information available

# 13. Disposal Considerations

# Waste treatment methods

Disposal of wastes Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

#### Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

# **14. Transport Information**

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

<u>IATA</u>

**UN/ID no** UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

<u>IMDG</u>

**UN/ID no** UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

Marine pollutant This product does not contain marine pollutants.

# 15. Regulatory information

**International Inventories** 

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
O-phenylphenol - 90-43-7	90-43-7	0.1	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard yes
Fire Hazard yes
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
O-phenylphenol - 90-43-7	Carcinogen

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	X	X
Water 7732-18-5			X
1,1-Difluoroethane 75-37-6	Х	X	
n-butane 106-97-8	Х	X	X
O-phenylphenol 90-43-7	Х	X	Х

# **U.S. EPA Label information**

EPA Pesticide registration number 498-194-74603

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING: Causes eye irritation. Do not get in eyes. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of foodstuff.

16. Other information						
NFPA_	Health Hazards 1	Flammability 4	Instability 1	Physical and chemical properties Not applicable		
HMIS	Health Hazards 1*	Flammability 4	Physical hazards 1	Personal Protection B - Eyes and hands protection		

Chronic Hazard Star Legend See Section 11: TOXICOLOGICAL INFORMATION

Prepared by Regulatory Department

Issue date 26-Sep-2018

**Revision note** 

This SDS supersedes a previous SDS dated June 17, 2015.

#### <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.