## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078926672

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078914792

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078915558

### MATERIAL SAFETY DATA SHEET

**FMOM No.:** 1475-3.8MM-0.00 **DATE:** 6/16/08

**PRODUCT NAME:** Prednisone Tablets USP

**POTENCY:** 5mg

BATCH SIZE: 3,800,000 Tablets

## PREDNISONE: CAS #53-03-2

Signs and Symptoms

of Overexposure: CAS 53-03-2 TDLo: 113 mg/kg Unknown Woman

LDL<sub>0</sub>: 800 mg/kg Intraperitoneal Mouse LDS0: 600 mg/kg Intramuscular Mouse

Mutation Data (RTECS]
Tumorigenic Data [RTECS]

Reproductive Effect Data CRTECS]

Possible allergic reaction to dust if inhaled, ingested or in contact with skin. Suppression of adrenal gland secretion, Cushing's syndrome, water retention,

electrolyte imbalance, hyperglycemia

ACUTE: Eye, skin and/or respiratory tract irritation

CHRONIC: Possible hypersensitization

Emergency and First

Aid Procedures: Remove from exposure. Remove contaminated clothing. Persons developing

serious hypersensitivity reactions must receive immediate medical attention. Upon eye or skin contact, flush affected area with copious quantities of water. Obtain medical attention. If not breathing give artificial respiration. If breathing

is difficult give oxygen.

1. Inhalation May cause irritation of respiratory tract. Avoid inhalation. Remove to fresh air.

2. Eyes May cause irritation. Flush with copious quantities of water.

3. Skin May cause irritation. Flush with copious quantities of water.

4. Ingestion May cause irritation. Flush out mouth with water.

#### MICROCRYSTALLINE CELLULOSE (AVICEL): CAS # 9004-34-6

Signs and Symptoms

of Overexposure: Not a Health Hazard.

### **SODIUM STARCH GLYCOLATE (PRIMOJEL):** CAS 9063-38-1

Signs and Symptoms

of Overexposure: None - Not a Health Hazard.

Special Fire Fighting

Procedures: Use health protection because poisonous gas will be formed when burning.

#### **LACTOSE:** CAS 63-42-3

Signs and Symptoms

of Overexposure: None - Not a Health Hazard.

#### CAB-O-SIL: CAS # 112945-52-5

Is not considered a potential carcinogen by IARC, NTP, or OSHA.

Acute

Overexposure: ONE known other than possible temporary discomfort due to inhalation of dust

concentration above the permissible exposure.

Chronic Overexposure: NONE KNOWN

Emergency and First

Aid Procedures: Flush eyes with plenty of water.

Inhalation: Move victim to fresh air.

#### TALC: CAS #14807-96-6

Threshold Limit

Values: 20mppcf (OSHA)

2mg/M3, respirable dust (ACGIH)

Signs and Symptoms

of Overexposure: May cause mechanical irritation to eyes and respiratory tract.

Emergency and First

Aid Procedures: Wash dust from skin with soap and water. Flush out eyes with generous amounts

of water for at least 15 minutes. See a physician if irritation persists.

### **MAGNESIUM STEARATE:** CAS # 557-04-0

Exposure/Health Effects:

Inhalation: Symptoms from excessive inhalation of dust may include coughing and difficult

breathing.

Ingestion: Low level of toxicity by ingestion.

Skin Contact: No information found. Not expected to be a hazard.

Eye Contact: May cause mechanical irritation.

Chronic Exposure: Grossly excessive and chronic inhalation of the dust may cause a progressive

chemical pneumonitis.

Aggravation of Pre-

existing Conditions: Persons with pre-existing skin disorders, impaired respiratory function, or a

history of pulmonary disease should not be exposed to dusts.